

Literature

- Ahti, T. & Marcelli, M.P. (1995) Taxonomy of the *Cladonia verticillaris* complex in South America. *Bibliotheca Lichenologica* **58**: 5–26.
- Ahti, T. & Stenroos, S. (1986) A revision of *Cladonia* sect. *Cocciferae* in the Venezuelan Andes. *Ann. Bot. Fennici* **23**: 229–238.
- Ahti, T. (1992). *Biogeographic aspects of Cladoniaceae in the páramos*. In: Balslev, H., Luteyn, J.L. (eds.) *Páramo. An Andean Ecosystem Under Human Influence*. Academic Press, London, pp. 111–117.
- Ahti, T. (2000) *Cladoniaceae. Flora Neotropica* **78**: 1–362.
- Andersson, M. & Gradstein, R. (2005) Impact of management intensity on non vascular epiphyte diversity in cacao plantations in western Ecuador. *Biodiversity and Conservation* **14**: 1101–1120.
- Andersson, N.J. (1855) Om Galápagos Öarnes Vegetation. *Kongliga Svenska Vetenskaps Akademien Handl.* **2**: 61–256.
- Aptroot, A. & Bungartz, F. (2007) The lichen genus *Ramalina* on the Galapagos. *Lichenologist* **39**(6): 519–542.
- Aptroot, A. & Lücking, R. (2016) A first collaborative attempt at a global revision of *Trypetheliaceae* (Ascomycota: Dothideomycetes: Trypetheliales). *Lichenologist* **48**(6): 607–608.
- Aptroot, A. & Sparrius, L. (2008) Crustose *Roccellaceae* in the Galapagos Islands, with the new species *Schismatomma spierii*. *Bryologist* **111**(4): 659–666.
- Aptroot, A. (1991) A Monograph of the *Pyrenulaceae* (Excluding *Anthracothecium* and *Pyrenula*) and the *Requienellaceae*, with Notes on the *Pleomassariaceae*, the *Trypetheliaceae* and *Mycocomirothelia* (Lichenized and Non-lichenized Ascomycetes). *Bibliotheca Lichenologica* **44**: 1–178.
- Aptroot, A. (2002). New and interesting lichens and lichenicolous fungi in Brazil. *Fungal Diversity* **9**: 15–45.
- Aptroot, A. (2006) Three new species of *Lithothelium* (Pyrenulaceae) from China and Thailand, with a revised world key and annotated list of species. *Lichenologist* **38**(6): 541–548.
- Aptroot, A. (2012) A world key to the species of *Anthracothecium* and *Pyrenula*. *Lichenologist* **44**(1): 5–53.
- Aptroot, A., Cáceres, M.E., Johnston, M.K. & Lücking, R. (2016) Index to scientific names and nomenclatural checklist of *Trypetheliaceae*. *Lichenologist* **48**(6): 995–1011.
- Aptroot, A., Ertz, D., Etayo, J.A., Gueidan, C., Mercado Diaz, J.A., Schumm, F. & Weerakoon, G. (2016) Forty-six new species of *Trypetheliaceae* from the tropics. *Lichenologist* **48**(6): 609–639.
- Aptroot, A., G. Thor, R. Lücking, J.A. Elix & Chaves, J.L. (2009) The lichen genus *Herpothallon* reinstated. *Bibliotheca Lichenologica* **99**: 19–66.
- Aptroot, A., Sipman, H.J.M., Cáceres, M.E.D.S. (2013) Twenty-one new species of *Pyrenula* from South America, with a note on over-mature ascospores. *Lichenologist* **45**(2): 169–198.
- Aptroot, A., Sparrius, L., LaGreca, S. & Bungartz, F. (2008) *Angiactis*, a new crustose lichen genus in the *Roccellaceae*, with species from Bermuda, the Galápagos Islands and Australia. *Bryologist* **111**(3): 510–516.
- Arvidsson, L. (1991): Lichenological studies in Ecuador. In: Galloway, D.J. (ed.) *Tropical Lichens: Their Systematics, Conservation and Ecology. The Systematics Association Special Volume*. Clarendon Press, Oxford. pp. 123–134.
- Awasthi, D.D. (1975) A monograph of the lichen genus *Dirinaria*. *Bibliotheca Lichenologica* **2**: 1–109.
- Benítez, Á. (2016) *Efectos de la alteración antrópica en bosques tropicales sobre la diversidad de organismos epífitos (líquenes y briófitos) – Effects of tropical forest disturbance on epiphyte diversity (lichens and bryophytes)*. Doctoral Dissertation, Universidad Rey Juan Carlos, Madrid. 223 pp.
- Benítez, Á., Aragón, G., & Prieto, M. (2019) Lichen diversity on tree trunks in tropical dry forests is highly influenced by host tree traits. *Biodiversity and Conservation* **28**: 2909–2929.
- Benítez, Á., Medina, J., Vásquez, C., Loaiza, T., Luzuriaga, Y. & Calva, J. (2019) Lichens and bromeliads as bioindicators of heavy metal deposition in Ecuador. *Diversity* **11**(2): 28.
- Benítez, A., Prieto, M. and Aragón, G. (2015) Large trees and dense canopies: Key factors for maintaining high epiphytic diversity on trunk bases (bryophytes and lichens) in tropical montane forests. *Forestry* **88**(5), 521–527.
- Benítez, Á., Prieto, M., González, Y., & Aragón, G. (2012). Effects of tropical montane forest disturbance on epiphytic macrolichens. *Science of the Total Environment* **441**: 169–175.
- Bjerke, J.W. (2002) A new fertile species of *Menegazzia* and notes on two sorediate species from the Neotropics. *Lichenologist* **34**(6): 503–508.
- Brako, L. (1991) *Phyllopsora* (Bacidiaceae). *Flora Neotropica* **55**: 1–66.
- Breuss, O. (1993) *Catapyrenium* (Verrucariaceae) species from South America. *Plant Systematics and Evolution* **185**: 17–33.
- Brodo, I.M., Duran Sharnoff, S. & Sharnoff, S. (2001) *Lichens of North America*. Yale University Press, New Haven. 795 pp.
- Bungartz, F. (2008) Cyanolichens of the Galapagos Islands – The genera *Collema* and *Leptogium*. *Sauteria* **15**: 139–158.
- Bungartz, F. (2018) *Acantholichen galapagoensis*. *The IUCN Red List of Threatened Species* 2018: e.T95836378A95838134 (<http://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T95836378A95838134.en>).
- Bungartz, F., Benatti, M.N. & Spielmann, A.A. (2013a) The genus *Bulbothrix* (Parmeliaceae, Lecanoromycetes) in the Galapagos Islands: a case study of superficially similar, but overlooked macrolichens. *Bryologist* **116**(4): 358–372.
- Bungartz, F., Dután-Patiño, V.L. & Elix, J.A. (2013) The lichen genera *Cryptothecia*, *Herpothallon* and *Helminthocarpon* (Arthoniales) in the Galapagos Islands, Ecuador. *Lichenologist* **45**(6): 739–762.
- Bungartz, F., Elix, J.A. & Printzen, C. (2020) Lecanoroid lichens in the Galapagos Islands: the genera *Lecanora*, *Protoparmeliopsis*, and *Vainionora* (Lecanoraceae, Lecanoromycetes). *Phytotaxa* **431**(1): 1–85.
- Bungartz, F., Elix, J.A., Kalb, K. & Giralt, M. (2016) New and overlooked species from the Galapagos Islands: the generic concept of *Diploicia* reassessed. *Lichenologist* **48**(5): 489–515.
- Bungartz, F., Elix, J.A., Yáñez-Ayabaca, A. & Archer, A.W. (2015) Endemism in the genus *Pertusaria* (Pertusariales, lichenized Ascomycota) from the Galapagos Islands. *Telopea* **18**: 325–369.

- Bungartz, F., Giralt, M., Sheard, J. & Elix, J.A. (2016) The lichen genus *Rinodina* (*Physciaceae*, *Teloschistales*) in the Galapagos Islands, Ecuador. *Bryologist* **119**(1): 60–93.
- Bungartz, F., Hillmann, G., Kalb, K. & Elix, J.A. (2013c) Leprose and Leproid Lichens of the Galapagos with a particular focus on *Lepraria* (*Stereocaulaceae*) and *Septotrapelia* (*Pilocarpaceae*). *Phytotaxa* **150**(1): 1–28.
- Bungartz, F., Lücking, R. & Aptroot, A. (2009) The lichen family Graphidaceae (Ostropales, Lecanoromycetes) in the Galapagos Islands. *Nova Hedwigia* **90**: 1–44.
- Bungartz, F., Sochting, U. & Arup, U. (2020) *Teloschistaceae* (lichenized Ascomycota) from the Galapagos Islands: A phylogenetic revision based on morphological, anatomical, chemical, and molecular data. *Plant and Fungal Systematics* **65**(2): 515–576.
- Bungartz, F., Truong, C., Herrera-Campos, M.A. & Clerc, P. (2018) The genus *Usnea* (*Parmeliaceae*, *Lecanoromycetes*) in the Galapagos Islands. *Herzogia* **31**(1):571–629.
- Bungartz, F., Ziemmeck, F., Yáñez Ayabaca, A., Nugra, F. & Aptroot, A. (2013d) CDF Checklist of Galapagos Lichenized Fungi. In: Bungartz, F., Herrera, H., Jaramillo, P., Tirado, N. Jiménez-Uzcátegui, H., Ruiz, D., Guézou, A. & Ziemmeck, F. (eds.) Charles Darwin Foundation Galapagos Species Checklist. Charles Darwin Foundation, Galapagos: <http://checklists.datazone.darwinfoundation.org/true-fungi/lichens/>. Last updated 3 Dec 2013.
- Bussmann R.W. & Sharon D. (2009) Shadows of the colonial past – diverging plant use in northern Peru and southern Ecuador. *Journal of Ethnobiology and Ethnomedicine* **5**(4): doi:10.1186/1746-4269-5-4
- Bustamante, A., Gusmán, E. & Benítez, Á. (2018) Primeros registros de los géneros *Phyllopetula* y *Reimnitzia* (Líquenes epífitos) para el Ecuador. *Gayana Botanica* **75**(1): 535–538.
- Castillo-Monroy, A.P., Benítez, Á., Reyes-Bueno, F., Donoso, D.A. & Cueva, A. (2016) [2015] Biocrust structure responds to soil variables along a tropical scrubland elevation gradient. *Journal of Arid Environments* **124**: 31–38.
- Cevallos, G. (2012) *Checklist de Líquenes y Hongos Liquenícolas de Ecuador Continental*. Tesis de Maestría. Universidad Rey Juan Carlos. Madrid. 35 pp.
- Chuquimarca, L., Gaona, F.P., Iñiguez-Armijos, C. & Benítez, Á. (2019) Lichen responses to disturbance: Clues for biomonitoring land-use effects on riparian andean ecosystems. *Diversity* **11**(5): 73.
- Clerc, P. (2008) *Usnea*. In: T. Nash III, C. Gries & F. Bungartz (eds.) *Lichen Flora of the Greater Sonoran Desert Region*, Vol. III. Arizona State University, Tempe, pp. 302–335.
- Clerc, P. (2011) Notes on the genus *Usnea* Adans. (lichenized Ascomycota) III. *Bibliotheca Lichenologica* **106**: 41–51.
- Culberson, W.L. & Culberson, C.F. (1981) The Genera *Cetrariastrum* and *Concamerella* (*Parmeliaceae*): A Chemosystematic Synopsis. *Bryologist* **84**(3): 273–314.
- Dal-Forno, M., Bungartz, F., Yáñez-Ayabaca, A., Lücking, R. & Lawrey, J.D. (2017) High levels of endemism among Galapagos basidiolichens. *Fungal Diversity* **85**(1): 45–73.
- Dal-Forno, M., Lücking, R., Bungartz, F., Yáñez-Ayabaca, A., Marcelli, M.P., Spielmann, A.A., Coca, L.F., Chaves, J.L., Aptroot, A., Sipman, H.J.M., Sikaroodi, M., Gillevet, P. & Lawrey, J.D. (2016) From one to six: Unrecognized species diversity in the genus *Acantholichen* (lichenized *Basidiomycota*: *Hygrophoraceae*). *Mycologia* **108**(1): 38–55.
- Darbishire, O.V. (1935) The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 23: The *Roccellaceae* with Notes on Specimens Collected During The Expedition of 1905-06 to the Galapagos Islands. *Proceedings of the Californian Academy of Sciences*, 4th Series, **21**(23): 285–294.
- Davey, S. (1999) Lichens in Quito. *British Lichen Society Bulletin* **84**: 26.
- Degelius, G. (1994) Studies in the lichen family *Collema* VII. Two new tropical *Collema* species. *Nordic Journal of Botany* **14**(2): 229–233.
- Déleg, J., Gradstein, S.R., Aragón Rubio, G., Giordani, P. & Benítez, Á. (2021) *Ecological Indicators* **129**: 1–13.
- Diederich, P. (1995) New or interesting lichenicolous fungi VI. *Arthonia follmanniana*, a new species from the Galapagos Islands. In: Daniels, F.J.A., Schultz, M. & Peine, J. (eds.) *Flechten Follmann. Contributions to Lichenology in Honour of Gerhard Follmann*. University of Cologne, Cologne, pp. 179–182.
- Diederich, P., Millanes, A.M., Wedin, M. & Lawrey, J.D. (2022) Flora of Lichenicolous Fungi. Volume 1 – Basidiomycota. National Museum of Natural History. Luxembourg, 351 pp.
- Diederich, P., Millanes, A.M., Wedin, M. & Lawrey, J.D. (2022) *Flora of Lichenicolous Fungi, Vol. 1 Basidiomycota*. National Museum of Natural History. Luxembourg. 155 pp.
- Diels, L. (1937) Beiträge zur Kenntnis der Vegetation und Flora von Ecuador. *Bibliotheca Botanica* **116**: 1–208.
- Dodge, C.W. (1935) *Lichenes*. *American Journal of Botany* **22**(2): 221.
- Dodge, C.W. (1936) Lichens of the G. Allan Hancock Expedition of 1934, collected by W.R. Taylor. *Hancock Pacific Expeditions* **3**(3): 33–46.
- Ekman, S. (1996) The corticolous and lignicolous species of *Bacidia* and *Bacidina* in North America. *Operata Botanica* **127**: 1–148.
- Elix, J.A. & McCarthy, P.M. (1998) Catalogue of the Lichens of the Smaller Pacific Islands. *Bibliotheca Lichenologica* **70**: 1–361.
- Elix, J.A. & Nash III, T.H. (1992) A synopsis of the lichen genus *Psiloparmelia* (*Ascomycotina*, *Parmeliaceae*). *Bryologist* **95**(4): 377–391.
- Elix, J.A. & Nash III, T.H. (1997). A Monograph of the Lichen Genus *Pseudoparmelia* (*Ascomycotina*, *Parmeliaceae*). *Bryologist* **4**(100): 482–498.
- Elix, J.A., Venables, D.A. & Brako, L. (1990) New chlorine-containing depsidones from the lichen *Phyllopsora corallina* var. *ochroxantha*. *Australian Journal of Chemistry* **43**: 1953–1959.
- Ertz, D. (2009) Revision of the corticolous *Opegrapha* species from the Palearctic. *Bibliotheca Lichenologica* **102**: 1–176.
- Ertz, D., Bungartz, F., Diederich, P. & Tibell, L. (2011) Molecular and morphological data place *Blarneya* in *Tylophoron* (*Arthoniaceae*). *Lichenologist* **43**(4): 1–12.
- Ertz, D., Diederich, P. & Miadlikowska, J. (2004) The lichenicolous *Opegrapha* species (*Roccellaceae*, *Ascomycota*) with 3-septate ascospores on *Pertusaria* and *Ochrolechia*. *Botanical Journal of the Linnean Society* **144**: 235–241.
- Ertz, D., Diederich, P. & Miadlikowska, J. (2004) The lichenicolous *Opegrapha* species (*Roccellaceae*, *Ascomycota*) with 3-septate ascospores on *Pertusaria* and *Ochrolechia*. *Botanical Journal of the Linnean Society* **144**: 235–241.
- Ertz, D., Flakus, A., Oset, M., Sipman, H.J.M. & Kukwa, M. (2015) A first assessment of lichenized *Arthoniales* in Bolivia with descriptions of two new species. *Phytotaxa* **217**(1): 1–025.

- Ertz, D., Tehler, A. (2010) The phylogeny of *Arthoniales* (*Pezizomycotina*) inferred from nuLSU and RPB2 sequences. *Fungal Diversity* **49**(1): 47–71.
- Ertz, D., Tehler, A., Irestedt, M., Frisch, A., Thor, G. & van den Boom, P. (2014) A large-scale phylogenetic revision of *Roccellaceae* (*Arthoniales*) reveals eight new genera. *Fungal Diversity* **70**(1) 31–53.
- Etayo, J. (2001) Hongos liquenícolas de Ecuador. I. Dos especies nuevas del orden *Hypocreales* (*Ascomycota*): *Pronectria parmotrematis* y *Trichonectria leptogiicola*. *Anales del Jardín Botánico de Madrid* **58**(2): 219–222.
- Etayo, J. (2002) Aportación al Conocimiento de los Hongos Liquenícolas de Colombia. *Bibliotheca Lichenologica* **84**: 1–154.
- Etayo, J. (2003) Hongos liquenícolas de Ecuador. II. Dos nuevas especies sobre *Placopsis*. *Anales del Jardín Botánico de Madrid* **60**(1): 19–25.
- Etayo, J. (2017) Hongos liquenícolas de Ecuador. *Opera Lilloana* **50**: 1–535.
- Etayo, J., Aptroot, A. & Cáceres, M.E.D.S. (2020) New lichenicolous fungi from Brazil, with a checklist of all lichenicolous fungi known from Brazil. *Bryologist* **123**(3): 483–491.
- Farlow, W.G. (1902) *Lichens*. In: B.L. Robinson: Flora of the Galapagos Islands. *Proceedings of the American Academy of Arts and Sciences* **38**(4): 83–89.
- Fernández-Prado, N., Prieto, M., Martínez, I. & Aragón Rubio, G. (2022) Líquenes epífitos de los Tepuyes de la cuenca alta del río Nangaritza, cordillera del Cóndor (Ecuador). *Caldasia* **44**(1):108–118. incl. Material suplementario (<http://www.revistas.unal.edu.co/index.php/cal>).
- Ferraro, L.I. & Lücking, R. (1999) New species or interesting records of foliicolous lichens. V. Two new species of *Fellhanera* (lichenized *Ascomycotina*: *Pilocarpaceae*) with 1-septate ascospores. *Mycotaxon* **73**: 163–167.
- Ferraro, L.I. & Lücking, R. (2005) The genus *Gomphillus* (*Ostropales*: *Gomphillaceae*) in the Americas, with the new species *Gomphillus pedersenii* from Argentina. *Bryologist* **108**(4): 491–496.
- Flakus, A. & Kukwa, M. (2012) New species of lichenicolous fungi from Bolivia. *Lichenologist* **44**(4): 469–477.
- Flakus, A., Etayo, J., Miądlukowska, J., Lutzoni, F., Kukwa, M., Matura, N. & Rodríguez-Flakus, P. (2019) Biodiversity assessment of ascomycetes inhabiting *Lobariella* lichens in Andean cloud forests led to one new family, three new genera and 13 new species of lichenicolous fungi. *Plant and Fungal Systematics* **64**(2): 283–344.
- Flakus, A., Sipman, H.J.M., Bach, K., Flakus, P.R., Knudsen, K., Ahti, T., Schiefelbein, U., Palice, Z., Jablonská, A., Oset, M., Meneses, R.I.Q. & Kukuwa, M. (2013) Contribution to the knowledge of the lichen biota of Bolivia. 5. *Polish Botanical Journal* **58**(2): 697–733.
- Follmann, G. & Werner, B.C. (2000) New saxicolous *Roccella* species from Galápagos and reflections on the evolution of the *Roccellaceae* (*Arthoniales*) on the "Enchanted Islands". *Bibliotheca Lichenologica* **75**: 1–18.
- Follmann, G. & Werner, B.C. (2003) Lichenicolous fungi occurring on *Roccellaceae* (*Arthoniales*). I. New species from South America. *Journal of the Hattori Botanical Laboratory* **94**: 261–292.
- Follmann, G. (2001) An integrated key to, and a critical survey of the South American representatives of the lichen family *Roccellaceae* (*Arthoniales*) *Journal of the Hattori Botanical Laboratory* **90**: 251–267.
- Fosberg, F.R. & Klawe, W.L. (1966) Preliminary list of plants from Cocos Island. In: Bowmann, R.I. (ed.) *The Galapagos: Proceedings of the Galapagos International Scientific Project*. University California Press. Berkeley. pp. 187–189.
- Frisch, A. (2007) *Compsocladium kalbii* sp. nov. from the Ecuadorian Andes. *Bibliotheca Lichenologica* **96**: 73–86.
- Fryday, A.M. & Øvstedal, D.O. (2012) New species, combinations and records of lichenized fungi from the Falkland Islands (Islas Malvinas). *Lichenologist* **44**: 483–500.
- Galloway, D.J. & Arvidsson, L. (1990) Studies in *Pseudocyphellaria* (Lichens) II. Ecuadorian species. *Lichenologist* **22**(2): 103–135.
- Galloway, D.J. & Arvidsson, L. (2007) Notes on *Placopsis* (*Ascomycota*: *Trapeliaceae*) in Ecuador. *Bibliotheca Lichenologica* **96**: 87–102.
- Galloway, D.J. (1985) Nomenclatural notes on *Pseudocyphellaria* II: Some southern hemisphere taxa. *Lichenologist* **17**(3): 303–307.
- Gerlach, A., da Silveira, R.M.B., Rojas, C. & Clerc, P. (2020) Naming and describing the diversity in the *Usnea cornuta* aggregate (lichenized *Ascomycota*, *Parmeliaceae*) focusing on Brazilian specimens. *Plant and Fungal Systematics* **65**(2): 272–302.
- Gierl, C. & Kalb, K. (1993) Die Flechtengattung *Dibaëis*. Eine Übersicht über die rosafrüchtigen Arten von *Baeomyces* sens. lat. nebst Anmerkungen zu *Phyllobaëis* gen. nov. *Herzogia* **9**(3–4): 593–645.
- González, X.Y., Aragón Rubio, G. & Prieto, M. (2019) Nuevos registros de líquenes terrícolas en los páramos ecuatorianos. *Caldasia* **41**(2): 445–449.
- González, X.Y., Aragón Rubio, G., Benítez, A. & Prieto, M. (2017) Changes in soil cryptogamic communities in tropical Ecuadorean páramos. *Community Ecology* **18**(1): 11–120.
- González, X.Y., Aragón Rubio, G., Burgaz, A.R. & Prieto (2017) Records of terricolous lichens from páramos of southern Ecuador. *Mycotaxon* **132**(1): 153–175.
- Grube, M. (2007) *Arthonia*. In: Nash III, T.H., Gries, C. & Bungartz, F. (eds.) *Lichen Flora of the Greater Sonoran Desert Region*, Vol. III, Arizona State University, Tempe, p. 39–61.
- Guderley, R. (1999) Die *Lecanora subfusca*-Gruppe in Süd- und Mittelamerika. *Journal of the Hattori Botanical Laboratory* **87**: 131–257.
- Guzow-Krzemińska, B., Jabłońska, A., Flakus, A., Rodríguez-Flakus, P., Kosecka, M. & Kukwa, M. (2019) Phylogenetic placement of *Lepraria cryptovouauxii* sp. nov. (*Lecanorales*, *Lecanoromycetes*, *Ascomycota*) with notes on other *Lepraria* species from South America. *MycKeys* **53** 1–22.
- Hale Jr., M.E. (1976) A monograph of the lichen genus *Bulbothrix* Hale (*Parmeliaceae*). *Smithsonian Contributions to Botany* **32**: 1–29.
- Hale Jr., M.E. (1976) A monograph of the lichen genus *Pseudoparmelia* Lyngé (*Parmeliaceae*). *Smithsonian Contributions to Botany* **31**: 1–62.
- Hale Jr., M.E. (1985) *Lichenes Americani Exsiccati*. Fasc. X, Nos. 226–250. 6 pp.
- Hale Jr., M.E. (1986) New species in the lichen family *Parmeliaceae* (*Ascomycotina*). *Mycotaxon* **25**(1): 85–93.
- Hale Jr., M.E. (1990) A Synopsis of the Lichen Genus *Xanthoparmelia* (Vainio) Hale (*Ascomycotina*, *Parmeliaceae*). *Smithsonian Contributions to Botany*: 74
- Hale, ME, Jr (1976) A monograph of the lichen genus *Bulbothrix* Hale (*Parmeliaceae*). *Smithsonian Contrib. Bot.* **32**: 1–29.
- Hale, ME, Jr (1976) A monograph of the lichen genus *Pseudoparmelia* Lyngé (*Parmeliaceae*). *Smithsonian Contrib. Bot.* **31**: 1–62.

- Harris, R.C. (1995) *More Florida Lichens, including the 10 cent tour of the pyrenolichens, a twenty year perspective*. New York Botanical Garden, Bronx (published by the author), 182 pp.
- Hawksworth D.L., Miądlikowska J. 1997. New species of lichenicolous fungi occurring on *Peltigera* in Ecuador and Europe. *Mycological Research* **101**: 1127–1134.
- Hendrickson, J.R. & Weber, W.A. (1964) Lichens on Galapagos Giant Tortoises. *Science* **144**(3635): 1463.
- Herrera-Campos, M., Clerc, P. & Nash III, T.H. (1998) Pendulous species of *Usnea* from the temperate forests in Mexico. *Bryologist* **101**: 303–329.
- Herrera-Campos, M., Nash III, T.H. & Garcia, A. (2001) Preliminary study of the *Usnea fragiliscens* aggregate in Mexico. *Bryologist* **104**: 235–259.
- Hestmark, G. (2016) The lichen genus *Umbilicaria* in Ecuador. *Nordic Journal of Botany* **34**(3) 257–268.
- Hooker, J.D. (1847) An Enumeration of the Plants of the Galapagos Archipelago; with descriptions of those which are new. *Transactions of the Linnaean Society of London* **20**: 163–233.
- Hooker, W.J. (1822) Lichenes, Achar. In: Kunth CS (ed). *Synopsis Plantarum, quas in itinere ad plagam aequinoctalem orbis novi, collegerunt Al. de Humboldt et Am. Bonpland*, Tomo I. Paris: Levrault. pp. 14–39.
- Huneck, S. & Follmann, G. (1969) Mitteilungen über Flechteninhaltsstoffe. LXIX. Zur Phytochemie und Chemotaxonomie der *Arthoniaceae*. Österreichische Botanische Zeitschrift **117**: 163–175.
- Hyde, D.K., Tennakoon, D.S., Jeewon, R., Bhat, D.J., Maharachchikumbura, S.S.N., Rossi, W., Leonardi, M., Lee, H.B., Mun, H.Y., Houbakken, J., Nguyen, T.T.T., Jeon, S.J., Frisvad, J.C., Wanasinghe, D.N., Lücking, R., Aptroot, A., Cáceres, M.E.S., Karunarathna, S.C., Hongsanan, S., Phookamsak, R., de Silva, N.I., Thambugala, K.M., Jayawardena, R.S., Senanayake, I.C., Boonmee, S., Chen, J., Luo, Z.-L., Phukhamsakda, C., Pereira, O.L., Abreu, V.P., Rosado, A.W., Bart, B., Randrianjohany, E., Hofstetter, V., Gibertoni, T.B., Soares, A.M., Plautz Jr., H.L., Pontes Sotão, H.M., Silva Xavier, W.K., Pereira Bezerra, J.D., Lins de Oliveira, T.G., de Souza-Motta, C.M., Correia Magalhães, O.M., Bundhun, D., Harishchandra, D., Manawasinghe, I.S., Dong, W., Zhang, S., Bao, D.-F., Samarakoon, M.C., Pem, D., Karunarathna, A., Lin, C.-G., Yang, J., Perera, R.h., Kumar, V., Huang, S.-K., Dayaratne, M.C., Ekanayaka, A.H., Jayasiri, S.C., Xiao, Y., Konta, S., Niskanen, T., Liimatainen, K., Yu-Cheng Dai, Y.-C., Ji, X.H., Tian, X.-M., Mešić, A., Singh, S.K., Kuntida, P., Cai, L., Sorvongxay, S., Thiagaraja, V., Norphanphoun, C., Chaiwan, N., Lu, Y.-Z., Jiang, H.-B., Zhang, J.-F., Konta, S., Abeywickrama, P.D., Aluthmuhandiram, J.V.S., Brahmanage, R.S., Ming, Z., Chethana, T., Wei, D., Réblová, M., Fournier, J., Nekvindová, J., do Nascimento Barbosa, R., Felinto dos Santos, J.E., Tinti de Oliveira, N., Li, G.-J., Ertz, D., Shang, Q.-J., Liu, J.-K., Phillips, A.J.L., Kuo, C.-H., Camporesi, E., Bulgakov, T.S., Lumyong, S., Jones, G., Chomnunti, P., Gentekaki, G., Bungartz, F., Fryar, S., Tkalčec, Z., Liang, J., Li, G., Wen, T.-C., Singh, P.N., Promputtha, I., Yasanthika, E., Goonasekara, I.D., Zhao, R.-L., Mortimer, P.E., Xu, J., Doilom, M. (2019) Fungal diversity notes 1036–1150: taxonomic and phylogenetic contributions on genera and species of fungal taxa. *Fungal Diversity* **96**: 1–242. <https://doi.org/10.1007/s13225-019-00429-2>
- Imshaug, H.A. (1955) The lichen genus *Buellia* in Central America. *Bryologist* **58**(4): 277–287.
- Jagadeesh Ram, T.A.M., Aptroot, A., Sinha, G.P. & Singh, K.P. (2007) A new isidiolate *Megalania* species and new records of lichenized, lichenicolous and non-lichenized ascomycetes from India. *Nova Hedwigia* **85**(1–2): 139–144.
- Jørgensen, P.M. & Arvidsson, L. (2001) The sorediate species of the lichen genus *Erioderma* Fée. *Nova Hedwigia* **73**(3–4): 497–512.
- Jørgensen, P.M. & Arvidsson, L. (2002) The lichen genus *Erioderma* (*Pannariaceae*) in Ecuador and neighbouring countries. *Nordic Journal of Botany* **22**: 87–114.
- Jørgensen, P.M. & Arvidsson, L. (2004) The lichen family *Pannariaceae* in Ecuador. *Symbolae Botanicae Upsalienses* **34**(1): 113–132.
- Jørgensen, P.M. & Palice, Z. (2010) Additions to the lichen family *Pannariaceae* in Ecuador. *Nordic Journal of Botany* **28**(5): 623–628.
- Jørgensen, P.M. & Palice, Z. (2012) *Collema paramense* sp. nova, with notes on *Collema* in the High Andes. *Bibliotheca Lichenologica* **108** 135–140.
- Jørgensen, P.M. & Palice, Z. (2015) Additions to the cyanolichens of the Andes. *Herzogia* **28**(1) 285–287.
- Jørgensen, P.M. & Palice, Z. (2016) *Leptogium insigne* new to Ecuador, with notes on its generic position. *Evansia* **33**(1): 14–17.
- Jørgensen, P.M. & Sipman, H.J.M. (2004) A revision of the *Pannaria rubiginosa* complex in South America. *Nova Hedwigia* **78**: 3–4.
- Jørgensen, P.M. & Sipman, H.J.M. (2007) The lichen *Fuscopannaria leucosticta* (Tuck.) P.M. Jørg. found in the tropics. *Lichenologist* **39**(3) 305–307.
- Jørgensen, P.M. (1973) On some *Leptogium* species with short *Mallotium* hairs. *Svensk Botanisk Tidskrift* **67**: 53–58.
- Jørgensen, P.M. (1975) Contributions to a monograph of the *Mallotium*-hairy *Leptogium* species. *Herzogia* **3**: 433–460.
- Jørgensen, P.M. (1989) *Omphalina foliacea*, a new basidiolichen from America. *Nordic Journal of Botany* **9**(1) 85–95.
- Jørgensen, P.M. (1997) Further notes on hairy *Leptogium* species. In: Tibell, L. & Hedberg, I (eds.): *Lichen Studies Dedicated to Rolf Santesson*. Symbolae Botanicae Upsalienses, Acta Universitatis Upsaliensis, Uppsala, pp. 113–130.
- Jørgensen, P.M. (1998) *Acantholichen pannarioides*, a new basidiolichen from South America. *Bryologist* **101**(3): 444–447.
- Jørgensen, P.M. (2000) New or interesting *Parmeliella* species from the Andes and Central America. *Lichenologist* **32**(2) 139–147.
- Kalb, K. 1988: *Lichenes Neotropici, ausgegeben von Klaus Kalb. Fascikel X (No. 401–450)*. Selbstverlag, Neumarkt. 16 pp.
- Kalb, K. & Aptroot, A. (2017) Lichenes Neotropici XVI. *Archive for Lichenology* **12**: 1–12.
- Kalb, K. & Vězda, A. (1988) Neue oder bemerkenswerte Arten der Flechtenfamilie Gomphillaceae in der Neotropis. *Bibliotheca Lichenologica* **29**: 1–80.
- Kalb, K. & Vězda, A. (1994) Neue Arten der Flechtengattung *Gyalideopsis* Vězda (Gomphillaceae). *Nova Hedwigia* **58**(3–4) 511–528.
- Kalb, K. (1981) *Lichenes Neotropici, ausgegeben von Klaus Kalb. Fascikel I (No. 1–40)*. Selbstverlag, Neumarkt, 12 pp.
- Kalb, K. (2001) New or otherwise interesting lichens. I. *Bibliotheca Lichenologica* **78**: 141–167.
- Kalb, K. (2008) Neue oder anderweitig interessante Flechten. IV. *Sauteria* **15**: 239–248.
- Kalb, K., Buaruang, K., Mongkolsuk, P. & Boonpragob, K. (2012) New or otherwise interesting lichens. VI, including a lichenicolous fungus. *Phytotaxa* **42**: 35–47.
- Kalb, K., Lücking, R. & Sérusiaux, E. (2000) Studies in *Bacidia* sensu lato (lichenized *Ascomycetes*: *Lecanorales*). I. The genus *Bapalmua*. *Mycotaxon* **75** 281–309.
- Kalb, K., Schumm, F. (2021) New or otherwise interesting lichens. IX. Four new species in the family *Graphidaceae*, one new combination, new records and remarks. *Archive for Lichenology* **22**: 1–22.
- Kalb, K., Staiger, B. & Elix, J.A. (2004) A monograph of the lichen genus *Diorygma* – a first attempt. *Symbolae Botanicae Upsalienses* **34**(1) 133–181.

- Kärnefelt, I. (1980) *Everniastrum andense* sp. nov., a neotropical paramo lichen. *Botaniska Notiser* **133**: 387–394.
- Kashiwadani, H. & Kalb, K. (1993) The genus *Ramalina* in Brazil. *Lichenologist* **25**: 1–31.
- Kashiwadani, H. (1987) Peruvian species of *Ramalina* (lichens). In: Inoue H. (ed.): *Studies on Cryptogams in Southern Peru*. Tokai University Press, Tokyo, pp. 129–144.
- Kistenich, S., Bendiksby, M., Ekman, S., Cáceres, M.E.D.S. & Hernández, J.E. (2019) Towards an integrative taxonomy of *Phyllopsora* (*Ramalinaceae*). *Lichenologist* **51**(4): 323–392.
- Kistenich, S., Bendiksby, M., Weerakoon, G. & Tindal, E. (2020) A revision of the genus *Aciculopsora* (*Ramalinaceae*), with the description of one new species and one new combination. *Plant and Fungal Systematics* **65**(1): 200–209.
- Kitaura, M.J. & Marcelli, M.P. (2013) A revision of *Leptogium* species with spherical-celled hairs (section *Mallotium* p.p.). *Bryologist* **116**(1): 15–27.
- Knudsen, K. & Bungartz, F. (2013) *Chrysothrix galapagoana*, a new species from the Galapagos Islands. *Opuscula Philolichenum* **12**: 174–179.
- Knudsen, K. & Bungartz, F. (2014) *Myriospora westbergii* (Acarosporaceae), a new discovery from the Galapagos Islands, Ecuador. *Opuscula Philolichenum* **13**: 177–183.
- Knudsen, K. (2012) Some Notes on *Acarosporaceae* in South America. *Opuscula Philolichenum* **11**: 31–35.
- Knudsen, K., Flakus A. & Kukwa M. (2012) A contribution to the study of *Acarosporaceae* in South America. *Lichenologist* **44**(2): 253–262.
- Knudsen, K., Elix J.A. & Reeb V. (2008) A Preliminary Study of the Genera *Acarospora* and *Pleopsisidium* in South America. *Opuscula Philolichenum* **5**: 1–22.
- Kondratyuk, S.Y. & Galloway, D.J. (1995) Some new species of lichenicolous fungi. *Bibliotheca Lichenologica* **58**: 235–244.
- Košuthová, A., Westberg, M., Otlárala, M.A.G. & Wedin, M. (2019) *Rostania* revised: testing generic delimitations in *Collemataceae* (*Peltigerales*, *Lecanoromycetes*). *Mycologia* **47**: 17–33.
- Krempelhuber, A. (1861) Verzeichniss der Lichenen, welche Herr Dr. Moriz Wagner auf seinen Reisen in Central-Amerika während der Jahre 1858 und 1859 gesammelt hat. *Flora* **44**: 129–131.
- Kukwa, M., Flakus P.R. & Flakus A. (2013) Notes on the lichen genus *Ochrolechia* in Bolivia. *Polish Botanical Journal* **58**(2): 691–695.
- Kunth, C.S. (1822–1825) *Synopsis Plantarum, quas, in itinere ad plagam æquinoctialem orbis novi, collegerunt Al. de Humboldt et Am. Bonpland*. In: Levrault, F.G. (ed) *Voyage de Humboldt et Bonpland*. Tomus Primus – Tomus Quartus. 528 pp.
- Lamb, I.M. (1947) A monograph of the lichen genus *Placopsis* Nyl. *Lilloa* **13**: 151–288.
- Lamb, I.M. (1977) A conspectus of the lichen genus *Stereocaulon* (Schreb.) Hoffm. *Journal of the Hattori Botanical Laboratory* **43**: 191–355.
- Landrón, C.I. (1972) *The lichen genus Ramalina Ach. in the West Indies with notes on its role in the vegetation of Porto Rico*. Doctoral Dissertation, Michigan State University, East Lansing. 342 pp.
- Lawrey, J.D., Lücking, R., Sipman, H.J.M., Chaves, J.L., Redhead, S.A., Bungartz, F., Sikaroodi, M. & Gillevet, P.M. (2009) High concentration of basidiolichens in a single family of agaricoid mushrooms (*Basidiomycota*: *Agaricales*: *Hygrophoraceae*). *Mycological Research* **113**: 114–1171.
- LeDee, O.E. (2000) *Unpublished undergraduate student project*. Charles Darwin Foundation, Puerto Ayora.
- Leighton, W.A. (1866) XVII. Lichenes Amazonici et Andini lecti a Domino Spruce. *Transactions of the Linnean Society of London* **25**(3): 433–460.
- Lendemer, J.C. & Hodkinson, B.P. (2013) A radical shift in the taxonomy of *Lepraria* s.l.: Molecular and morphological studies shed new light on the evolution of asexuality and lichen growth form diversification. *Mycologia* **105**(4): 994–1018 (<http://dx.doi.org/10.3852/12-338>).
- Linder, D.H. (1934) The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 18: Lichens. *Proceedings of the Californian Academy of Sciences*, 4th Series, **21**(18): 211–224.
- Lindström, M. (2007) New species in the lichen genus *Leptogium* (*Collemataceae*) from Tropical South America. *Bibliotheca Lichenologica* **95**: 405–428.
- Llano, G.A. (1950) *A Monograph of the Lichen Family Umbilicariaceae in the Western Hemisphere*. Office of Naval Research, Washington. 281 pp.
- Lücking, R. & Grube M. (2002) Facultative parasitism and reproductive strategies in *Chroodiscus* (*Ascomycota*, *Ostropales*). *Stapfia* **80**: 267–292
- Lücking, R. & Cáceres, M.E.D.S. (1999) New species or interesting records of foliicolous lichens. IV. *Porina pseudoapplanata* (lichenized *Ascomycetes*: *Trichotheliaceae*), a remarkable new species with *Phyllophiale*-type isidia. *Lichenologist* **31**(4): 349–358.
- Lücking, R. & Cáceres, M.E.D.S. (2004) Corticolous species of *Trichothelium* (*Ascomycota*: *Porinaceae*). *Mycological Research* **108**(5): 571–575.
- Lücking, R. & Ferraro, L.I. (1997) New species or interesting records of foliicolous lichens. I. *Trichothelium argenteum* (lichenized *Ascomycetes*: *Trichotheliaceae*). *Lichenologist* **29**(3): 217–220.
- Lücking, R. & Grube M. (2002) Facultative parasitism and reproductive strategies in *Chroodiscus* (*Ascomycota*, *Ostropales*). *Stapfia* **80**: 267 – 292
- Lücking, R. & Matzer, M. (2001) High foliicolous lichen alpha-diversity on individual leaves in Costa Rica and Amazonian Ecuador. *Biodiversity and Conservation* **10**: 2139–2152.
- Lücking, R. & Moncada, B. (2017) Dismantling *Marchandiophalina* into *Agonimia* (*Verrucariaceae*) and *Lawreyomyces* gen. nov. (*Corticaceae*): setting a precedent to the formal recognition of thousands of voucherless fungi based on type sequences. *Fungal Diversity* **84**(1): 119–138.
- Lücking, R. (1998) Additions and corrections to the knowledge of the foliicolous lichen flora of Costa Rica. The genus *Trichothelium* (lichenized *Ascomycetes*: *Trichotheliaceae*). *Nova Hedwigia* **66**(3–4): 375–417.
- Lücking, R. (1999) Foliicolous lichens and their lichenicolous fungi from Ecuador, with a comparison of lowland and montane rain forest. *Willdenowia* **29**: 299–335.
- Lücking, R. (1999b) Adicciones y correcciones al conocimiento de la liquenoflora foliícola de Costa Rica. La familia *Asterothyriaceae* y el género *Chroodiscus* (*Thelotrema*), con un análisis filogenético. *Cryptogamie, Mycol.* **20**(3): 193–224.
- Lücking, R. (2008) Foliicolous lichenized fungi. *Flora Neotropica* **103**: 1–866.
- Lücking, R. (2015) Erratum: Valid publications of two combinations invalidly published in *Opuscula Philolichenum* **14**: 1–57. *Opuscula Philolichenum* **14**: 58.
- Lücking, R. (2015) Thelotremoid *Graphidaceae* from the NYBG herbarium: New species, range extensions, and a forgotten lichen. *Opuscula Philolichenum* **14**: 1–57.

- Lücking, R., Dal Forno, M., Moncada, B., Coca, L.F., Vargas-Mendoza, L.Y., Aptroot, A., Arias, L.J., Besal, B., Bungartz, F., Cabrera-Amaya, D.M., Cáceres, M.E.D.S., Chaves, J.L., Eliasaro, S., Gutiérrez, M.C., Marin, J.E.H., Herrera-Campos, M.A., Holgado-Rojas, M.E., Jonitz, H., Kukwa, M., Lucheta, F., Madriñán, S., Marcelli, M.P., Martins, S.M.A., Mercado-Díaz, J.A., Molina, J.A., Morales, E.A., Nelson, P.R., Nugra, F., Ortega, F., Paredes, T., Patiño, A.L., Peláez-Pulido, R.N., Pérez, R.E.P., Perlmutter, G.B., Rivas-Plata, E., Robayo, J., Rodríguez, C., Simijaca, D.F., Soto-Medina, E., Spielmann, A.A., Suárez-Corredor, A., Torres, J.-M., Vargas, C.A., Yáñez-Ayabaca, A., Weerakoon, G., Wilk, K., Pacheco, M.C., Diazgranados, M., Brokamp, G., Borsch, T., Gillevet, P.M., Sikaroodi, M. & Lawrey, J.D. (2017): Turbo-taxonomy to assemble a megadiverse lichen genus: seventy new species of *Cora* (*Basidiomycota: Agaricales: Hygrophoraceae*), honouring David Leslie Hawksworth's seventieth birthday. *Fungal Diversity* **84**(1): 139–207.
- Lücking, R., Dal-Forno, M., Lawrey, J.D., Bungartz, F., Holgado Rojas, M.E., Hernández, J.E., Marcelli, N., Moncada, B., Morales, E.A., Nelsen, M.P., Paz, E., Salcedo, L., Spielmann, A.A., Wilk, Will-Wolf, S. & Yáñez-Ayabaca, A. (2013) Ten new species of lichenized *Basidiomycota* in the genera *Dictionema* and *Cora* (*Agaricales: Hygrophoraceae*), with a key to all accepted genera and species in the *Dictionema* clade. *Phytotaxa* **139**(1): 1–38.
- Lücking, R., Lawrey, J.D., Sikaroodi, M., Gillevet, P.M., Chaves, J.L., Sipman, H.J.M. & Bungartz, F. (2009) Do lichens domesticate photobionts like farmers domesticate crops? Evidence from a previously unrecognized lineage of filamentous cyanobacteria. *American Journal of Botany* **96**(8): 1409–1418.
- Lücking, R., Moncada, B., McCune, B., Farkas, E., Goffinet, B., Parker, D., Chaves, L.J., Lökös, L., Nelson, P.R., Spribille, T., Stenroos, S., Wheeler, T., Yáñez-Ayabaca, A., Dillman, K., Gockman, O.T., Goward, T., Hollinger, J., Tripp, E.A., Villella, J., Álvaro-Alba, W.R., Arango, C.J., Cáceres, M.E.D.S., Coca, L.F., Printzen, C., Rodríguez, C., Scharnagl, K., Rozzi, R., Soto-Medina, E. & Yakovchenko, L.S. (2017) *Pseudocyphellaria crocata* (*Ascomycota: Lobariaceae*) in the Americas is revealed to be thirteen species, and none of them is *P. crocata*. *Bryologist* **120**(4):441–500.
- Lücking, R., Sérusiaux, E. & Vězda, A. (2005) Phylogeny and systematics of the lichen family *Gomphillaceae* (*Ostropales*) inferred from cladistic analysis of phenotypic data. *Lichenologist* **37**(2): 123–170.
- Lücking, R., Sérusiaux, E., & Vězda, A. (2005) Phylogeny and systematics of the lichen family *Gomphillaceae* (*Ostropales*) inferred from cladistic analysis of phenotypic data. *Lichenologist* **37**(2): 123–170.
- Lücking, R., Tehler, A., Bungartz, F. & Lumbsch, H.T. (2013) Journey from the West: Did tropical *Graphidaceae* (lichenized *Ascomycota: Ostropales*) evolve from a saxicolous ancestor along the American Pacific coast? *American Journal of Botany* **100** (5): 844–856.
- Lumbsch, H.T. (1987) Eine neue Subspecies in der Flechtengattung *Diploschistes* aus der Südhemisphäre. *Herzogia* **7**: 601–608.
- Lumbsch, H.T., Ahti, T., Altermann, S., Amo de Paz, G., Aptroot, A., Arup, U., Bárcenas Peña, A., Bawingan, P.A., Benatti, M.N., Betancourt, L., Björk, C.R., Boonpragob, K., Brand, M., Bungartz, F., Cáceres, M.E.D.S., Candan, M., Chaves, J.L., Clerc, P., Common, R., Coppins, B.J., Crespo, A., Dal Forno, M., Divakar, P.K., Duya, M.V., Elix, J.A., Elvebakk, A.V., Fankhauser, J., Farkas, E., Ferraro, I.L., Fischer, E., Galloway, D.J., Gaya, E., Giralt, M., Goward, T., Grube, M., Hafellner, J., Hernández M., J.E., De los Angeles Herrera Campos, M., Kalb, K., Kärnefelt, I., Kantvilas, G., Killmann, D., Kirika, P., Knudsen, K., Komposch, H., Kondratyuk, S., Lawrey, J.D., Mangold, A., Marcelli, M.P., McCune, B., Messuti, M.I., Michlig, A., Miranda González, R., Moncada, B., Naikatiní, A., Nelsen, M.P., Øvstedal, D.O., Palice, Z., Papong, K., Parmmen, S., Pérez-Ortega, S., Printzen, C., Rico, V.J., Robayo, J., Rosabal, D., Ruprecht, U., Salazar Allen, N., Sancho, L., Santos de Jesus, L., Santos Vieira, T., Schultz, M., Seaward, M.D.R., Sérusiaux, E., Schmitt, I., Sipman, H.J.M., Sohrabi, M., Söchting, U., Søgaard, M.Z., Sparrius, L.B., Spielmann, A., Spribille, T., Sutjaritirakan, J., Thammathaworn, A., Thor, G., Thüs, H., Tindal, E., Truong, C., Türk, R., Umaña Tenorio, L., Upreti, D.K., van den Boom, P., Vivas Rebueta, M., Wedin, M., Will-Wolf, S., Wirth, V., Wirtz, N., Yahr, R., Yeshitela, K., Ziemmeck, F. & Lücking, R. (2010) One hundred new species of lichenized fungi: a signature of undiscovered global diversity. *Phytotaxa* **18**: 1–127.
- Magain, N., Miadlikowska, J., Goffinet, B., Goward, T., Pardo De la Hoz, C.J., Juriado, I., Simon, A., Mercado-Díaz, J., Barlow, T., Moncada, B., Lücking, R., Spielmann, A.A., Canêz, L., Wang, L.S., Nelson, P., Wheeler, T., Lutzoni, F., Sérusiaux, E. (2023) High species richness in the lichen genus *Peltigera* (*Ascomycota, Lecanoromycetes*): 34 species in the dolichorhizoid and scabrosoid clades of sect. *Polydactylon*, including 24 new to science. *Persoonia*, in press.
- Magain, N., Truong, C., Goward, T., Niu, D., Goffinet, B., Sérusiaux, E., Vitikainen, O., Lutzoni, F. & Miadlikowska, J. (2018) Species delimitation at a global scale reveals high species richness with complex biogeography and patterns of symbiont association in *Peltigera* section *Peltigera* (lichenized *Ascomycota: Lecanoromycetes*) *Taxon* **67**(5): 836–870.
- Mandl, N. (2007) *Bryophyte and macrolichen diversity of the Purdiaea nutans forest in southern Ecuador and its relationship to soil, climate, and vegetation structure*. Doctoral Dissertation, Georg-August Universität zu Göttingen, Göttingen. 102 pp.
- Marbach, B. (2000) Corticole und lignicole Arten der Flechtengattung *Buellia sensu lato* in den Subtropen und Tropen. *Bibliotheca Lichenologica* **74**: 1–384.
- Marcano, V. & Méndez, A. & Mohali, S. & Galiz, L. & Palacios-Prü, E. (1995) El género *Coccocarpia* Pers. (Ascomycetes liquenizados) en Venezuela. *Bryophyte Diversity and Evolution* **10**. 10.11646/bde.10.1.18.
- Marcano, V., Galiz, L., Mohali, S., Morales Méndez, A. & Palacios-Prü, E. (1997) Revision del género *Leprocaulon* Nyl. ex Lamy (Lichenes Imperfecti) en Venezuela. *Tropical Bryology* **13**: 47–56.
- Marcano, V., Galiz, L., Mohali, S., Morales Méndez, A., & Palacios-Prü, E. (1997) Revision del género *Leprocaulon* Nyl. ex Lamy (Lichenes Imperfecti) en Venezuela. *Tropical Bryology* **13**: 47–56
- Marcano, V., Méndez, A., Mohali, S., Galiz, L., & Palacios-Prü, E. (1995) El género *Coccocarpia* Pers. (Ascomycetes liquenizados) en Venezuela. *Bryophyte Diversity and Evolution*. 10. 10.11646/bde.10.1.18.
- Martin, G.W. (1948) Additions to Galapagos Fungi. *Pacific Science* **11**(2):71–77.
- Martins, M.F.N. (2007) *O gênero Heterodermia (Physciaceae, Ascomycota liquenizados) no Estado de São Paulo, Brasil*. Master Thesis, Universidade Estadual Paulista, São Paulo, 218 pp.
- McCarthy, P.M. & Palice, Z. (2003) A new species of *Trichothelium* and new records of *Porinaceae* from Ecuador. *Lichenologist* **35**(3): 237–240.
- McDonald, T., Miadlikowska, J. & Lutzoni, F. (2003) The lichen genus *Sticta* in the Great Smoky Mountains: A phylogenetic study of morphological, chemical, and molecular data. *Bryologist* **106**(1): 61–79.
- Messuti, M.I. (2003) Notes on *Coccoltrema colobinum* (lichenized *Ascomycotina*). *Bibliotheca Lichenologica* **86**: 129–132.
- Miadlikowska, J., Magain, N., Iana, M., Carbonec, I., LaGreca, S., Barlow, T., Myllis, L., Schmutz, M. & Lutzoni, F. (2023) Towards disentangling the *Peltigera ponojensis*/*P. monticola* species complex (section *Peltigera*): introducing *P. globulata* Miadl & Magain *sp. novum* and clarifying taxonomic identities of selected species based on the ITS sequences from type specimens. *Lichenologist*, in press.
- Miquel, S. & Bungartz, F. (2017) Ecological interactions of snails, lichens and bryophytes: Evidence of habitat use and herbivory, with the description of *Scolodonta rinae* (*Gastropoda, Scolodontidae*), a new species of carnivorous micro-mollusks. *Archiv für Molluskenkunde* **146**(1): 173–186.
- Miranda-González, R., Bungartz, F., Lücking, R., Gaya, E., Mendonça, C., Viñas-Portilla, C., Cáceres, M.E. & Herrera-Campos, M. (2022) Phylogeny of the *Pyrenula ochraceoflava* group (*Pyrenulaceae*) reveals near-cryptic diversification and the inclusion of the *Mazaediothecium album* aggregate. *The Bryologist* **125**(4): 541–557.

- Mitten, W. (1851) Catalogue of cryptogamic plants collected by Jameson in the vicinity of Quito. *Hooker's Journal of Botany* **3**(49–57): 351–361.
- Mittermeier, V.K., Schmitt, N., Volk, L.P.M., Suárez, J.P., Beck, A. & Eisenreich, W. (2015) Metabolic Profiling of Alpine and Ecuadorian Lichens. *Molecules* **20**(10): 18047–18065.
- Moberg, R. (1990) The lichen genus *Physcia* in Central and South America. *Nordic Journal of Botany* **10**(3): 319–342.
- Moberg, R. (2011) The lichen genus *Heterodermia* (*Physciaceae*) in South America – A contribution including five new species. *Nordic Journal of Botany* **29**(2): 129–147.
- Moncada, B. & Lücking R. (2012) Ten new species of *Sticta* and counting: Colombia as a hot spot for unrecognized diversification in a conspicuous macrolichen genus. *Phytotaxa* **74**: 1–29.
- Moncada, B. (2012) *El género Sticta (Schreb.) Ach. en Colombia: Taxonomía, Ecografía e Importancia*. Doctoral Dissertation, Universidad Nacional de Colombia, Bogotá. 416 pp.
- Moncada, B., Lücking R. & Betancourt-Macuase L. (2013) Phylogeny of the *Lobariaceae* (lichenized *Ascomycota*: *Peltigerales*), with a reappraisal of the genus *Lobariella*. *Lichenologist* **45**(2): 203–263.
- Moncada, B., Mercado-Díaz, J.A., Smith, C.W., Bungartz, F., Sérusiaux, E., Lumbsch, H.T., Lücking, R. (2021) Two new common, previously unrecognized species in the *Sticta weigelii* morphodeme (*Ascomycota*: *Peltigerales*). *Willdenowia* **51**(1): 35–45.
- Moncada, B., R. Lücking & Suarez, A. (2014) Molecular phylogeny of the genus *Sticta* (lichenized *Ascomycota*: *Lobariaceae*) in Colombia. *Fungal Diversity* **64**(1): 205–231.
- Motyka, J. (1936–38) *Lichenum Generis Usnea Studium Monographicum Pars Systematica*. Leopoldi (privately printed).
- Muggia, L., Gueidan, C., Perlmutter, G., Eriksson, O.E. & Grube, M. (2009) Molecular data confirm the position of *Flakea papillata* in the *Verrucariaceae*. *Bryologist* **112**(3): 538–543.
- Müller, J. (1879) Lichenes aequinoctiali-americanici a Cl. Ed. Andre, annis 1875-1876, praesertim in editoribus Ecuador (E.) et in Nova Granata (N. Gr.) lecti. *Revue Mycologique* **1**: 163–171.
- Müller, J. (1891) Lichenologische Beiträge. *Flora (Regensburg)* **74**: 371–382.
- Nash III, T.H., Elix, J.A. & Johnston, J. (1987) *Flavoparmelia ecuadoriensis*, a new species in the Parmeliaceae (*Ascomycotina*). *Mycotaxon* **28**: 257–259.
- Nash III, T.H., Elix, J.A. & Johnston, J. (1987) New species, new records and a key for *Xanthoparmelia* (lichenized *Ascomycotina*) from South America. *Mycotaxon* **28**: 285–296.
- Nash III, T.H., Gries, C., Elix, J.A. (1995) A Revision of the Lichen Genus *Xanthoparmelia* in South America. *Bibliotheca Lichenologica* **56**: 1–157.
- Nash III, T.H., Ryan, B.D., Gries, C. & Bungartz, F. (eds.) (2002) *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Arizona State University, Tempe.
- Navás, L. (1908) Algunos líquenes sudamericanos. *Boletín de la Real Sociedad Española de Historia Natural* **8**: 394–399.
- Nöske, N.M. & Sipman, H.J.M. (2004) Cryptogams of the Reserva Biológica San Francisco (Province Zamora-Chinchipec, Southern Ecuador) II. Lichens. *Cryptogamie, Mycologie* **25**(1): 91–100.
- Nöske, N.M. (2005) *Effekte anthropogener Störung auf die Diversität kryptogamischer Epiphyten (Flechten, Moose) in einem Bergregenwald in Südecuador*. Doctoral Dissertation, Georg-August Universität zu Göttingen, Göttingen. 137 pp.
- Nöske, N.M., Hilt, H., Werner, F.A., Brehm, G., Fiedler, K., Sipman, H.J.M. & Gradstein, S.R. (2008) Disturbance effects on diversity of epiphytes and moths in a montane forest in Ecuador. *Basic and Applied Ecology* **9**: 4–12.
- Nöske, N.M., Mandl, N. & Sipman, H.J.M. (2007) 05 Lichenes. Checklist Reserva Biológica San Francisco (Prov. Zamora-Chinchipec, S. Ecuador). *Ecotropical Monographs* **4**: 101–117.
- Nylander, W. (1863) Lichenographiae Novo-Granatensis Prodrromus. *Annales Academiae Scientiarum Fennicae* **7**: 415–504.
- Nylander, W. (1874) Animadversiones circa Spruce Lichenes Amazonicos et Andinos. *Flora (Regensburg)* **57**: 70–73.
- Ochoa-Jiménez, D.A., Cueva-Agila, A., Prieto, M., Aragón Rubio, G. & Benítez, Á. (2015) Changes in the epiphytic lichen composition related with air quality in the city of Loja (Ecuador). *Caldasia* **37**(2): 333–343.
- Ohmura, Y. (2001) Taxonomic study of the genus *Usnea* (lichenized *Ascomycetes*) in Japan and Taiwan. *Journal of the Hattori Botanical Laboratory* **90**: 1–96.
- Ohmura, Y. (2008) Molecular phylogeny of *Usnea rubicunda* and *U. rubrotincta* (Parmeliaceae, lichenized *Ascomycotina*) based on ITS rDNA sequences. *Journal of Japanese Botany* **83**: 347–355.
- Ohmura, Y., Lin, C.-K. & Wang, P.-H. (2010) Three sorediate species of the genus *Usnea* (*Parmeliaceae*, *Ascomycota*) new to Taiwan. *Memoirs of the National Museum of Natural Science* (Tokyo) **46**: 69–76.
- Ossowska, E.A., Moncada, B., Kukwa, M., Flakus, A., Rodriguez-Flakus, P., Olszewska, S. & Lücking, R. (2022) New species of *Sticta* (lichenised *Ascomycota*, lobarioid *Peltigerales*) from Bolivia suggest a high level of endemism in the Central Andes. *MycKeys* **92**: 131–160.
- Palice, Z. & Printzen, C. (2004) Genetic variability in tropical and temperate populations of *Trapeliopsis glaucolepidea*: evidence against long-range dispersal in a lichen with disjunct distribution. *Mycotaxon* **90**(1): 43–54.
- Palice, Z., Printzen, C., Spribille, T., Svensson, M., Tønsberg, T., Urbanavichene, I., Yakovchenko, L.S. & Ekman, S. (2013) Taxonomy of the genus *Myrionora*, with a second species from South America. *Lichenologist* **45**(2): 159–167.
- Parolly, G. & Kürschner, H. (2004) Ecosociological studies in Ecuadorian bryophyte communities I. Syntaxonomy, life strategies and ecomorphology of the oral epiphytic vegetation of S Ecuador. *Nova Hedwigia* **78**(1-2): 1–43.
- Printzen, C., Halda, J.P., McCarthy, J.W., Palice, Z., Rodriguez-Flakus, P., Thor, G., Tønsberg, T. & Vondrák, J. (2016) Fünf neue *Biatora*-Arten aus vier Kontinenten. *Herzogia* **29**(2): 566–585.
- Roth, K., Mathey, A., & Leuckert, C. (1978) The xanthonces of *Buellia galapagona* Weber (Lichenes, *Physciaceae*). *Willdenowia* **8**(2): 363–368
- Roumeguère, C. (1879) Les lichens Neo-Grenadins et Ecuadoriens, récoltés par M. Ed. André. *Revue Mycologique* **1**: 160–162.
- Santesson, R. (1939) Amphibious pyrenolichens I. *Arkiv för Botanik* **29A**(10): 1–67.

- Santesson, R. (1942) Two interesting new species of the lichen genus *Parmelia*. *Botaniska Notiser* **1942**: 325–330.
- Santesson, R. (1989) Parasymbiotic fungi on the lichen-forming basidiomycete *Omphalina foliacea*. *Nordic Journal of Botany* **9**(1): 97–99.
- Santos, V.M., Cáceres, M.E.D.S. & Lücking, R. (2020 [2019]) Diversity of foliicolous lichens in isolated montane rainforests (Brejos) of northeastern Brazil and their biogeography in a neotropical context. *Ecological Research* **35**(1): 182–197.
- Schmull, M., Dal-Forno, M., Lücking, R., Cao, S., Clardy, S., Clardy, J. & Lawrey, J.D. (2014) *Dictyonema huaorani* (Agaricales: Hygrophoraceae), a new lichenized basidiomycete from Amazonian Ecuador with presumed hallucinogenic properties. *Bryologist* **117**(4): 386–394.
- Schofield, E.K. (1984) *Plants of the Galapagos Islands – Field Guide and Travel Journal*. Universe Books, New York, 159 pp.
- Schultz, M. & Aptroot, A. (2008) Notes on poorly known, small cyanobacterial lichens from predominantly wet tropical to subtropical regions. *Sauteria* **15**: 433–458.
- Sérusiaux, E. (1995) Further new lichen species producing campylidia or complex conidiomata. *Bibliotheca Lichenologica* **58**: 411–431.
- Sipman, H.J.M. (1986) Three new lichens from Colombia (Studies on Colombian Cryptogams, 25). *Willdenowia* **16**: 279–284.
- Sipman, H.J.M. (1992) The origin of the lichen flora of the Colombian páramos. In: Balslev, H., Luteyn, J.L. (eds.): *Páramo. An Andean Ecosystem Under Human Influence*. Academic Press, London, pp. 95–109.
- Sipman, H.J.M. (1999) Checklist of páramo plants - Lichenes. *Memoirs of New York Botanical Garden* **84**: 41–53.
- Sipman, H.J.M. (2014) New species of *Graphidaceae* from the Neotropics and Southeast Asia. *Phytotaxa* **189**(1): 289–311.
- Sipman, H.J.M., Elix, J.A. & Nash III, T.H. (2009) *Hypotrachyna* (Parmeliaceae, Lichenized Fungi). *Flora Neotropica* **104**: 1–176.
- Sklenář, P., Kovář, P., Palice, Z., Stančík D. & Soldán Z. (2010) Primary succession of high-altitude Andean vegetation on lahars of Volcán Cotopaxi, Ecuador. *Phytocoenologia* **40**(1): 15–28.
- Staiger, B. & Kalb K. (1995) *Haematomma*-Studien. I. Die Flechtengattung *Haematomma*. *Bibliotheca Lichenologica* **59**: 1–198.
- Staiger, B. (2002) Die Flechtenfamilie *Graphidaceae*. Studien in Richtung einer natürlicheren Gliederung. *Bibliotheca Lichenologica* **85**: 1–526.
- Stewart, A. (1912) Expedition of the California Academy of Sciences to the Galapagos Islands 1905-1906. No. 7: Notes on the Lichens of the Galapagos Islands. *Proceedings of the Californian Academy of Sciences*, 4th Series, **1**(7): 431–446.
- Suija, A., de los Ríos, A. & Pérez-Ortega, S. (2015) A molecular reappraisal of *Abrothallus* species growing on lichens of the order *Peltigerales*. *Phytotaxa* **195**(3): 201–226.
- Svenson, H.K. (1935) Plants of the Astor Expedition, 1930 (Galapagos and Cocos Islands). *American Journal of Botany* **22**: 208–277.
- Swinscow, T. & Krog, H. (1979) The fruticose species of *Usnea* subgenus *Usnea* in East Africa *Lichenologist* **11**: 207–252.
- Taylor, T. (1848) On the Specific Characters of certain new Cryptogamic Plants lately received from, and collected by, Professor William Jameson, on Pichincha, near Quito. *London Journal of Botany* **7**: 278–285.
- Tehler, A. (2002) *Roccella* In: T.H. Nash III, B.D. Ryan, C. Gries & F. Bungartz (eds.): *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Arizona State University, Tempe, 451–454 pp.
- Tehler, A. (2007) The *Roccella lirellina* and *R. galapagoensis* aggregates, taxonomy and nomenclature. *Bibliotheca Lichenologica* **95**: 517–530.
- Tehler, A., Baloch, E., Tibell, L. & Wedin, M. (2009) The systematic position of *Schistophoron*. *Bibliotheca Lichenologica* **99**: 383–329.
- Tehler, A., Ertz, D. & Irestedt, M. (2013) The genus *Dirina* (Roccellaceae, Arthoniales) revisited. *Lichenologist* **45**(4): 427–476.
- Tehler, A., Irestedt, M., Bungartz, F. & Wedin, M. (2009) Evolution and reproduction modes in the *Roccella galapagoensis* aggregate (Roccellaceae, Arthoniales) *Taxon* **58**(2): 438–456.
- Thomson, J.W. (1963) The Lichen Genus *Physcia* in North America. *Beihefte zur Nova Hedwigia* **7**: 1–172
- Tibell L. & Kalb, K. (1992) *Calicium* in the tropical and subtropical Americas. *Nova Hedwigia* **55**(1–2): 11–36
- Tibell, L. (1996) *Caliciales*. *Flora Neotropica* **69**: 1–78.
- Truong, C. & Clerc, P. (2012) The lichen genus *Usnea* (Parmeliaceae) in tropical South America: Species with a pigmented medulla, reacting C+ yellow. *Lichenologist* **44**(5): 625–637.
- Truong, C. & Clerc, P. (2016) New species and new records in the genus *Usnea* (Parmeliaceae, lichenized *Ascomycota*) from tropical South America. *Lichenologist* **48**(1): 71–93.
- Truong, C., Bungartz, F. & Clerc P. (2011) The lichen genus *Usnea* (Parmeliaceae) in the tropical Andes and the Galapagos: species with a red-orange cortical or subcortical pigmentation. *Bryologist* **114**(3): 477–503.
- Truong, C., Clerc, P. (2013) Eumitrioid *Usnea* species (Parmeliaceae, lichenized *Ascomycota*) in tropical South America and the Galapagos. *Lichenologist* **45**(3): 383–395.
- Truong, C., Rodriguez, J.M. & Clerc, P. (2013) Pendulous *Usnea* species (Parmeliaceae, lichenized *Ascomycota*) in tropical South America and the Galapagos. *Lichenologist* **45**(4): 505–542.
- van den Boom, P., Divakar, P., Ertz, D., Etayo, J., Moberg, R. & Sipman, HJM (2022) New or otherwise interesting records of lichens and lichenicolous fungi from mainland Ecuador and surroundings with descriptions of five new species. *Acta Botanica Hungarica* **64**(3–4): 417–450.
- van den Boom, P.P.G. & Elix, J.A. (2022) New records of buellioid (Caliciaceae, Ascomycota) and *Rinodina* lichens (Physciaceae, Ascomycota) from the Caribbean and Ecuador. *Herzogia* **35**(2): 630–635.
- van den Boom, P.P.G. (2009) New *Halecania* species (Catillariaceae) from Europe and South America. *Bryologist* **112**(4): 827–832.
- Vareschi, V. (1973) Resultados liquenológicos de excursiones efectuadas en Venezuela. No. 3. Catalogo de los líquenes de Venezuela. *Acta Botanica Venezuelica* **8**: 177–245.
- Vega, M., Déleg, J. & Benítez, Á. (2021) Primer registro del líquen *Pyrenula hirsuta* para Sudamérica. *Neotropical Biodiversity* **7**(1): 75–77.
- Vězda, A. & Kalb, K. (1991) Beiträge zur Kenntnis der foliikolen Flechten australischer Regenwälder III. *Nova Hedwigia* **53**(1–2): 215–228.

- Vězda, A. & Poelt, J. (1990) *Solorinellaceae*, eine neue Familie der lichenisierten Ascomyceten. *Phyton* **30**(1): 47–55.
- Vitikainen, O. (1995) *Peltigera andensis* sp. nov. (*Peltigeraceae*, lichenized *Ascomycetes*), a new species from South America. In: Daniëls, F.J.A., Schulz, M., Peine, J. (eds.): *Flechten Follmann. Contributions to lichenology in Honour of Gerhard Follmann*. Universität zu Köln, Cologne, pp. 371–375.
- von Humboldt, A. & Bonpland, A. (1807) Essai sur la géographie des plantes accompagné d'un tableau physique des régions équinoxiales. Levrault. Paris. 155 pp.
- Weber, W.A. (1966) Lichenology and bryology in the Galapagos Islands, with checklists of the lichens and bryophytes thus far reported. In: Bowman, R.I. (ed.): *The Galapagos. Proceedings of the Symposium of the Galapagos International Scientific Project*. University of California Press, Berkeley, pp. 197–200.
- Weber, W.A. (1971) Four new species of *Buellia* from western North and South America. *Bryologist* **74**: 185–191.
- Weber, W.A. (1981) *Lichenes Exsiccati*, distributed by the University of Colorado Museum, Boulder, *Fasc. 1–15, nos. 1–600*, 1961–1979. *Mycotaxon* **13**(1): 85–104.
- Weber, W.A. (1986) The Lichen Flora of the Galápagos Islands, Ecuador. *Mycotaxon* **27**: 451–497.
- Weber, W.A. (1993) Additions to the Galápagos and Cocos Islands Lichen and Bryophyte Floras. *Bryologist* **96**(3): 431–434.
- Westberg, M., Arup, U. (2011) *Candelaria pacifica* sp. nova (*Ascomycota, Candelariales*) and the identity of *Candelaria vulgaris*. *Bibliotheca Lichenologica* **106**: 353–364
- Yáñez-Ayabaca, A. & Eliasaro, S. (2009) *Hypotrachyna carchiensis*, a new species in *Parmeliaceae* from Ecuador. *Mycotaxon* **109** 337–340.
- Yáñez-Ayabaca, A. (2009) Os Gêneros *Hypotrachyna* e *Everniastrum* (*Parmeliaceae, Ascomycota* lquenizados) nas Províncias de Carchi e Imbabura na região Andina do Equador. Master Thesis. Universidade Federal do Paraná, Curitiba. 128 pp.
- Yáñez-Ayabaca, A., Ahti, T. & Bungartz, F. (2013) The Family *Cladoniaceae* (*Lecanorales*) in the Galapagos Islands. *Phytotaxa* **129**(1): 1–33
- Yáñez-Ayabaca, A., Dal-Forno, M., Bungartz, F. & Lücking, R. (2012) A first assessment of Galapagos basidiolichens. *Fungal Diversity* **52**:225–244
- Yoshimura, I. & Arvidsson, L. (1994) Taxonomy and chemistry of the *Lobaria crenulata* group in Ecuador. *Acta Botanica Fennica* **150**: 223–333.
- Yoshimura, I. (1995) The lichen genus *Anzia* (*Parmeliaceae, Lecanorales*) in Central and South America. In: Daniëls, F.J.A., Schultz, M. & Peine, J. (eds.) *Flechten Follmann. Contributions to Lichenology in Honour of Gerhard Follmann*. Universität zu Köln, Cologne, pp. 377–38.
- Zahlbruckner, A. (1905) Flechten, im Hochlande Ecuadors gesammelt von Prof. D. Hans Meyer im Jahre 1903. *Beihefte zum Botanischen Centralblatt* **19**, Abt. 2, H. 1: 75–84.
- Zahlbruckner, A. (1907) *Flechten*. In: H. Meyer (ed.): *In den Hoch-Anden von Ecuador*. Reimer, Berlin. pp. 514–516.