

A Cumulative Checklist for the Lichen-forming, Lichenicolous and Allied Fungi of the Continental United States and Canada

Version 24

Theodore L. Esslinger

References Cited:

- Adler, M. T. 1997. Polymorphism of vegetative propagules in *Punctelia punctilla* (Parmeliaceae, Lecanorales) and the delimitation of the species. *Mycotaxon* 63: 57-70.
- Ahti, T. 1961. Taxonomic studies on reindeer lichens (*Cladonia*, subgenus *Cladina*). *Annales Botanici Societatis Zoologicae Botanicae Fennicae 'Vanamo'* 32(1): i-iv+1-160.
- Ahti, T. 1980. Taxonomic revision of *Cladonia gracilis* and its allies. *Annales Botanici Fennici* 17: 195-243.
- Ahti, T. 1998. A revision of *Cladonia stricta* [Ülevaade liigist *Cladonia stricta*]. *Folia Cryptogamica Estonica* 32: 5-8.
- Ahti, T. 2000. Cladoniaceae. *Flora Neotropica*, 78. Organization for Flora Neotropica and New York Botanical Garden, Bronx. 362 pp.
- Ahti, T. 2007. Further studies on the *Cladonia verticillata* group (Lecanorales) in East Asia and western North America. *Bibliotheca Lichenologica* 96: 5-19.
- Ahti, T. & I. Brodo. 1981. *Cladonia labradorica*, sp. nov., and *C. kanewskii* in Canada. *The Bryologist* 84(2): 238-241.
- Ahti, T. & P. T. DePriest. 2001. New combinations of *Cladina* epithets in *Cladonia* (Ascomycotina: Cladoniaceae). *Mycotaxon* 78: 499-502.
- Ahti, T. & S. Hammer. 2002. *Cladonia*, pp. 131-158. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ahti, T. & D. L. Hawksworth. 2005. *Xanthoparmelia stenophylla*, the correct name for *X. somloënsis*, one of the most widespread usnic acid containing species of the genus. *Lichenologist* 37: 363-366.
- Ahti, T., R. Pino-Bodas, A. Flakus & S. Stenroos. 2016. Additions to the global diversity of *Cladonia*. *Lichenologist* 48(5): 517-526.
- Ahti, T., R. Pino-Bodas & J. W. McCarthy. 2018. *Cladonia ignatii*, an overlooked new lichen in eastern North America. *Herzogia* 31(1): 630-638.
- Ahti, T. and S. Stenroos. 2008. *Cladonia oricola*, a new coastal species of reindeer lichen in eastern North America. *Abhandlungen des Westfälischen Museums der Naturkunde* 70: 405-410.
- Allen, J. L. & J. C. Lendemer. 2015. *Japewiella dollypartonia*, a new widespread lichen in the Appalachian Mountains of Eastern North America. *Castanea* 80(1): 59-65.
- Allen, J. L. & R. T. McMullin. 2015. *Chaenotheca balsamconensis*, a new calicioid lichen on *Trichaptum abietinum* from North America that is benefiting from widespread conifer fatalities. *The Bryologist* 118(1): 54-58.
- Alstrup, V. 2004. New records in distribution of lichens and lichenicolous fungi. *Graphis Scripta* 16: 46-57.

- Alstrup, V. & T. Ahti. 2007. New reports of lichenicolous fungi, mainly from Finland and Russia. *Karstenia* 47: 1-4.
- Alstrup, V., S. N. Christensen, E. S. Hansen & S. Svane. 1994. The lichens of the Faroes. *Fróðskaparrit* 40: 61-121.
- Alstrup, V. & M. S. Cole. 1998. Lichenicolous fungi of British Columbia. *The Bryologist* 101: 221-229.
- Altermann, S., S. D. Leavitt & T. Goward. 2016. Tidying up the genus *Letharia*: introducing *L. lupina* sp. nov. and a new circumscription for *L. columbiana*. *Lichenologist* 48(5): 423-439.
- Ametrano, C.G., K. Knudsen, J. Kocourková, M. Grube, L. Selbmann and L. Muggia. 2019. Phylogenetic relationships of rock-inhabiting black fungi belonging to the widespread genera *Lichenothelia* and *Saxomyces*. *Mycologia* 111(1): 127-160.
- Amtoft, A. 2002. *Pyxine subcinerea* in the eastern United States. *The Bryologist* 105: 270-272.
- Amtoft, A. 2006. A new species of *Dermatocarpon* (Verrucariaceae) from the United States and the Bahamas. *The Bryologist* 109(2): 182-184.
- Amtoft, A., F. Lutzoni & J. Miadlikowska. 2008. *Dermatocarpon* (Verrucariaceae) in the Ozark Highlands, North America. *The Bryologist* 111(1): 1-40
- Anderson, F. & J. Lendemer. 2016. *Aspicilia bicensis* (Megasporaceae), a new sterile, pustulose lichen from eastern Canada. *The Bryologist* 119(1): 8-15.
- Anderson Stewart, C. R., J. C. Lendemer, K. G. Keepers, C. S. Pogoda, N. C. Kane, C. M. McCain & E. A. Tripp. 2018. *Lecanora markjohnstonii* (Lecanoraceae, lichenized Ascomycetes), a new sorediate crustose lichen from the southeastern United States. *The Bryologist* 121(4): 498-512.
- Aptroot, A. 1991. A monograph of the Pyrenulaceae (excluding *Anthracothecium* and *Pyrenula*) and the Requienellaceae, with notes on the Pleomassariaceae, the Trypetheliaceae and *Mycomicrothelia* (lichenized and non-lichenized Ascomycetes). *Bibliotheca Lichenologica* 44: 1-178.
- Aptroot, A. 1996. New records of lichens and lichenicolous fungi from British Columbia. *The Bryologist* 99: 196-198.
- Aptroot, A. 1997. Corticolous pyrenocarpous ascomycetes (lichenized and non-lichenized) from the Sonoran Desert (Arizona and Mexico). *Nova Hedwigia* 64: 169-176.
- Aptroot, A. 2002a. *Arthopyrenia*, pp. 103-106. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Aptroot, A. 2002b. *Julella*, pp. 254-256. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Aptroot, A. 2002c. *Mycoporum*, pp. 287-288. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Aptroot, A. 2002d. *Peridiothelia*, pp. 340-341. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.

- Aptroot, A. 2002e. *Porina*, pp. 402-405. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Aptroot, A. 2003. A new perspective on the sorediate *Punctelia* (Parmeliaceae) species of North America. *The Bryologist* 106: 317-319.
- Aptroot, A. 2012. A world key to the species of *Anthracotheicum* and *Pyrenula*. *Lichenologist* 44(1): 5-53.
- Aptroot, A. & R. S. Common. 2017. *Pyrenula clavatispora*, a new species from Florida with narrowly clavate ascospores, with a key to similar species. *The Bryologist* 120(3): 270-273.
- Aptroot, A., P. Diederich, E. Sérusiaux & H. J. M. Sipman. 1997. Lichens and Lichenicolous Fungi from New Guinea. *Bibliotheca Lichenologica* 64: 1-220.
- Aptroot, A. & R. Lücking. 2003. Phenotype-based phylogenetic analysis does not support generic separation of *Gyalidea* and *Solorinella* (Ostropales: Asterothryiaceae), pp. 53-78. In M. Jensen (ed.), Lichenological Contributions in Honour of G.B. Feige. *Bibliotheca Licheologica* 86. 'J. Cramer.
- Aptroot, A. & R. Lücking. 2016. A revisionary synopsis of the Trypetheliaceae (Ascomycota: Trypetheliales). *Lichenologist* 48(6): 763-982.
- Aptroot, A., A. A. Menezes, A. B. Xavier-Leite, V. m. dos Santos, M. M. E. Alves & M. E. S. Cáceres. 2014. Revision of the corticolous *Mazosia* species, with a key to *Mazosia* species with 3-septate ascospores. *Lichenologist* 46(4): 563-572.
- Aptroot, A., S. Parnmen, R. Lücking, E. Baloch, P. Jungbluth, M. E. S. Cáceres & H. T. Lumbsch. 2014. Molecular phylogeny resolves a taxonomic misunderstanding and places *Geisleria* close to *Absconditella* s. str. (Ostropales: Stictidaceae). *Lichenologist* 46(1): 115-128.
- Aptroot, A. & F. Schumm. 2012. The genus *Melanophloea*, an example of convergent evolution towards polyspory. *Lichenologist* 44: 501-509.
- Aptroot, A., G. Thor, R. Lücking, J.A Elix & J.L Chaves. 2009. The lichen genus *Herpothallon* reinstated. In A. Aptroot, M.R.D Seaward & L.B Sparrius. Biodiversity and ecology of lichens: liber amicorum Harrie Sipman. *Bibliotheca Lichenologica* 99:19-66.
- Arcadia, L. 2013. *Usnea dasopoga*, a name to be reinstated for *U. filipendula*, and its orthography. *Taxon* 62(3): 604-605.
- Arcadia, L. & K. Knudsen. 2012. The name *Myriospora* is available for the *Acarospora smaragdula* group. *Opuscula Philolichenum* 11: 19-25. Arcadia, L. & A. Nordin. 2012. Proposal to conserve the name *Megaspora verrucosa* (Ach.) L. Arcadia & A. Nordin against *M. verrucosa* Hafellner & V. Wirth (lichenized Ascomycota). *Taxon* 61: 464-465.
- Archer, A. W. 2006. The Lichen Family Graphidaceae in Australia. *Bibliotheca Lichenologica* 94: 1-191.
- Archer, A. W. & M. I. Messuti. 1997. *Pertusaria velata* (Turner) Nyl. and its synonyms. *Mycotaxon* 61: 375-379.
- Argüello, A., A. Crespo & D. L. Hawksworth. 2007a. Neo- and epitypifications to fix the application of the names *Parmelina carporrhizans* and *P. quercina*. *Lichenologist* 39: 397-399.

- Argüello, A., R. del Prado, P. Cubas & A. Crespo. 2007b. *Parmelina quercina* (Parmeliaceae, Lecanorales) includes four phylogenetically supported morphospecies. Biological Journal of the Linnean Society 91: 455-467.
- Ariyawansa, H. A. et al. 2015. Fungal diversity notes 111-252 – taxonomic and phylogenetic contributions to fungal taxa. Fungal Diversity 75(1):27-274.
- Articus, K. 2004. *Neuropogon* and the phylogeny of *Usnea* s.l. (Parmeliaceae, lichenized Ascomycetes). Taxon 53(4): 925-934.
- Arup, U. 1997. Correction of reports of two *Caloplaca* species from North America. The Bryologist 100: 516.
- Arup, U. 2004. Three overlooked *Lecidea* species in Sweden. Symbolae Botanicae Upsalienses 34: 39-48.
- Arup, U. 2006. A new taxonomy of the *Caloplaca citrina* group in the Nordic countries, except Iceland. Lichenologist 38: 1-20.
- Arup, U. 2009. The *Caloplaca holocarpa* group in the Nordic countries, except Iceland. Lichenologist 41:111–130.
- Arup, U. & M. Grube. 1999. Where does *Lecanora demissa* (Ascomycota, Lecanorales) belong? Lichenologist 31: 419-430.
- Arup, U., U. Søchting & P. Frödén. 2013. A new taxonomy of the family Teloschistaceae. Nordic Journal of Botany 31: 16-83.
- Arup, U., J. Vondrák & M. G. Halici. 2015. *Parvoplaca nigroblastidiata*, a new corticolous lichen (Teloschistaceae) in Europe, Turkey and Alaska. Lichenologist 47(6): 379-385.
- Asher, O. A. & J. C. Lendemer. 2018. *Lecanora caperatica* (Lecanoraceae, lichenized ascomycetes) a new sorediate species widespread in eastern North America. The Bryologist 121: 306-323.
- Atienza, V., D. L. Hawksworth & S. Pérez-Ortega. 2021. *Verrucoccum* (Dothideomycetes, Dictyosporiaceae), a new genus of lichenicolous fungi on *Lobaria* s. lat. for the *Dothidea hymenicola* species complex. Mycologia 113(6): 1233-1252.
- Baloch, E., H. T. Lumbsch, R. Lücking & M. Wedin. 2013a. New combinations and names in *Gyalecta* for former *Belonia* and *Pachyphiale* (Ascomycota, Ostropales) species. Lichenologist 45(6): 723-727.
- Baloch, E., G. Gilenstam & M. Wedin. 2009. Phylogeny and classification of *Cryptodiscus*, with a taxonomic synopsis of the Swedish species. Fungal Diversity 38: 51-68.
- Baloch, E., G. Gilenstam & M. Wedin. 2013b. The relationships of *Odontotrema* (Odontotremataceae) and the resurrected *Sphaeropezia* (Stictidaceae) – new combinations and three new *Sphaeropezia* species. Mycologia 105(2): 384-397.
- Barr, M. E., S. B. Huhndorf & C. T. Rogerson. 1996. The Pyrenomycetes Described by J. B. Ellis. Memoirs of the New York Botanical Garden 79: 1-137.
- Barr, M. E., C. T. Rogerson, S. J. Smith & J. H. Haines. 1986. An annotated catalogue of the Pyrenomycetes described by Charles H. Peck. Bulletin of the New York State Museum 459: 1-74.
- Barrett, P. E. & J. W. Thomson. 1975. Lichens from a High Arctic coastal lowland, Devon Island, N.W.T. The Bryologist 78(2): 160-167.

- Beeching, S. Q. 2007. *Dimelaena tenuis* (lichenized Ascomycota) new to North America, and *Xanthoparmelia pseudocongensis* new to Georgia, USA. *Opuscula Philolichenum* 4: 55-56.
- Benatti, M. N. & J. A. Elix. 2012. The true identity of *Bulbothrix goebelii* (Zenker) Hale and the re-establishment of some of its synonyms as accepted species. *Lichenologist* 44: 813-826.
- Bendiksby, M., R. Haugan, T. Spribille & E. Timdal. 2015. Molecular phylogenetics and taxonomy of the *Calvitimela aglaea* complex (Tephromelataceae, Lecanorales). *Mycologia* 107(6): 1172-1183.
- Bendiksby, M., R. Reese Naesborg & E. Timdal. 2018. *Xylopsora canopeorum* (Umbilicariaceae), a new lichen species from the canopy of *Sequoia sempervirens*. *Mycobanks* 30: 1-15.
- Bendiksby, M & E. Timdal. 2013. Molecular phylogenetics and taxonomy of *Hypocenocyce* sensu lato (Ascomycota: lecanoromycetes): extreme polyphyly and morphological/ecological convergence. *Taxon* 62(5): 940-956.
- Berger, F. & S. LaGreca. 2014. Contributions to the lichen flora of Bermuda – Part I. New records, new combinations, and interesting collections of lichenized ascomycetes. *Evansia* 31(2): 41-68.
- Bigelow, H. E. 1983. Spore ornamentation in the Tricholomataceae II. *Sydowia* 36: 11-18.
- Bird, C. D. 1974. Studies on the lichen genus *Evernia* in North America. *Canadian Journal of Botany* 52: 2427-2434.
- Bjerke, J. W. 2003. *Menegazzia subsimilis*, a widespread sorediate lichen. *Lichenologist* 35: 393-396.
- Björk, C. R., T. Goward, & T. Spribille. 2009. New records and range extensions of rare lichens from waterfalls and sprayzones in inland British Columbia, Canada. *Evansia* 219-224.
- Blanco, O., A. Crespo, P. K. Divakar, T. L. Esslinger, D. L. Hawksworth & H. T. Lumbsch. 2004a. *Melanelixia* and *Melanohalea*, two new genera segregated from *Melanelia* (Parmeliaceae) based on molecular and morphological data. *Mycological Research* 108: 873-884.
- Blanco, O., A. Crespo, J. A. Elix, D. L. Hawksworth, and H. T. Lumbsch. 2004b. A molecular phylogeny and a new classification of parmeliod lichens containing *Xanthoparmelia*-type lichenan (Ascomycota: Lecanorales). *Taxon* 53(4): 959-975.
- Blanco, O., A. Crespo, P. K. Divakar, J. A. Elix & H. T. Lumbsch. 2005. Molecular phylogeny of parmotremoid lichens (Ascomycota, Parmeliaceae). *Mycologia* 97: 150-159.
- Boluda, C. G., D. L. Hawksworth, P. K. Divakar, A. Crespo & V. J. Rico. 2016. Microchemical and molecular investigations reveal *Pseudephebe* species as cryptic with an environmentally modified morphology. *Lichenologist* 48(5): 527-543.
- Boluda, C. G., V. J. Rico, P. K. Divakar, O. Nadyeina, L. Myllys, R. T. McMullin, J. C. Zamora, C. Scheidegger, D. L. Hawksworth. 2018. Evaluating methodologies for species delimitation: the mismatch between phenotypes and genotypes in lichenized fungi (*Bryoria* sect. *implexae*, Parmeliaceae). *Persoonia* 42: 75-100.
- Bowler, P. A. & J. E. Marsh. 2004. *Niebla*, pp. 368-380. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Brako, L. 1991. *Phyllopsora* (Bacidiaceae). *Flora Neotropica*, 55. New York Botanical Garden (for Organization for Flora Neotropica), Bronx, NY. 66 pp.

- Breuss, O. 1996. Ein verfeinertes Gliederungskonzept für *Catapyrenium* (lichenisierte Ascomyceten, Verrucariaceae) mit einem Schlüssel für die bisher bekannten Arten. Annalen des Naturhistorischen Museums in Wien 98 B Suppl: 35-50.
- Breuss, O. 1998. On the taxonomy of "*Catapyrenium*" *plumbeum* (lichenized Ascomycetes, Verrucariaceae). Annalen des Naturhistorischen Museums in Wien 100B: 671-676.
- Breuss, O. 2000. New taxa of pyrenocarpous lichens from the Sonoran region. The Bryologist 103: 705-709.
- Breuss, O. 2001. *Helocarpon lesdainii* (Lichens, Helocarpaceae) in the Pacific Northwest. The Bryologist 104: 600-601.
- Breuss, O. 2002a. *Endocarpon*, pp. 181-187. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Breuss, O. 2002b. Four *Verrucaria* species new to America. Evansia 19: 26-28.
- Breuss, O. 2002c. The lichen genus *Henrica* (Verrucariaceae) new to North America. The Bryologist 105: 398-399.
- Breuss, O. 2002d. *Placidium*, pp. 384-393. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Breuss, O. 2002e. *Placopyrenium*, pp. 393-397. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Breuss, O. 2002f. *Thrombium*, pp. 483-484. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Breuss, O. 2003. Eine neue *Dermatocarpon*-Art (lichenisierte Ascomyceten, Verrucariales) aus Kanada. Bibliotheca Lichenologica 86: 99-102.
- Breuss, O. 2005. A new species of the lichen genus *Neocatapyrenium* (Verrucariaceae) from North America. The Bryologist 108: 537-539.
- Breuss, O. 2007a. *Bagliettoa*, p. 109. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Breuss, O. 2007b. *Verrucaria*, pp. 335-377. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Breuss, O. 2009. A synopsis of the lichen genus *Placopyrenium* (Verrucariaceae), with descriptions of new taxa and a key to all species. Bibliotheca Lichenologica 99: 93-112.
- Breuss, O. 2016. *Byssoloma maderense* is not endemic to Macaronesia. Evansia 33(2): 54-62.
- Breuss, O. 2021("2020"). Neue Funde pyrenocarper Flechten (lichenisierte Ascomycota, Verrucariaceae). Austrian Journal of Mycology 29: 117-121.
- Breuss, O. & C. C. Bratt. 2000. Catapyrenoid lichens in California. Bulletin of the California Lichen Society 7(2): 36-43.

- Breuss, O. & B. McCune. 1994. Additions to the pyrenolichen flora of North America. *The Bryologist* 97: 365-370.
- Breuss, O. & T. Stribille. 2001. *Verrucaria kootenaica*, a new pyrenocarpous lichen from the northern Rocky Mountains. *The Bryologist* 104: 453-455.
- Brinker, S. 2020. Contributions to the Ontario flora of lichens and allied fungi, with emphasis on the Great Lakes Basin. *Opusculum Philolichenum* 19: 58-157.
- Brinker, S. R. & K. Knudsen. 2019. The first confirmed report of *Acarospora bullata* from North America. *Opuscula Philolichenum* 18: 11-16.
- Brodo, I. M. 1967. Lichens collected in Wisconsin on the 1965 foray of the American Bryological Society. *The Bryologist* 70(2): 208-227.
- Brodo, I. M. 1984. The North American species of the *Lecanora subfuscata* group, pp. 63-185. In Beiheft zur Nova Hedwigia 79. J. Cramer - Vaduz.
- Brodo, I. M. 1988. Lichens of the Ottawa region. Sylogeus No. 29. National Museum of Natural Sciences, Ottawa, Canada. pp. 1-137.
- Brodo, I. M. 1991. Studies in the lichen genus *Ochrolechia*. 2. Corticolous species of North America. *Canadian Journal of Botany* 69 (4): 733-772.
- Brodo, I. M. 1995. Lichens and lichenicolous fungi of the Queen Charlotte Islands, British Columbia, Canada. 1. Introduction and new records for B.C., Canada and North America. *Mycotaxon* 56: 135-173.
- Brodo, I. M. 2001. *Vezdaea acicularis*, an addition to the North American lichen flora. *The Bryologist* 104: 297-298.
- Brodo, I. M. 2004. A new saxicolous *Porina* (Ascomycota, Porinaceae) from maritime rocks of Haida Gwaii (Queen Charlotte Islands), British Columbia, Canada. *Bibliotheca Lichenologica* 88: 43-48.
- Brodo, I. M. 2010. The lichens and lichenicolous fungi of Haida Gwaii (Queen Charlotte Islands), British Columbia, Canada. 5. A new species of *Lecanora* from shoreline rocks. *Botany* 88: 352-358.
- Brodo, I. M. & T. Ahti. 1996. Lichens and lichenicolous fungi of the Queen Charlotte Islands, British Columbia, Canada. 2. The Cladoniaceae. *Canadian Journal of Botany* 74: 1147-1180.
- Brodo, I. M. & A. Aptroot. 2005. Corticolous species of *Protoparmelia* (lichenized Ascomycotina) in North America. *Canadian Journal of Botany* 83(8): 1075-1081.
- Brodo, I. M., W. L. Culberson, & C. F. Culberson. 2008. *Haematomma* (Lecanoraceae) in North and Central America, including the West Indies. *The Bryologist* 111: 363-423.
- Brodo, I. M., M. Haldeman & J. Malíček. 2020. Notes on species of the *Lecanora albella* group (Lecanoraceae) from North America and Europe. *The Bryologist* 123(3): 430-450. Brodo, I. M. & J. Lendemer. 2012. On the perplexing variability of reproductive modes in the genus *Ochrolechia*: Notes on *O. africana* and *O. arborea* in eastern North America. *Opuscula Philolichenum* 11: 120-134.
- Brodo, I. M. & J. Lendemer. 2015. A revision of the saxicolous, esorediate species of *Ainoa* and *Trapelia* (Baeomycetaceae and Trapeliaceae, lichenized Ascomycota) in North America, with the description of two new species. *The Bryologist* 118(4): 385-399.

- Brodo, I. M. & B. McCune. 2017. *Ochrolechia brodoi*, a new lichen for North America from Alaska, with updates to the key of corticolous North American species. *Evansia* 34(3): 110-113.
- Brodo, I. M., S. Duran Sharnoff & S. Sharnoff 2001. Lichens of North America. Yale University Press, New Haven & London. 795 pp.
- Brodo, I. M. & R. Santesson. 1997. Lichens of the Queen Charlotte Islands, British Columbia, Canada. 3. Marine species of *Verrucaria* (Verrucariaceae, Ascomycotina). *Journal of the Hattori Botanical Laboratory* 82: 27-37.
- Brodo, I. M. & J. W. Sheard. 2020. The lichens and lichenicolous fungi of Haida Gwaii, British Columbia, Canada. 6. A new species of *Buellia* with four-celled, *Callispora*-type ascospores. *Opuscula Philolichenum* 19: 163-167.
- Brodo, I. M. & T. Tønsberg. 2020. *Opegrapha halophila* (Opegraphaceae), a new lichen species from coastal British Columbia, Canada, and Alaska, U.S.A. *The Bryologist* 123(3): 457-462.
- Brodo, I. M. & V. Wirth. 1998. Lichens and lichenicolous fungi of the Queen Charlotte Islands, British Columbia, Canada. 4. The genus *Fuscidea* (Fuscideaceae), pp. 149-162. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- Buck, W. R. 1998. Lichen flora of eastern North America: the genus *Gomphillus* (Gomphillaceae), pp. 71-76. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- Buck, W. R. & R. C. Harris. 2001. *Leucocarpia biatorella* (Verrucariaceae), new to North America. *Evansia* 18: 82-83.
- Buck, W. R. & R. C. Harris. 2002. *Epigloea* (Epigloeaceae) new to North America. *Evansia* 19: 83-84.
- Buck, W. R., R. C. Harris, A. J. Shaw, M. D. Piercy-Normore, A. Tabaee, J. Antonovics & E. E. Crone. 1999. Unusual lichens under electricity pylons on zinc-enriched soil. *The Bryologist* 102: 130-132.
- Buck, W. R. & J. C. Lendemer. 2012. *Puttea* (Pilocarpaceae) in eastern North America. *Opuscula Philolichenum* 11: 141-144. Buck, W. R. & E. Sérusiaux. 2000. *Gyalectidium yahriae*, sp. nov. (lichenized Ascomycetes, Gomphillaceae) from Florida and Papua New Guinea. *The Bryologist* 103: 134-138.
- Büdel, B. & T. H. Nash III. 2002. *Peltula*, pp. 331-340. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Büdel, B., A. Rauhut & M. Schultz. 2007. *Peltula*, pp. 388-389. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Büdel, B., M. Schulz & T. H. Nash III. 2002. *Heppia*, pp. 204-207. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Bungartz, F. 2004. New and previously unrecorded saxicolous species of *Buellia* s.l. with one-septate ascospores from the Greater Sonoran Desert Region. *Mycotaxon* 90: 81-123.

- Bungartz, F., J. A. Elix & T. H. Nash III. 2004a. The genus *Buellia sensu lato* in the Greater Sonoran Desert Region: saxicolous species with one-septate ascospores containing xanthones. *The Bryologist* 107: 459-479.
- Bungartz, F. & A. M. Fryday. 2004. *Buellia saurina* belongs to the genus *Rhizocarpon* (Rhizocarpaceae, lichenized Ascomycetes). *The Bryologist* 107: 75-78.
- Bungartz, F. & T. H. Nash III. 2004a. The *Buellia aethalea*-group in the Greater Sonoran Desert Region with reference to similar species in North America. *The Bryologist* 107: 441-458.
- Bungartz, F. & T. H. Nash III. 2004b. *Buellia subalbula* (Nyl.) Müll. Arg. and *B. amabilis* de Lesd., two species from North America with one-septate ascospores: A comparison with *Buellia* ["*Diplotomma*"] *venusta* (Körb.) Lettau. *Bibliotheca Lichenologica* 88: 49-66. Bungartz, F. & T. H. Nash III. 2004c. *Buellia turgescens* is synonymous with *Buellia badia* and must not be included in *Amandinea*. *The Bryologist* 107: 21-27.
- Bungartz, F., T. H. Nash III & B. Ryan. 2004b. Morphology and anatomy of chasmolithic versus epilithic growth: a taxonomic revision of inconspicuous saxicolous *Buellia* species from the Sonoran Desert Region generally ascribed to the "*Buellia punctata*" group. *Canadian Journal of Botany* 82: 540-562.
- Bungartz, F., A. Nordin & M. Grube. 2007. *Buellia*, pp. 113-179. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens* Unlimited, Arizona State University, Tempe.
- Bungartz, F., C. Scheidegger & T. H. Nash III. 2002. *Buellia dispersa* A. Massal., a variable lichen species from semi-arid to arid environments of North America and Europe. *Bibliotheca Lichenologica* 82: 19-35.
- Bystrek, J. & J. Fabiszewski. 1998. Materials to North American lichen flora. *Acta Societatis Botanicorum Poloniae* 67: 87-93.
- Cáceres, M. E. da S., A. Aptroot, C. de O. Mondonça, L. A. dos Santos & R. Lücking. 2017. *Sprucidea*, a further new genus of rain forest lichens in the family Malmideaceae (Ascomycota). *The Bryologist* 120(2): 202-211.
- Calatayud, V., J. Hafellner & P. Navarro-Rosinés. 2004. *Lichenostigma*, pp. 664-669. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Calatayud, V., P. Navarro-Rosinés & J. Hafellner. 2002. A synopsis of *Lichenostigma* subgen. *Lichenogramma* (Arthoniales), with a key to the species. *Mycological Research* 106: 1230-1242.
- Canals, A., M. Hernández-Mariné, A. Gómez-Bolea & X. Llimona. 1997. *Botryolepraria*, a new monotypic genus segregated from *Lepraria*. *Lichenologist* 29: 339-345.
- Carlberg, T. 2016. *Phylloblastia fortuita* (Verrucariaceae), a foliicolous lichen new to California and North America. *Bulletin of the California Lichen Society* 23(1): 9-12.
- Carlberg, T., P. M. Jørgensen & T. Tønsberg. 2016. *Scytinium singulare*, a new lichen species from coastal California. *North American Fungi* 11(4): 1-6.
- Cestaro, L., T. Tønsberg & L. Muggia. 2016. Phylogenetic data and chemical traits characterize a new species in the lichen genus *Tephromela*. *Herzogia* 29(2): 383-402.
- Claassen, E. 1912. Alphabetical list of lichens collected in several counties of northern Ohio. *Ohio Naturalist* 12 (8): 543-548.

- Claassen, E. 1917. Second alphabetical list of the lichens collected in several counties of northern Ohio. *Ohio Journal of Science* 18(2): 62-63.
- Clayden, S. R., T. Ahti, R. Pino-Bodas, M. Pitcher, B. P. Løfall, J. W. McCarthy & R. T. McMullin. First documented occurrences of *Cladonia krogiana* and *C. rangiformis* in North America. *Opuscula Philolichenum* 20: 25-36.
- Clerc, P. 1987. Systematics of the *Usnea fragilescens* aggregate and its distribution in Scandinavia. *Nordic Journal of Botany* 7: 479-495.
- Clerc, P. 1997. Notes on the genus *Usnea* Dill. ex Adanson. *Lichenologist* 29: 209-215.
- Clerc, P. 2004. Notes on the genus *Usnea* Adanson. II. *Bibliotheca Lichenologica* 88: 79-90.
- Clerc, P. 2007. *Usnea*, pp. 302-335. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Clerc, P. 2011. Notes on the genus *Usnea* Adanson (lichenized Ascomycota). III. *Bibliotheca Lichenologica* 106: 41-51.
- Clerc, P. 2016. Notes on the genus *Usnea* (lichenized Ascomycota, Parmeliaceae) IV. *Herzogia* 29(2): 403-411.
- Clerc, P. & M. A. Herrera-Campos. 1997. Saxicolous species of *Usnea* subgenus *Usnea* (lichenized Ascomycetes) in North America. *The Bryologist* 100: 281-301.
- Clerc, P. & P. F. May. 2007. *Usnea flammea* (Lecanorales) new for North America. *The Bryologist* 110: 126-128.
- Cole, M. S. & D. L. Hawksworth. 2001. Lichenicolous fungi, mainly from the USA, including *Patriciomyces gen. nov.* *Mycotaxon* 77: 305-338.
- Cole, M. S. & D. L. Hawksworth. 2002. *Lichenopeltella heterodermiicola*, a new lichenicolous ascomycete on *Heterodermia speciosa* in Arkansas. *Mycotaxon* 83: 391-396.
- Cole, M. S. & D. L. Hawksworth. 2004. *Lichenoconium christiansenii* sp. nov. from *Nodobryoria abbreviata* (Parmeliaceae) in the Pacific Northwest, with a key to the known lichenicolous species. *Lichenologist* 36: 1-6.
- Coppins, B. J. 2002. Checklist of lichens of Great Britain and Ireland. 87 pp. British Lichen Society.
- Coppins, B. J. 2008. *Micarea perparvula* in North America. *Opuscula Philolichenum* 5: 23-24.
- Coppins, B. J. & A. M. Fryday. 2006a. New or previously misunderstood species of *Lithographa* and *Rimularia* (Agyriaceae) from the southern subpolar region and western Canada. *Lichenologist* 38: 93-107.
- Coppins, B. J. & A. M. Fryday. 2006b. Reassessment of some lichen species described by Josiah Lowe, and notes on some other North American lecideoid lichens. *The Bryologist* 109: 9-17.
- Coppins, B. J. & S. Y. Kondratyuk. 1998. *Opegrapha trassii* sp. nov., a new lichenicolous fungus on *Heterodermia* [*Opegrapha trassii* sp. nov., uus liheniseerunud seene liik sambliku *Heterodermia tallustelt*]. *Folia Cryptogamica Estonica* 32: 9-14.
- Coppins, B. J. & P. F. May. 2001. *Micarea neostipitata*, a new species with pale stipitate pycnidia from eastern North America. *Lichenologist* 33: 487-490.

- Coppins, B. J. & L.-E. Muhr. 1997. *Micarea lapillicola* (Vain.) Coppins & Muhr, a previously misunderstood species from NW Europe. *Graphis Scripta* 8: 45-49.
- Coppins, B. J. & T. Spribille. 2004. *Micarea subalpina* Coppins & Spribille, a new subalpine species from the Rocky Mountains, USA. *Lichenologist* 36: 97-102.
- Coppins, B. J. & T. Tønsberg. 2001. A new xanthone-containing *Micarea* from northwest Europe and the Pacific Northwest of North America. *Lichenologist* 33: 93-96.
- Cornejo, C., C. Derr and K. Dillman. 2017. *Ricasolia amplissima* (Lobariaceae): one species, three genotypes and a new taxon from south-eastern Alaska. *Lichenologist* 49(6): 579-596.
- Czarnota, P. & B. J. Coppins. 2007. Contribution to the knowledge of rare *Bacidia* s. lat. (Lecanorales, lichenized Ascomycetes) from Central Europe including a new, pallid forma of *Bacidia hemipolia*. *Nova Hedwigia* 85(3-4): 503-513.
- Dal Forno, M., L. Kaminsky, R. Rosentreter, R. Troy McMullin, A. Aptroot & R. Lücking. 2019. A first phylogenetic assessment of *Dictyonema* s. lat. in southeastern North America reveals three new basidiolichens, described in honor of James D. Lawrey. *Plant and Fungal Systematics* 64(2): 383-392.
- Davydov, E. A., D. Peršoh & G. Rambold. 2010. The systematic position of *Lasallia caroliniana* (Tuck.) Davydov, Peršoh & Rambold *comb. nova* and considerations on the generic concept of *Lasallia* (Umbilicariaceae, Ascomycota). *Mycological Progress* 9: 261-266.
- Davydov, E. A., L. S. Yakovchenko, J. Hollinger, F. Bungarrz, C. Parrinello & C. Printzen. 2021a. The new genus *Pulvinora* (Lecanoraceae) for species of the ‘*Lecanora pringlei*’ group, including the new species *Pulvinora sereothallina*. *The Bryologist* 124(2): 242-256.
- Davydov, E. A., L. S. Yakovchenko & C. Printzen 2021b. Validation of the combination *Lecanora brandegeei* (Ξ *Lecidea brandegeei*). *Opuscula Philolichenum* 20: 71-72.
- Degelius, G. 1954. The lichen genus *Collema* in Europe: Morphology, Taxonomy, Ecology. *Symbolae Botanicae Upsalienses* 13: 1-499.
- Degelius, G. 1957. The epiphytic lichen flora of the birch stands in Iceland. *Acta Horti Gothoburgensis* 22: 1-51.
- Degelius, G. 1974. The lichen genus *Collema* with special reference to the extra-European species. *Symbolae Botanicae Upsalienses* 20: 1-215.
- DePriest, P. T. & B. W. Hale. 1998. A validated species and a new combination in *Parmotrema* (Ascomycotina: Parmeliaceae). *Mycotaxon* 67: 207-209.
- DePriest, P. T., M. Sikaroodi, J. D. Lawrey & P. Diederich. 2005. *Marchandiomyces lignicola* sp. nov. shows recent and repeated transition between a lignicolous and a lichenicolous habit. *Mycological Research* 109: 57-70.
- Dibben, M. J. 1980. The chemosystematics of the lichen genus *Pertusaria* in North America north of Mexico. Milwaukee Public Museum, Publications in Biology and Geology, No. 5, pp. i-iv & 1-162.
- Diederich, P. 1996. The Lichenicolous Heterobasidiomycetes. *Bibliotheca Lichenologica* 61: 1-198.
- Diederich, P. 2002. *Kalchbrenneriella*, a new genus to accommodate the lichenicolous Hyphomycete *Torula cyanescens*. *The Bryologist* 105: 411-414.
- Diederich, P. 2003. New species and new records of American lichenicolous fungi [Neue Arten und neue Funde von amerikanischen lichenicolous Pilzen]. *Herzogia* 16: 41-90.

- Diederich, P. 2004a. *Sclerococcum*, p. 691. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Diederich, P. 2004b. *Tremella*, pp. 710-714. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Diederich, P. 2007a. New or interesting lichenicolous Heterobasidiomycetes. *Opuscula Philolichenum* 4: 11-22.
- Diederich, P. 2007b. *Obryzum*, pp. 401-402. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Diederich, P., R. S. Common, U. Braun, B. Heuchert, A. Millanes, A. Suija & D. Ertz. 2019. Lichenicolous fungi from Florida growing on Graphidales. *Plant and Fungal Systematics* 64(2): 249-282.
- Diederich, P., D. Ertz, J. D. Lawrey, M. Sikaroodi & W. A. Untereiner. 2013. Molecular data place the hyphomycetous lichenicolous genus *Sclerococcum* close to *Dactylospora* (Eurotiomycetes) and *S. parmeliae* in *Cladophialophora* (Chaetothyriales). *Fungal Diversity* 58: 61-72.
- Diederich, P., D. Ertz, & J. Etayo. 2010. An enlarged concept of *Llimoniella* (lichenicolous Helotiales), with a revised key to the species and notes on related genera. *Lichenologist* 42: 253-269.
- Diederich, P. & J. Etayo. 2000. A synopsis of the genera *Skyttea*, *Llimoniella* and *Rhymbocarpus* (lichenicolous Ascomycota, Leotiales). *Lichenologist* 32: 423-485.
- Diederich, P. & J. Etayo. 2004a. *Rhymbocarpus*, pp. 686-687. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Diederich, P. & J. Etayo. 2004b. *Skyttea*, pp. 693-695. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Diederich, P., J. Kocourková, J. Etayo & M. Zhurbenko. 2007. The lichenicolous *Phoma* species (coelomycetes) on *Cladonia*. *Lichenologist* 39: 153-163.
- Diederich, P. & J. D. Lawrey. 2007. New lichenicolous, muscicolous, corticolous and lignicolous taxa of *Burgoa* s. l. and *Marchandiomyces* s. l. (anamorphic Basidiomycota), a new genus for *Omphalina foliacea*, and a catalogue and a key to the non-lichenized, bulbilliferous basidiomycetes. *Mycological Progress* 6: 61-80.
- Diederich, P., J. D. Lawrey & D. Ertz. 2018. The 2018 classification and checklist of lichenicolous fungi, with 2000 non-lichenized, obligately lichenicolous taxa. *The Bryologist* 121(3): 340-425.
- Diederich, P., J. D. Lawrey, M. Sikaroodi, P. P. G. van den Boom & D. Ertz. 2012. *Briancoppinia*, a new coelomycetous genus of Arthoniaceae (Arthoniales) for the lichenicolous *Phoma cytospora*, with a key to this and similar taxa. *Fungal Diversity* 52: 1-12.
- Diederich, P., A. M. Millanes, B. J. Coppins & M. Wedin. 2020. *Tremella imshaugiae* and *T. tubulosae* (Tremellomycetes, Basidiomycota), two new lichenicolous fungi on *Imshaugia*

aleurites and *Hypogymnia tubulosa*. Bulletin de la Société naturalistes luxembourgeois 122: 239-246.

Diederich, P. & P. van den Boom. 2017. *Sclerococcum phaeophysciae* and *S. toensbergii*, two new lichenicolous asexual Ascomycetes, with a revised key to the species of *Sclerococcum*. Bulletin de la Société des naturalistes luxembourgeois 119: 71-78.

Diederich, P. & M. Zhurbenko. 2001. Nomenclatural notes on *Taeniolella rolffii* (lichenicolous hyphomycetes). Graphis Scripta 12: 37-40.

Diederich, P., M. Zhurbenko & J. Etayo. 2002. The lichenicolous species of *Odontotrema* (syn. *Lethariicola*) (Ascomycota, Ostropales). Lichenologist 34: 479-501.

Diederich, P., M. P. Zhurbenko, A. N. Kuznetsov & P. van den Boom. 2020. *Trimmatostroma commonii*, a new lichenicolous hyphomycete inhabiting Graphidaceae hosts. Folia Cryptogamica Estonica 57: 33-36.

Dillman, K. L., T. Ahti, C. R. Björk, P. Clerc, S. Ekman, T. Goward, J. Hafellner, S. Pérez-Ortega, C. Printzen, S. Savić, M. Schultz, M. Svensson, G. Thor, T. Tønsberg, O. Vitikainen, M. Westberg & T. Spribille. 2012. New records, range extensions and nomenclatural innovations for lichens and lichenicolous fungi from Alaska, U.S.A. Herzogia 25(2): 177-210.

Divakar, P. K., A. Crespo, J. Núñez-Zapata, A. Flakus, H. J. M. Sipman, J. A. Elix & H. T. Lumbsch. 2013. A molecular perspective on generic concepts in the *Hypotrachyna* clade (Parmeliaceae, Ascomycota). Phytotaxa 132(1): 21-38.

Divakar, P. K. et al. 2015. Evolution of complex symbiotic relationships in a morphologically derived family of lichen-forming fungi. New Phytologist 208: 1217-1226.

Divakar, P. K., R. Del-Prado, H. T. Lumbsch, M. Wedin, T. L. Esslinger, S. D. Leavitt & A. Crespo. 2012. Diversification of the newly recognized lichen-forming fungal lineage *Montanelia* (Parmeliaceae, Ascomycota) and its relation to key geological and climatic events. American Journal of Botany 99 (12): 2014-2026.

Divakar, P. K., G. Figueras, N. L. Hladun & A. Crespo. 2010. Molecular phylogenetic studies reveal an undescribed species within the North American concept of *Melanelixia glabra* (Parmeliaceae). Fungal Diversity 42: 47-55.

Dix, W. L. 1956. Lichens and hepatics of the Ungava Peninsula. The Bryologist 59(1): 43-50.

Dolnik, C., A. Beck, & D. Zarabska. 2010. Distinction of *Cladonia rei* and *C. subulata* based on molecular, chemical and morphological characteristics. Lichenologist 42: 373-386.

Driscoll, K. E., S. R. Clayden & R. C. Harris. 2016. *Lecanora insignis* (Lecanoraceae) and its lichenicolous fungi in North America, including a new species of *Skyttea* (Helotiales). The Bryologist 119(1): 39-51.

Egan, R. S. 2003. What is the lichen *Parmelia graminicola* B. de Lesd.? The Bryologist 106: 314-316.

Egan, R., R. Harms & T. Widholm. 2005. Studies on the lichen *Parmotrema rigidum* s. lat. from North and South America. The Bryologist 108: 402-405.

Egea, J. M. & P. Torrente. 1995. Especies saxícolas del género *Arthonia* (Arthoniaceae) en áreas costeras de California y Baja California (Estados Unidos y México), pp. 193-204. In F. J. A. Daniels, M. Schulz & J. Peine (eds.), Flechten Follmann. Contributions to lichenology in Honour of Gerhard Follmann. Geobotanical and Phytotaxonomical Study Group, Botanical Institute, University of Cologne, Cologne.

- Egea, J. M. & P. Torrente. 1997. *Graphis saxorum* (lichenized Ascomycotina, Graphidaceae) a new species from California and Baja California. *The Bryologist* 100: 207-209.
- Egea, J. M., P. Torrente & B. D. Ryan. 2004a. *Bactrospora*, pp. 32-37. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Egea, J. M., P. Torrente & B. D. Ryan. 2004b. *Lecanographa*, pp. 171-176. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ekman, S. 1996. The corticolous and lignicolous species of *Bacidia* and *Bacidina* in North America. *Opera Botanica* 127: 1-148.
- Ekman, S. 2004a. *Bacidia*, pp. 18-28. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ekman, S. 2004b. *Bacidina*, pp. 28-32. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ekman, S. 2004c. *Mycobilimbia*, pp. 365-367. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ekman, S. 2009. *Bacidia rosellizans*, a new lichen species from the taiga belt. *Lichenologist* 41(5): 481-487.
- Ekman, S. 2014. The *Bacidia coprodes* group (Ramalinaceae, Lecanoromycetes, Ascomycota), with special reference to the species in Europe and North America. *Phytotaxa* 191(1): 66-80.
- Ekman, S. & M. Svensson. 2014. *Brianaria* (Psoraceae), a new genus to accommodate the *Micarea sylvicola* group. *Lichenologist* 46(3): 285-294.
- Ekman, S. & T. Tønsberg. 1996. A new species of *Megalaria* from the North American west coast, and notes on the generic circumscription. *The Bryologist* 99: 34-40.
- Ekman, S. & T. Tønsberg. 2019. *Biatora alnetorum* (Ramalinaceae, Lecanorales), a new lichen species from western North America. *MycoKeys* 48: 55-65.
- Ekman, S., M. Wedin, L. Lindblom & P. M. Jørgensen. 2014. Extended phylogeny and a revised generic classification of the Pannariaceae (Peltigerales, Ascomycota). *Lichenologist* 46(5): 627-656.
- Elix, J. A. 2001. A Revision of the Lichen Genus *Paraparmelia* Elix & J. Johnst. *Bibliotheca Lichenologica* 80: 1-224.
- Elix, J. A. & T. H. Nash III. 1997. A monograph of the lichen genus *Pseudoparmelia* (Ascomycotina, Parmeliaceae). *The Bryologist* 100: 482-498.
- Elix, J. A. & T. H. Nash III. 1999. Two new species of *Xanthoparmelia* (Ascomycotina, Parmeliaceae) from North America. *Mycotaxon* 71: 417-422.
- Elix, J. A. & D. O. Øvstedal. 2004. A new *Lecanora* species from the Arctic with a remarkable chemistry. *Graphis Scripta* 15: 57-59.
- Elvebakk, A & T. Tønsberg. 2018. *Psoroma spinuliferum* (Pannariaceae), a new corticolous lichen species from Alaska with two different types of cephalodia. *The Bryologist* 121: 166-173.

- Ertz, D. 2009. Revision of the Corticolous *Opegrapha* Species from the Paleotropics. *Bibliotheca Lichenologica* 102: 1-176.
- Ertz, D., C. Christnach, M. Wedin & P. Diederich. 2005. A World Monograph of the Genus *Plectocarpon* (Roccellaceae, Arthoniales). *Bibliotheca Lichenologica* 91: 1-155.
- Ertz, D. & P. Diederich. 2015. Dismantling Melaspileaceae: a first phylogenetic study of *Buellia*, *Hemigrapha*, *Karschia*, *Labrocarpon* and *Melaspilea*. *Fungal Diversity* 71: 141-164.
- Ertz, D., P. Diederich, J. D. Lawrey, F. Berger, C. E. Freebury, B. Coppins, A. Gardiennet & J. Hafellner. 2015a. Phylogenetic insights resolve Dacampiaceae (Pleosporales) as polyphyletic: *Didymocyrtis* (Pleosporales, Phaeosphaeriaceae) with *Phoma*-like anamorphs resurrected and segregated from *Polycoccum* (Trypetheliales, Polycoccaceae fam. nov.). *Fungal Diversity* 74: 53-89.
- Ertz, D., P. Diederich & J. Miadlikowska. 2004. The lichenicolous *Opegrapha* species (Roccellaceae, Ascomycota) with 3-septate ascospores on *Pertusaria* and *Ochrolechia*. *Botanical Journal of the Linnean Society* 144: 235-241.
- Ertz, D., K. E. Driscoll & S. R. Clayden. 2021a. Two new lichenicolous species of *Opegrapha* (Arthoniales) from Canada. *The Bryologist* 124(1): 39-51.
- Ertz, D. & J. M. Egea. 2007. *Opegrapha*, pp. 255-266. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Ertz, D., J. D. Lawrey, R. S. Common & P. Diederich. 2014. Molecular data resolve a new order of Arthoniomycetes sister to the primarily lichenized Arthoniales and composed of black yeasts, lichenicolous and rock-inhabiting species. *Fungal Diversity* 66:113-137.
- Ertz, D., J. Miadlikowska, F. Lutzoni, S. Dessein, O. Raspé, N. Vigneron, V. Hofstetter & P. Diederich. 2009. Towards a new classification of the Arthoniales (Ascomycota) based on a three-gene phylogeny focussing on the genus *Opegrapha*. *Mycological Research* 113(1): 141-152.
- Ertz, D., N. Sanderson & M. Lebouvier. 2021b. *Thelopsis* challenges the generic circumscription in the Gylectaceae and brings new insights to the taxonomy of *Ramonia*. *Lichenologist* 53(1): 45-61.
- Ertz, D. & A. Tehler. 2011. The phylogeny of Arthoniales (Pezizomycotina) inferred from nucLSU and RPB2 sequences. *Fungal Diversity* 49: 47-71.
- Ertz, D., A. Tehler, M. Irestedt, A. Frisch, G. Thor & P. van den Boom. 2015b. A large-scale phylogenetic revision of Roccellaceae (Arthoniales) reveals eight new genera. *Fungal Diversity* 70: 31-53.
- Ertz, D., M. Zhurbenko, P. Diederich & J. Miadlikowska. 2003. A new species of *Plectocarpon* (lichenicolous Roccellaceae, Ascomycota) on *Peltigera*. *The Bryologist* 106: 465-467.
- Esslinger, T. L. 1978. Studies in the lichen family Physciaceae. II. The genus *Phaeophyscia* in North America. *Mycotaxon* : 283-320
- Esslinger, T. L. 1994. New species and new combinations in the lichen genus *Physconia* in North America. *Mycotaxon* 51: 91-100.
- Esslinger, T. L. 2000a. *Culbersonia americana*, a rare new lichen (Ascomycota) from western America. *The Bryologist* 103: 771-773.

- Esslinger, T. L. 2000b. A key for the lichen genus *Physconia* in California, with descriptions for three new species occurring within the state. *Bulletin of the California Lichen Society* 7: 1-6.
- Esslinger, T. L. 2002a. *Anaptychia*, pp. 95-97. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited*, Arizona State University, Tempe, Arizona.
- Esslinger, T. L. 2002b. *Culbersonia*, pp. 164-165. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited*, Arizona State University, Tempe, Arizona.
- Esslinger, T. L. 2002c. *Melanelia*, pp. 274-286. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited*, Arizona State University, Tempe, Arizona.
- Esslinger, T. L. 2002d. *Physconia*, pp. 373-383. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited*, Arizona State University, Tempe, Arizona.
- Esslinger, T. L. 2003. *Tuckermanella*, a new cetrarioid genus in western North America. *Mycotaxon* 85: 135-141.
- Esslinger, T. L. 2004a. A new North American species in the lichen genus *Physcia* (Ascomycota) with a unique thallus morphology. *Mycotaxon* 90: 301-306.
- Esslinger, T. L. 2004b. *Phaeophyscia*, pp. 403-414. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe, Arizona.
- Esslinger, T. L. 2007. A synopsis of the North American species of *Anaptychia* (Physciaceae). *The Bryologist* 110: 788-797.
- Esslinger, T. L. 2016. A cumulative checklist for the lichen-forming, lichenicolous and allied fungi of the continental United States and Canada, Version 21. *Opuscula Philolichenum* 15: 136-390. [Online at: : <http://www.ndsu.edu/pubweb/~esslinge/chcklst/chcklst7.htm>] Esslinger, T. L. 2017. A new circumscription for the common and widespread North American species *Physcia subtilis*, and description of a new species, *P. thomsoniana*. *Opuscula Philolichenum* 16: 139-152.
- Esslinger, T. L. 2019. A cumulative checklist for the lichen-forming, lichenicolous and allied fungi of the continental United States and Canada, Version 23. *Opuscula Philolichenum* 18: 102-378. [Online at: : <http://www.ndsu.edu/pubweb/~esslinge/chcklst/chcklst7.htm>]
- Esslinger, T. L. & C. Bratt. 1998. The *Heterodermia erinacea* group in North America, and a remarkable new disjunct distribution, pp. 25-36. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd., Ithaca, New York.
- Esslinger, T. L. & K. L. Dillman. 2010. *Physconia grumosa* in North America. *The Bryologist* 113: 77-80.
- Esslinger, T. L. & R. S. Egan. 1995. A sixth checklist of the lichen-forming, lichenicolous, and allied fungi of the continental United States and Canada. *The Bryologist* 98: 467-549.
- Esslinger, T. L. & R. S. Egan. 1996. A new species of the lichen genus *Physcia* (lichen-forming Ascomycota) from Texas. *The Bryologist* 99: 331-334.

- Esslinger, T. L., S. D. Leavitt & B. McCune. 2020. Two closely related but morphologically disparate new species of *Physcia* from western North America. *The Bryologist* 123(2): 204-214.
- Esslinger, T. L., B. McCune & D. L. Haughland. 2017. *Physconia labrata*, a new species from western North America and Asia. *The Bryologist* 120(4): 427-434.
- Esslinger, T. L., C. A. Morse & S. D. Leavitt. 2012. A new North American species of *Hyperphyscia* (Physciaceae). *Bryologist* 115(1): 31-41.
- Esslinger, T. L. & S. Tucker 2009. Names appearing in Fink's 'Lichen Flora of the United States' which remain unresolved in the current United States/Canada checklist. *Evansia* 26: 177-192.
- Etayo, J. 1998. Aportación a la flora liquénica de las Islas Canarias. iv. Líquenes epífitos de La Gomera (Islas Canarias). *Tropical Bryology* 14: 85-107.
- Etayo, J. 2010. Hongos liquenícolas de Perú: Homenaje a Rolf Santesson. *Bulletin de la Société linnéenne de Provence* 61: 83-128.
- Etayo, J. & A. Aptroot. 2003. *Pyrenula luteopruinosa* sp. nov. from Panama and notes on other members of the genus. *Lichenologist* 35: 233-236.
- Etayo, J. & O. Breuss. 1998. New species and interesting records of lichenicolous fungi. *Österreichische Zeitschrift für Pilzkunde* 7: 203-213.
- Etayo, J. & P. Diederich. 2001. *Gyalideopsis floridæ*, sp. nov. a new lichenicolous lichen from Florida (Gomphillaceae, Ascomycetes). *The Bryologist* 104: 130-133.
- Etayo, J., J. Kocourková & K. Knudsen. 2007. New records of lichenicolous fungi for California. *Bulletin of the California Lichen Society* 14: 37-39.
- Etayo, J. & P. Navarro-Rosinés. 2008. Una combinación y tres especies nuevas de *Lichenochora* (Phyllachorales, Ascomycetes liquenícolas), y notas adicionales para el género. *Revista Catalana de Micología* 30: 27-44.
- Etayo, J. & D. Triebel. 2010. New and interesting lichenicolous fungi at the Botanische Staatssammlung München. *Lichenologist* 42: 227-229.
- Evans, A.W. 1950. Notes on the *Cladoniae* of Connecticut-IV. *Rhodora* 52(617): 77-123.
- Eyerdam, W. J. 1960. Lichens new to the state of Washington. *The Bryologist* 63: 107-110.
- Ferraro, L. I., R. Lücking & E. Sérusiaux. 2001. A world monograph of the lichen genus *Gyalectidium* (Gomphillaceae). *Botanical Journal of the Linnean Society* 137: 311-345.
- Feuerer, T. 1991. Revision der europäischen Arten der Flechtengattung *Rhizocarpon* mit nichtgelbem Lager und veilzelligen Sporen. *Bibliotheca Lichenologica* 39: 1-218.
- Feuerer, T. & E. Timdal. 2004. *Rhizocarpon*, pp. 456-466. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Fink, B. 1935. The Lichen Flora of the United States. Ann Arbor, The University of Michigan Press.
- Flakus, A., J. Etayo, J. Miadlikowska, F. Lutzoni, M. Kukwa, N. Matura & P. Rodriguez-Flakus. 2019. Biodiversity assessment of ascomycetes inhabiting *Lobariella* lichens in Andean cloud forests led to one new family, three new genera and 13 new species of lichenicolous fungi. *Plant and Fungal Systematics* 64(2): 283-344.

- Flowers, S. 1953-1954. Some lichens of Utah. *Utah Acad. Sci., Arts & Lett. Proc.* 31: 101-105.
- Freebury, C. 2014. Lichens and lichenicolous fungi of Grasslands National Park (Saskatchewan, Canada). *Opuscula Philolichenum* 13: 102-121.
- Frisch, A. 2006. The lichen family Thelotremaeae in Africa. A revision with special consideration of the taxa from Cameroon and Tanzania. *Bibliotheca Lichenologica* 92: 3-370.
- Frisch, A. & K. Kalb. 2006. A monograph of Thelotremaeae with a complex structure of the columella. *Bibliotheca Lichenologica* 92: 371-516.
- Frisch, A., Y. Ohmura, D. Ertz & G. Thor. 2015. *Inoderma* and related genera in Arthoniaceae with elevated white pruinosis pycnidia or sporodochia. *Lichenologist* 47(4): 233-256.
- Frisch, A., G. Thor, & J. Elix. 2010. *Herpothallon rubroechinatum* (Arthoniaceae), a new species from tropical and subtropical America. *The Bryologist* 113: 144-148.
- Frisch, A., G. Thor, D. Ertz & M. Grube. 2014. The Arthonialean challenge: restructuring Arthoniaceae. *Taxon* 63(4): 727-744.
- Frödén, P. & P. Lassen. 2004. Typification and emendation of *Seirophora* Poelt to include species segregated from *Teloschistes* Norman. *Lichenologist* 36: 289-298.
- Fryday, A. 2000. On *Rhizocarpon obscuratum* (Ach.) Massal., with notes on some related species in the British Isles. *Lichenologist* 32: 207-224.
- Fryday, A. M. 2001. Additions to the lichen flora of North America?? *Agonimia allobata* and *Aspicilia grisea*. *Evansia* 18: 87-89.
- Fryday, A. M. 2002. A revision of the species of the *Rhizocarpon hochstetteri* group occurring in the British Isles. *Lichenologist* 34: 451-477.
- Fryday, A. M. 2004a. A new species of *Fuscopannaria* with a green photobiont, and other taxonomic innovations and new records of lichenized-fungi from Alaska. *The Bryologist* 107: 173-179.
- Fryday, A. M. 2004b. A re-assessment of the genus *Gongylia* in North America, and a new species of *Protothelenella* from Colorado. *The Bryologist* 107: 232-233.
- Fryday, A. M. 2005. The genus *Porpidia* in northern and western Europe, with special emphasis on collections from the British Isles. *Lichenologist* 37: 1-35.
- Fryday, A. M. 2006. New and interesting North American lichen records from the alpine and sub-alpine zones of Mt. Katahdin, Maine. *The Bryologist* 109: 570-578.
- Fryday, A. M. 2008. The genus *Fuscidea* (Fuscideaceae, lichenized Ascomycota) in North America. *Lichenologist* 40: 295-328.
- Fryday, A. M. 2010. A brief lichen foray in the Mount Washington alpine zone – including *Clauroxia chalybeoides*, *Porina norrlinii* and *Stereocaulon leucophaeopsis* new to North America. *Opuscula Philolichenum* 8: 1-7.
- Fryday, A. M. 2017. Additions to the lichenized fungi biota of North America and Alaska from collections held in the University of Alaska Museum of the North herbarium (ALA). *Arctic Science* 3: 577-584.
- Fryday, A. M. 2020. *Lecidea cerviniicola* and *L. promiscua* new to the North American lichen biota. *Opuscula Philolichenum* 19: 9-13.

- Fryday, A. M. & B. J. Coppins. 1996. A new crustose *Stereocaulon* from the mountains of Scotland and Wales. *Lichenologist* 28: 513-519.
- Fryday, A. M. & B. J. Coppins. 2004. A reassessment of the genera *Chromatochlamys* and *Thelenella*, and a new species of *Strigula* from the British Isles. *Lichenologist* 36: 89-95.
- Fryday, A. M. & B. J. Coppins. 2007. *Micarea*, pp. 246-250. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Fryday, A. M. & B. J. Coppins. 2012. New taxa, reports, and names of lichenized and lichenicolous fungi, mainly from the Scottish Highlands. *Lichenologist* 44: 723-737.
- Fryday, A. M. & K. L. Dillman. 2021. Two new species of *Ostropales* (Lecanoromycetes) and other significant records of lichenized fungi from southeastern Alaska. *The Bryologist* 124(1): 20-26.
- Fryday, A. M., A. Elvebakk, F. L. Anderson & J. Y. Gagnon. 2019. *Psorama niveale* (*Pannariaceae*, lichenized Ascomycota) a new species with dark, elongate squamules and bacilliform ascospores from arctic Québec, Canada. *Lichenologist* 51(5): 419-429.
- Fryday, A. M. & K. A. Glew. 2003. *Stereocaulon niveale*, comb. nov., yet another crustose species in the genus. *The Bryologist* 106: 565-568.
- Fryday, A. M. & J. C. Lendemer. 2010. Reassessment of the genus *Catillochroma* (lichenized Ascomycota, Ramalinaceae). *Lichenologist* 42: 587-600.
- Fryday, A. M., J. C. Lendemer & N. M. Howe. 2007. *Porpidia soredizodes* (lichenized ascomycota) in North America. *Opuscula Philolichenum* 4: 1-4.
- Fryday, A. M. & J. W. McCarthy. 2018. *Hymenelia parva* (Hymeneliaceae, Ostropomycetidae): A new species from Newfoundland, Canada. *Graphis Scripta* 30(6): 44-50.
- Fryday, A. M., C. Printzen & S. Ekman. 2014. *Bryobilimbia*, a new generic name for *Lecidea hypnorum* and closely related species. *Lichenologist* 46(1): 25-37.
- Fryday, A. M., T. B. Wheeler & J. Etayo. 2021. A new species of *Aspicilia* (Megasporaceae), with a new lichenicolous *Sagediopsis* (Adelococcaceae), from the Falkland Islands. *Lichenologist* 53(4): 307-315.
- Galloway, D. J. 2005. *Placopsis fusciduloides* (Ascomycota: Agyriaceae), a new lichen from Aotearoa New Zealand, British Columbia, and Bolivia. *Australasian Lichenology* 57: 16-20.
- Galloway, D. J. & J. A. Elix. 2013. Reinstatement of *Crocodia* Link (Lobariaceae: Ascomycota) for five species formerly included in *Pseudocyphellaria* Vain. *Australasian Lichenology* 72: 32-42.
- Galloway, D. J. & M. A. Thomas. 2004. *Sticta*, pp. 513-524. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe, Arizona.
- Gams, W. 2004. Report of the committee for fungi: 11. *Taxon* 53: 1067-1069.
- Gams, W., B. Stielow, T. Gräfenhan, H.-J. Schroers. 2018. The ascomycete genus *Niesslia* and associated monocillium-like anamorphs. *Mycological Progress* 18(1-2): 5-76.
- Gasparyan, A., H. J. M. Sipman & R. Lücking. 2017. *Ramalina europaea* and *R. labiosorediata*, two new species of the *R. pollinaria* group (Ascomycota: Ramalinaceae), and new typifications for *Lichen pollinarius* and *L. squarrosus*. *The Lichenologist* 49(4): 301-319.

- Gaya, E. 2009. Taxonomical revision of the *Caloplaca saxicola* group (Teloschistaceae, lichen-forming Ascomycota). *Bibliotheca Lichenologica* 101: 1-191.
- Gerlach, A. da C. L., P. Clerc, R. M. Borges da Silveira. 2017. Taxonomy of the corticolous, shrubby, esorediate, neotropical species of *Usnea* Adans. (Parmeliaceae) with an emphasis on southern Brazil. *Lichenologist* 49(3): 199-238.
- Giralt, M., G. Paz-Bermúdez, J. A. Elix. 2009. New data on *Sculptolumina japonica* (Physciaceae). *The Bryologist* 112: 397-403.
- Giralt, M., F. Bungartz & J. A. Elix. 2011. The identity of *Buellia sequax*. *Mycological Progress* 10(1): 115-119.
- Giralt, M., P. P. G. van den Boom & J. A. Elix. 2010. *Endohyalina*, the genus in the Physciaceae to accommodate the species of the *Rinodina ericina*-group. *Mycological Progress* 9(1): 37-48.
- Glavich, D. A. & L. H. Geiser. 2004. *Dermatocarpon meiophyllizum* Vainio in the US Pacific Northwest. *Evansia* 21: 137-140.
- Glew, K. A. 1999. *Rinodina aspersa* (Borrer) Laundon new to North America. *Evansia* 16: 168-169.
- Gockman, O., S. B. Selva & R. T. McMullin. 2019. The first report of *Chaenothecopsis perforata* from North America. *Opuscula Philolichenum* 18: 52-57.
- Gockman, O., S. B. Selva & R. T. McMullin. 2020. Calicioid lichens and fungi of Minnesota, U.S.A.: including two new species, *Chaenothecopsis jordanianai* and *C. penningtonensis* (Mycocaliciaceae). *The Bryologist* 123(2): 235-259.
- Goffinet, B. & T. Goward. 1998. Is *Nephroma silvae-veteris* the cyanomorph of *Lobaria oregana*? Insights from molecular, chemical and morphological characters, pp. 41-52. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd., Ithaca, New York.
- Goffinet, B. & R. I. Hastings. 1995. Two new sorediate taxa of *Peltigera*. *Lichenologist* 27: 43-58.
- Goffinet, B. & J. Miadlikowska. 1999. *Peltigera phyllidiosa* (Peltigeraceae, Ascomycotina), a new species from the southern Appalachians corroborated by ITS sequences. *Lichenologist* 31: 247-256.
- Goffinet, B., J. Miadlikowska & T. Goward. 2003. Phylogenetic inferences based on nrDNA sequences support five morphospecies within the *Peltigera didactyla* complex (lichenized Ascomycota). *The Bryologist* 106: 349-364.
- Goward, T., T. Ahti, J. A. Elix, & Toby Spribille. 2010. *Hypogymnia recurva* and *Hypogymnia wilfiana* spp. nov., two new lichens from western North America. *Botany* 88: 345-351.
- Goward, T., O. Breuss, B. Ryan, B. McCune, H. Sipman & C. Scheidegger. 1996. Notes on the lichens and allied fungi of British Columbia. III. *The Bryologist* 99: 439-449.
- Goward, T. & B. Goffinet. 2000. *Peltigera chionophila*, a new lichen (Ascomycetes) from the Western Cordillera of North America. *The Bryologist* 103: 493-498.
- Goward, T. & B. McCune. 2007. *Hypogymnia canadensis* (Parmeliaceae), a new lichen from the Pacific Coast of North America. *The Bryologist* 110: 808-811.
- Goward, T. & L. Mylllys. 2020. *Gowardia zebra* sp. nov., a new species in a little-known genus of arctic-alpine lichens (Parmeliaceae). *Plant and Fungal Systematics* 65(1): 219-226.
- Goward, T., T. Spribille, T. Ahti & C. J. Hampton-Miller. 2012. Four new sorediate species in the *Hypogymnia austrodes* group (lichens) from northwestern North America, with notes on thallus morphology. *Bryologist* 115(1): 84-100.

- Groner, U. & M. Dietrich. 1996. *Hypotrichyna taylorensis* (Parmeliaceae) a European species in the New World. *The Bryologist* 99: 457-459.
- Grube, M. 2001. *Sporostigma*, a new calicioid genus in Arthoniales. *Lichenologist* 33: 387-391.
- Grube, M. 2007. *Arthonia*, pp. 39-61. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Grube, M. & J. C. Lendemer. 2009. *Arthonia rubrocincta*: belated validation of a name for a common species endemic to Sabal palmetto in the southeastern United States. *Opuscula Philolichenum* 7: 7-12.
- Grube, M. & B. D. Ryan. 2002. *Collemopsidium*, pp. 162-164. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region, Vol. I*. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Gueidan, C., A. Aptroot, M. E. S. Cáceres & N. Q. Binh 2016. Molecular phylogeny of the tropical lichen family Pyrenulaceae: contribution from dried herbarium specimens and FTA card samples. *Mycological Progress* 15(1): 1-21.
- Gueidan, C. & J. C. Lendemer. 2015. Molecular data confirm morphological and ecological plasticity within the North American endemic *Willeya diffractella* (Verrucariaceae). *Systematic Botany* 40(2); 369-375.
- Gueidan, C., C. Roux & F. Lutzoni. 2007. Using a multigene phylogenetic analysis to assess generic delineation and character evolution in *Verrucaria* (Verrucariales, Ascomycota). *Mycological Research* 111(10): 1145-1168
- Gueidan, C., S. Savić, H. Thüs et al. 2009. Generic classification of the Verrucariaceae (Ascomycota) based on molecular and morphological evidence: recent progress and remaining challenges. *Taxon* 58: 184-208
- Gueidan, C., H. Thüs & S. Pérez-Ortega. 2011. Phylogenetic position of the brown algae-associated lichenized fungus *Verrucaria tavaresiae* (Verrucariaceae). *The Bryologist* 114(3): 563-569.
- Guzow-Krzemińska, B., A. Lubek, J. Malíček, T. Tønsberg, M. Oset & M. Kukwa. 2017. *Lecanora stanislai*, a new, sterile, usnic acid containing lichen species from Eurasia and North America. *Phytotaxa* 329(9): 201-211.
- Gyelnik, V. 1931. Additamenta ad cognitionem lichenum extraeuropaeorum. *Annales de Cryptogamie Exotique* 4: 166-174.
- Hafellner, J. 1995. Über *Piccolia*, eine lichenisierte Pilzgattung der Tropen (Ascomycotina, Lecanorales). *Bibliotheca Lichenologica* 58: 107-122.
- Hafellner, J. 1997. A world monograph of *Brigantiaeae* (lichenized Ascomycotina, Lecanorales), pp. 35-74. In L. Tibell & I. Hedberg (eds.), *Lichen Studies Dedicated to Rolf Santesson. Symbolae Botanicae Upsalienses* 32. Acta Universitatis Upsaliensis, Uppsala.
- Hafellner, J. 1999. Beiträge zu einem Prodromus der lichenicolen pilze Österreichs und angrenzender Gebiete. IV. Drei neue Arten und weitere bemerkenswerte Funde hauptsächlich in der Steiermark [Contributions to a prodromus of the lichenicolous fungi of Austria and neighbouring areas. IV. Three new species and further remarkable records mainly from Styria]. *Linzer Biologische Beiträge* 31: 507-532.
- Hafellner, J. 2000. Zur Biodiversität lichenisierter und lichenicoler Pilze in den Eisenerzer Alpen (Steiermark) [Biodiversity of lichenized and lichenicolous fungi in the Eisenerzer Alpen (Styria)]. *Mitteilungen der Naturwissenschaftlichen Vereines für Steiermark* 130: 71-106.

- Hafellner, J. 2001. Studies in lichenicolous fungi and lichens XII: on the genus *Trematosphaeriopsis* (Dothideales). *Mycotaxon* 80: 381-387.
- Hafellner, J. 2004a. *Buellia*, pp. 633-635. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Hafellner, J. 2004b. A further evolutionary lineage to lichenicolous growth in Physciaceae (Lecanorales), pp. 175-186. In P. Döbbeler & G. Rambold (eds.), Contributions to Lichenology. Festschrift in Honour of Hannes Hertel. *Bibliotheca Lichenologica* 88. J. Cramer in der Gebrüder Borntraeger, Berlin, Stuttgart.
- Hafellner, J. 2004c. Notes on *Scoliciosporum intrusum*. *Fritschiana* 49: 29-41.
- Hafellner, J. 2004d. A revision of *Maronella laricina* and *Piccolia ochrophora*. *Symbolae Botanicae Upsalienses* 34: 87-96.
- Hafellner, J. 2004e. *Roselliniopsis*, pp. 688-689. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Hafellner, J. 2009. *Phacothecium* resurrected and the new genus *Phacographa* (Arthoniales) proposed. *Bibliotheca Lichenologica* 100: 85-121.
- Hafellner, J. 2010. Contributions to a revision of lichenized, phaeospored species of *Polyblastia* coll., mainly in the Central European mountains. *Bibliotheca Lichenologica* 104: 117-141.
- Hafellner, J. & V. Calatayud. 1999. *Lichenostigma cosmopolites*, a common lichenicolous fungus on *Xanthoparmelia* species. *Mycotaxon* 72: 107-114.
- Hafellner, J., G. Herzog & H. Mayrhofer. 2008. Zur Diversität von lichenisierten und lichenicolen Pilzen in den Ennstaler Alpen (Österreich: Steiermark, Oberösterreich). *Mitteilungen der Naturwissenschaftlichen Vereines für Steiermark* 137: 131-204.
- Hafellner, J. & T. Spribille. 2016. *Tingiopsidium* – the correct name for *Vestergrenopsis* as currently delimited (Peltigerales, Koerberiaceae). *Fritschiana* 83: 47-50.
- Hafellner, J., D. Triebel, B. D. Ryan & T. H. Nash III. 2002. On lichenicolous fungi from North America. II. *Mycotaxon* 84: 293-329.
- Hafellner, J. & R. Türk. 1995. Über Funde lichenicoler Pilze und Flechten im Nationalpark Hohe Tauern (Kärntner Anteil, Österreich). *Carinthia II* 185/105: 599-635.
- Hafellner, J. & R. Türk. 2001. Die lichenisierten Pilze Österreichs - eine Checkliste der bisher nachgewiesenen Arten mit verbreitungssangaben. *Stapfia* 76: 1-167.
- Hafellner, J. & R. Türk. 2016. Die lichenisierten Pilze Österreichs - eine neue Checkliste der bisher nachgewiesenen Taxa mit Angaben zu Verbreitung und Substratökologie. *Stapfia* 104(1): 1-216.
- Halda, J. 2003. A taxonomic study of the calcicolous endolithic species of the genus *Verrucaria* (Ascomycotina, Verrucariales) with the lid-like and radiately opening involucellum. *Acta Musei Richnoviensis, Sect. Natur.* 10: 1-148.
- Haldeman, M. 2018. New and interesting records of lichens and lichenicolous fungi from northwestern USA. *Evansia* 35: 24-29.
- Haldeman, M. 2020. New and interesting records of lichens, lichenicolous fungi and other Ascomycota from northwestern USA III. *Evansia* 37: 71-80.

- Haldeman, M. & B. McCune. 2021. *Tephromela eviolacea*, a new species of Tephromela (Tephromelataceae) lacking a violet hymenium from northwestern North America. *The Bryologist* 124(2):230-241.
- Hale, B. W. & P. T. DePriest. 1999. Mason E. Hale's list of epithets in the parmelioid genera. *The Bryologist* 102: 462-544.
- Hale, M. E., Jr. 1979. How to Know the Lichens. 2nd. Edition. Wm. C. Brown Co., Dubuque. 246 pp.
- Hale, M. E., Jr. & W. L. Culberson. 1956. A checklist of the lichens of the United States, Canada, and Alaska. *Castanea* 21: 73–105.
- Halonen, P. 2000. *Usnea pacificana*, sp. nov. and *U. wasmuthii* (lichenized Ascomycetes) in Pacific North America. *The Bryologist* 103: 38-43.
- Halonen, P., P. Clerc, T. Goward, I. M. Brodo & K. Wulff. 1998. Synopsis of the genus *Usnea* (lichenized Ascomycetes) in British Columbia, Canada. *The Bryologist* 101: 36-60.
- Halonen, P., L. Myllys, S. Velmala & H. Hyvärinen. 2009. *Gowardia* (Parmeliaceae) — a new alectorioid lichen genus with two species. *The Bryologist* 112(1): 138-146.
- Hambleton, J. C. 1910. A list of the lichens of Ohio. *Ohio Naturalist* 10: 41-43.
- Hammer, S. 2001. A new *Cladonia* from California. *The Bryologist* 104: 226-229.
- Hansen, C. J. [& J. D. Freeman.] 2003. A catalog and brief history of the lichen flora of Alabama. *Evansia* 20: 59-101. [The second author should be deleted as a typographical error]
- Hansen, C. J. & R. R. Dute. 2005. Additions to the lichen flora of Alabama I. *Evansia* 22(3): 110-117.
- Hansen, C. J., J. C. Lendemer & S. Q. Beeching. 2008. Contributions to the lichen flora of Alabama: recent collections from four counties. *Opuscula Philolichenum* 5: 43-48.
- Hansen, E. S. 2006. Notes on some new and interesting Greenland lichens IX. *Graphis Scripta* 18(1): 1-5.
- Hansen, E. S. & T. Ahti 2011. A contribution to the lichen genus *Cladonia* in Greenland and new records from other northern regions. *Graphis Scripta* 23(2): 56-64.
- Hansen, E. S. & V. Alstrup. 1995. The lichenicolous fungi on *Cladonia* subgenus *Cladina* in Greenland. *Graphis Scripta* 7: 33-38.
- Harada, H. 1999. *Sulcopyrenula*, a new pyrenocarpous lichen genus (Pyrenulaceae, lichenized Ascomycota). *Lichenologist* 31: 567-573.
- Harada, H. 2003. *Psoroglaena japonica* (lichenized Ascomycota, Verrucariaceae), a new species from Chiba-ken, central Japan, with notes on *Psoroglaena*. *Lichenology* 2: 5-10.
- Hardman, A., D. Stone & S. B. Selva. 2017. Calicioid lichens and fungi of the Gifford Pinchot and Okanogan-Wenatchee National Forests in Washington. *Opuscula Philolichenum* 16: 1-14.
- Harris, R. C. 1977. Lichens of the Straits Counties, Michigan. Publ. by the author, 150 pp.
- Harris, R. C. 1995a. More Florida Lichens. Including the 10¢ Tour of the Pyrenolichens. Publ. by the Author, Bronx, N.Y. 192 pp.
- Harris, R. C. 1995b. New or rare lichens/lichenicolous fungi for North America. *Evansia* 12: 4.
- Harris, R. C. 1997. Reinstatement of *Lecidea cyrtidia* Tuck. in the North American lichen checklist. *Evansia* 14: 69-73.

- Harris, R. C. 1998. A preliminary revision of *Pseudopyrenula* Müll. Arg. (lichenized Ascomycetes, Trypetheliaceae) with a redisposition of the names previously assigned to the genus, pp. 133-148. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd., Ithaca, New York.
- Harris, R. C. 2004. A preliminary list of the lichens of New York. *Opuscula Philolichenum* 1: 55-73.
- Harris, R. C. 2005. Some name changes in *Porina* s. lat. *Opuscula Philolichenum* 2: 15-16.
- Harris, R. C. 2006a. Lichens of Limestone Rise Preserve, Albany County, New York. *Evansia* 23(3): 53-55.
- Harris, R. C. 2006b. A preliminary glance at *Maronea* (Fuscideaceae) in North America. *Opuscula Philolichenum* 3: 65-68.
- Harris, R. C. 2009. Four novel lichen taxa in the lichen biota of eastern North America. *Opuscula Philolichenum* 6: 149-155.
- Harris, R. C., I. M. Brodo & T. Tønsberg. 2000. *Lecanora thysanophora*, a common leprose lichen in North America. *The Bryologist* 103: 790-793.
- Harris, R. C. & K. Knudsen. 2006. The genus *Myriospora*. *Opuscula Philolichenum* 3: 1-4.
- Harris, R. C. & D. Ladd. 2005. Preliminary draft: Ozark lichens; Enumerating the lichens of the Ozark Highlands of Arkansas, Kansas, Illinois, Missouri, and Oklahoma: Prepared for the 14th Tuckerman Lichen Workshop, Eureka Springs, Arkansas. 249 pp.: http://sweetgum.nybg.org/ozarklichens/biblio_detail.php?irn=132967
- Harris, R. C. & D. Ladd. 2007. New taxa of lichens and lichenicolous fungi from the Ozark Ecoregion. *Opuscula Philolichenum* 4: 57-68.
- Harris, R. C. & D. Ladd. 2008. The lichen genus *Chrysotrichia* in the Ozark ecoregion, including a preliminary treatment for eastern and central North America. *Opuscula Philolichenum* 5: 29-42.
- Harris, R. C. & J. C. Lendemer. 2005. Contributions to the lichen flora of Pennsylvania: a checklist of lichens collected during the first Howard Crum Bryological Workshop, Delaware Water Gap National Recreation Area. *Opuscula Philolichenum* 2: 1-10.
- Harris, R. C. & J. C. Lendemer. 2006. Contributions to the lichen flora of Pennsylvania: additions to the checklist of lichens of the Delaware Water Gap National Recreation Area. *Opuscula Philolichenum* 3: 69-78.
- Harris, R. C. & J. C. Lendemer. 2009. The *Fellhanera silicis* group in eastern North America. *Opuscula Philolichenum* 6: 157-174.
- Harris, R. C. & J. C. Lendemer. 2010. A review of *Lecania croatica* (syn. *Catillaria croatica*) in North America. *Opuscula Philolichenum* 8: 41-49.
- Harris, R. C. & C. A. Morse. 2008. *Monoblastiopsis* (Dothideomycetes, Pleosporales, incertae sedis), a new genus from the Great Plains and Ozark Highlands. *Opuscula Philolichenum* 5: 89-96.
- Harris, R. C., E. A. Tripp & J. C. Lendemer. 2014. *Arthopyrenia betulicola* (Arthopyreniaceae, Dothidiomycetes), an unusual new lichenized fungus from high elevations of the southern Appalachian Mountains. *Aliso* 31(2): 77-81.
- Haugan, R. & E. Timdal. 1994. *Tephromela perlata* and *T. talayana*, with notes on the *T. aglaea*-complex. *Graphis Scripta* 6: 17-26.

- Hawksworth, D. L. 1981. The lichenicolous Coelomycetes. Bulletin of the British Museum (Natural History), Botany 9: 1-98.
- Hawksworth, D. L. 1986. Notes on British lichenicolous fungi: V. Notes from the Royal Botanic Garden Edinburgh 43: 497-519.
- Hawksworth, D. L. 2003. The lichenicolous fungi of Great Britain and Ireland: an overview and annotated checklist. Lichenologist 35: 191-232.
- Hawksworth, D. L. 2004. Rediscovery of the original material of Osbeck's *Lichen chinensis* and the re-instatement of the name *Parmotrema perlatum* (Parmeliaceae). Herzogia 17: 37-44.
- Hawksworth, D. L., V. Atienza & M. S. Cole. 2004. Lichenicolous species of *Homostegia* (Dothideomycetes), with the description of *H. hertelii* sp. nov., a new fungus on *Flavoparmelia* species. Bibliotheca Lichenologica 88: 187-194.
- Hawksworth, D. L. & M. S. Cole. 2002. *Intralichen* a new genus for lichenicolous '*Bispora*' and '*Trimmastroma*' species. Fungal Diversity 11: 87-97.
- Hawksworth, D. L. & M. S. Cole. 2004. *Phoma fuliginosa* sp. nov., from *Caloplaca trachyphylla* in Nebraska, with a key to the known lichenicolous species. Lichenologist 36: 7-13.
- Hawksworth, D. L. & H. Henrici. 2015. New resting places for *Laeticorticium quercinum* and *Marchandiobasidium aurantiacum*. Field Mycology 16(1): 16-17.
- Heidmarsson, S. 2003. Molecular study of *Dermatocarpon miniatum* (Verrucariales) and allied taxa. Mycological Research 107: 459-468.
- Heidmarsson, S. & O. Breuss. 2004. *Dermatocarpon*, pp. 88-93. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Heidmarsson, S. 2017. *Dermatocarpon*, pp. 19-25. In R. Moberg, S. Tibell & L. Tibell (eds.), Nordic Lichen Flora, Vol. 6, Verrucariaceae 1. Museum of Evolution, Uppsala University on behalf of Nordic Lichen Society.
- [Heiðmarsson, S., C. Gueidan, J. Miadlikowska & F. Lutzoni. 2017. Multi-locus phylogeny supports the placement of *Endocarpon pulvinatum* within *Staurothele* s. str. \(lichenised ascomycetes, Eurotiomycetes, Verrucariaceae\). Phytotaxa 306\(1\): 37-48.](#)
- Heiman, K. & J. A. Elix. 1999. A new species of *Canoparmelia* from North America (lichenized Ascomycotina, Parmeliaceae). Mycotaxon 70: 163-166.
- Henssen, A. 1995. Studies on the biology and structure of *Dacampia* (Dothideales), a genus with lichenized and lichenicolous species. Cryptogamic Botany 5: 149-158.
- Henssen, A. 1997. *Santessonella*, a new cyanophilic genus of lichenized ascomycetes, pp. 75-93. In L. Tibell & I. Hedberg (eds.), Lichen Studies Dedicated to Rolf Santesson. Symbolae Botanicae Upsalienses 32. Acta Universitatis Upsaliensis, Uppsala.
- Henssen, A. & P. M. Jorgensen. 1990. New combinations and synonyms in the Lichinaceae. Lichenologist 22: 137-147.
- Henssen, A. & T. Tønsberg. 2000. *Spilonemella*, a new genus of cyanophilic lichens with species from North America and Japan (Coccocarpiaceae). The Bryologist 103: 108-116.
- Hertel, H. 1991. *Lecidea* in der Arktis III (lecidioide Flechten; Lecanorales). Mitteilungen der Botanischen Staatssammlung München 30: 297-333.

- Hertel, H. 1995. Schlüssel für die Arten der Flechtenfamilie Lecideaceae in Europa. *Bibliotheca Lichenologica* 58: 137-180.
- Hertel, H. 2004. *Adelolecia*, pp. 17-18. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Hertel, H. & M. P. Andreev. 2003. On some saxicolous lecideoid lichens of the Beringian Region and adjacent areas of eastern Siberia and the Russian Far East. *The Bryologist* 106: 539-551.
- Hertel, H. & C. Leuckert. 2011. On the *Lecidea atrobrunnea*-complex (Lecanorales, Lecideaceae) in the Americas. 2. The Distribution of the taxa occurring in North America south of the 55th parallel. *Bibliotheca Lichenologica* 106: 95-113.
- Hertel, H. & C. Printzen. 2004. *Lecidea*, pp. 287-309. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Hertel, H. & G. Rambold. 1987. *Miriquidica* genus novum Lecanoracearum (Ascomycetes lichenisati). *Mitteilungen der Botanischen Staatssammlung München* 23: 377-392.
- Heuchert, B. & U. Braun. 2006. On some dematiaceous lichenicolous hyphomycetes. *Herzogia* 19: 11-21.
- Heuchert, B., U. Braun, P. Diederich & D. Ertz. 2018. Taxonomic monograph of the genus *Taeniolella* s. lat. (Ascomycota). *Fungal Systematics and Evolution* 2: 69-261.
- Hinds, J. W. & P. L. Hinds. 1998. An annotated checklist of Maine macrolichens, pp. 345-376. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd., Ithaca, New York.
- Hinds, J. W., A. M. Fryday & A. C. Dibble. 2002. Three additions to the lichen flora of North America from Mt. Katahdin, Maine. *Evansia* 19: 137-141.
- Hodkinson, B. P. 2010. A first assessment of lichen diversity in one of North America's' biodiversity hotspots' in the mountains of Virginia. *Castanea* 75: 126-133.
- Hodkinson, B. P., R. C. Harris & M. A. Case. 2009. A checklist of Virginia lichens. *Evansia* 26: 64-88.
- Hodkinson, B. P. & J. C. Lendemer. 2011. *Punctelia eganii*, a new species in the *P. rufecta* group with a novel secondary compound for the genus. *Opuscula Philolichenum* 9: 35-38.
- Hodkinson, B. P. & J. C. Lendemer. 2012. Phylogeny and taxonomy of an enigmatic sterile lichen. *Systematic Botany* 37(4): 835-844.
- Hodkinson, B. P. & J. C. Lendemer. 2013. Next-generation sequencing reveals sterile crustose lichen phylogeny. *Mycosphere* 4 (6): 1028-1039.
- Hodkinson, B. P., J. C. Lendemer & T. L. Esslinger. 2010. *Parmelia barrenoae*, a macrolichen new to North America and Africa. *North American Fungi* 5: 1-5.
- Hoffman, J. R. & J. C. Lendemer. 2020. *Caloplaca edwardiana* (Teloschistaceae, lichenized Ascomycetes), a new crustose species from the southern Appalachian Mountains of eastern North America. *The Bryologist* 123(2): 225-234.
- Hoffmann, N. & J. Hafellner. 2000. Eine Revision der lichenicolen Arten der Sammelgattungen *Guignardia* und *Physalospora*. *Bibliotheca Lichenologica* 77: 1-190.

- Holien, H. 1989. The genus *Bryoria* Sect. *Implexae* in Norway. Lichenologist 21: 243-258.
- Holien, H. 1994. Additions to the Norwegian flora of lichens and lichenicolous fungi. Graphis scripta 6: 39-43.
- Holien, H., Z. Palice, C. R. Björk, T. Goward & T. Spribille. 2016. *Lecidea coriacea* sp. nov., a lichen species from oldgrowth boreal and montane forests in Europe and North America. Herzogia 29(2): 412-420.
- Holien, H. & T. Tønsberg. 2002. Two new species in the lichen genus *Szczawinskia* A. Funk. Lichenologist 34: 369-372.
- Holien, H. & T. Tønsberg. 2008. *Xylographa soralifera*, a new species in the *X. vitiligo* complex. Graphis Scripta 20(2): 58-63.
- Hollinger, J. P. & J. C. Lendemer. 2021. *Capronia harrisiana* (Ascomycota, Chaetothyriales), a new lichenicolous species on *Crocodia aurata* from the southern Appalachian Mountains of southeastern North America. The Bryologist 124(4): 522-532.
- Holtan-Hartwig, J. 2005. *Peltigera latiloba*, a new lichen species from Norway and USA (Alaska). Graphis Scripta 17: 34.
- Huhtinen, S., D. L. Hawksworth & P. G. Ihlen. 2008. Observations on two glassy-haired lichenicolous discomycetes. Lichenologist 40(6): 549-557.
- Hutten, M., U. Arup, O. Breuss, T. L. Esslinger, A. M. Fryday, K. Knudsen, J. C. Lendemer, C. Printzen, H. T. Root, M. Schultz, J. Sheard, T. Tønsberg & B. McCune. 2013. Lichens and lichenicolous fungi of Yosemite National Park, California. North American Fungi 8 (11): 1-47.
- Ihlen, P. G. & A. M. Fryday. 2002. *Rhizocarpon timdalii*, a new lichen species from north-west Europe and north-east North America. Lichenologist 34: 95-100.
- Ihlen, P. G., H. Holien & T. Tønsberg. 2004a. Two new species of *Dactylospora* (Dactylosporaceae, Lecanorales), with a key to the known species in Scandinavia. The Bryologist 107: 357-362.
- Ihlen, P. G., B. Owe-Larsson & T. Tønsberg. 2004b. *Arthonia biatoricola* sp. nov. from north-western Europe and northern Pacific North America. Symbolae Botanicae Upsalienses 34: 107-111.
- Ihlen, P. G. & T. Tønsberg. 1996. The lichenicolous genus *Lettauia* in North America. The Bryologist 99: 32-33.
- Iturriaga, T. & D. L. Hawksworth. 2004. *Skyttea richardsonii* sp. nov. from Maine, with a key to the species known from North America. Mycologia 96: 925-928.
- Jørgensen, P. M. 1997. Further notes on hairy *Leptogium* species, pp. 113-130. In L. Tibell & I. Hedberg (eds.), Lichen Studies Dedicated to Rolf Santesson. Symbolae Botanicae Upsalienses 32. Acta Universitatis Upsaliensis, Uppsala.
- Jørgensen, P. M. 2000a. *Moelleropsis nebulosa* ssp. *frullaniae*, a new lichen for Europe. Cryptogamie, Mycologie 21: 49-52.
- Jørgensen, P. M. 2000b. On the sorediate counterparts of the lichen *Fuscopannaria leucosticta*. The Bryologist 103: 104-107.
- Jørgensen, P. M. 2000c. Survey of the lichen family Pannariaceae on the American continent, north of Mexico. The Bryologist 103: 670-704.

- Jørgensen, P. M. 2002. *Moelleropsis*, pp. 286-287. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Jørgensen, P. M. 2004. A new North American species of the lichen genus *Staurolemma* (Collemataceae). *The Bryologist* 107: 392-394.
- Jørgensen, P. M. 2005. Additions to the Pannariaceae of North America. *The Bryologist* 108: 255-258.
- Jørgensen, P. M. 2006. *Leptochidium crenatum*, a misunderstood arctic-alpine lichen. *Graphis Scripta* 18(1): 19-22.
- Jørgensen, P. M. 2008. *Vahliella*, a new lichen genus. *Lichenologist* 40: 221-225.
- Jørgensen, P. M. 2014. Taxonomy and nomenclature of *Collema fasciculare* (L.) G. H. Weber. *Lichenologist* 46(4): 594.
- Jørgensen, P. M. & T. Goward. 2015. Notes on the *Collema tenax* complex, with recognition of two further species in the genus *Enchylium* (Ach.) Gray. *Evansia* 32(1): 42-47.
- Jørgensen, P. M. & T. H. Nash III. 2004. *Leptogium*, pp. 330-350. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Jørgensen, P. M. & T. Tønsberg. 1999. Notes on some small species of *Leptogium* from Pacific North America. *The Bryologist* 102: 412-417.
- Jørgensen, P. M. & T. Tønsberg. 2005. *Leioderma cherokeense* (Pannariaceae, Lecanorales) sp. nov. from the Great Smoky Mountains, North Carolina, U.S.A. *The Bryologist* 108: 412-414.
- Jørgensen, P. M. & T. Tønsberg. 2010. *Leptogium insigne*, a new species from the Pacific Northwest of North America. *Bibliotheca Lichenologica* 104: 241-246.
- Jørgensen, P. M. & M. Zhurbenko. 2002. Two new, remarkable, arctic species in the lichen genus *Fuscopannaria* (Pannariaceae, lichenized Ascomycetes). *The Bryologist* 105: 465-469.
- Joseph, S., S. Naka & G. P. Sinha. 2021. On the taxonomic identity of *Bactrospora lamprospora* (lichenized Ascomycota: Arthoniales). *Archive for Lichenology* 25: 1-5.
- Kalb, J., R. Lücking & K. Kalb. 2018. The lichen genera *Allographa* and *Graphis* (Ascomycota: Ostropales, Graphidaceae) in Thailand—eleven new species, forty-seven new records and a key to all one hundred and fifteen species so far recorded for the country. *Phytotaxa* 377(1): 1-83.
- Kalb, K. 1990. Lichenes Neotropici ausgegeben von Klaus Kalb. Fascikel XI (No. 451-475). Neumarkt/OPf. 12 pp.
- Kalb, K. 1994. *Frutidella*, eine neue Flechtengattung für *Lecidea caesioatra* Schaefer. *Hoppea* 55: 581-586.
- Kalb, K. 2001. The lichen genus *Topeliopsis* in Australia and remarks on Australian Thelotremaeaceae. *Mycotaxon* 79: 319-328.
- Kalb, K. 2004a. *Dirinaria*, pp. 98-103. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.

- Kalb, K. 2004b. New or otherwise interesting lichens II. *Bibliotheca Lichenologica* 88: 301-329.
- Kalb, K. 2007. New or otherwise interesting lichens. III. *Bibliotheca Lichenologica* 95: 297-316.
- Kalb, K. & M. Giralt. 2011. *Orcularia*, a segregate from the lichen genera *Buellia* and *Rinodina* (Lecanoromycetes, Caliciaceae). *Phytotaxa* 38: 53-60.
- Kalb, K., J. Hafellner & B. Staiger 1995. *Haematomma*-studien. II. Lichenicole Pilze auf Arten der Flechtengattung *Haematomma*. *Bibliotheca Lichenologica* 59: 199-222.
- Kalb, K., B. Staiger & J. A. Elix. 2004. A monograph of the lichen genus *Diorygma* - a first attempt. *Symbolae Botanicae Upsalienses* 34: 133-181.
- Kalb, K., B. Staiger, J.A. Elix, U. Lange, H. T. Lumbsch. 2008. A new circumscription of the genus *Ramboldia* (Lecanoraceae, Ascomycota) based on morphological and molecular evidence. *Nova Hedwigia* 86: 23-42.
- Kaminsky, B, R. Rosentreter & A. DeBolt. 2013. Ecology and distribution of *Coccocarpia filiformis* and other new and uncommon Florida lichens. *Evansia* 30(3): 79-89.
- Kantvilas, G. 2002. Studies on the lichen genus *Siphula* Fr. *Bibliotheca Lichenologica* 82: 37-53.
- Kantvilas, G. 2009. The genus *Mycoblastus* in the cool temperate Southern Hemisphere, with special reference to Tasmania. *Lichenologist* 41: 151-178
- Kantvilas, G. & J. A. Elix. 2007. The genus *Ramboldia* (Lecanoraceae): a new species, key and notes. *Lichenologist* 39: 135-141
- Kantvilas, G. & A. Vězda. 2000. Studies on the lichen family Thelotremaeae in Tasmania. The genus *Chroodiscus* and its relatives. *Lichenologist* 32: 325-357.
- Kärnefelt, I. & A. Thell. 1996. A new classification for the *Dactylina/Dufourea* complex. *Nova Hedwigia* 62: 487-511.
- Kasalicky, T. 2004. *Fulglesia*, pp. 114-116. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Kashiwadani, H. & T. H. Nash III. 2004. *Ramalina*, pp. 440-455. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Kauff, F., A. Bachran, M. Schultz, V. Hofstetter, F. Lutzoni & B. Büdel. 2018. Molecular data favours a monogenic Peltulaceae (Lichenomycetes). *Lichenologist* 50(3): 313-327.
- Ketzner, D. M. 2010. An Evaluation of the Nomenclatural Status of *Biatorella kulshanensis* Herre. *Evansia* 27: 92-93.
- Kistenich, S., E. Timdal, M. Bendiksby & S. Ekman. 2018. Molecular systematics and character evolution in the lichen family Ramalinaceae (Ascomycota: Lecanorales). *Taxon* 67(5): 871-904.
- Kitaura, M. J., M. P. Marcelli, B. R. da Hora & P. Jungbluth. 2015. *Leptogium denticulatum* (Collemataceae, lichenized Ascomycota) and some morphologically related species. *The Bryologist* 118(1): 11-21.
- Kivistö, L. 1998. Taxonomy of *Stereocaulon paschale* and allied species in Finland [Zur Taxonomie von *Stereocaulon paschale* und den benachbarten Arten in Finnland]. *Sauteria* 9: 25-36.

- Knoph, J. G. & C. Leuckert. 1994. Chemotaxonomic studies in the saxicolous species of the lichen genus *Lecidella* (Lecanorales, Lecanoraceae) in America. *Nova Hedwigia* 59: 455-508.
- Knoph, J.-G. & C. Leuckert. 2004. *Lecidella*, pp. 309-320. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Knoph, J. G., G. Rambold, D. Triebel & C. Kainz. 2004. *Carbonea*, pp. 54-55. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Knudsen, K. 2003. Type specimens: investigations and observations. *Bulletin of the California Lichen Society* 10: 36-38.
- Knudsen, K. 2004a. A preliminary study of *Acarospora smaragdula* var. *lesdainii* in California. *Opuscula Philolichenum* 1: 21-24.
- Knudsen, K. 2004b. A study of Acarosporas in the lichen flora of the Santa Cruz Peninsula by A. W. C. T. Herre. *Bulletin of the California Lichen Society* 11: 10-15.
- Knudsen, K. 2005a. *Acarospora epilutescens* rediscovered. *Opuscula Philolichenum* 2: 11-13.
- Knudsen, K. 2005b. Lichens of the Santa Monica Mountains, Part One. *Opuscula Philolichenum* 2: 27-36.
- Knudsen, K. 2005c. *Polysporina lapponica* in Southern California. *Opuscula Philolichenum* 2: 17-19.
- Knudsen, K. 2007a. *Acarospora*, pp. 1-38. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Knudsen, K. 2007b. *Acarospora smaragdula* in North America. *Evansia* 24: 94-97.
- Knudsen, K. 2007c. An annotated checklist of the lichens of the Santa Monica Mountains, pp. 35-62, In D. A. Knapp, *Flora and Ecology of the Santa Monica Mountains*. Fullerton, Calif., Southern California Botanists.
- Knudsen, K. 2007d. *Polysporina*, pp. 276-278. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Knudsen, K. 2009. *Caloplaca obamae*, a new species from Santa Rosa Island, California. *Opuscula Philolichenum* 6: 37-40.
- Knudsen, K. 2010. *Acarospora orcuttii* (Acarosporaceae), a rare terricolous lichen from southern California. *The Bryologist* 113: 713-716.
- Knudsen, K. 2011a. *Acarospora nashii*, a lichenicolous lichen from western North America. *Bibliotheca Lichenologica* 106: 169-172.
- Knudsen, K. 2011b. A new member of the genus *Silobia* (Acarosporaceae) from North America. *Opuscula Philolichenum* 9: 27-30.
- Knudsen, K. 2011c. A preliminary study of *Pleopsidium stenosporum* (Stizenb. ex Hasse) K. Knudsen. *Opuscula Philolichenum* 9: 77-83.
- Knudsen, K. 2012. Notes on the California lichen flora #4. *Bulletin of the California Lichen Society* 19(1): 4-7.

- Knudsen, K., J. N. Adams, J. Kocourková, Y. Wang, J. Ortañez & J. E. Stajich. 2020. The monophyletic *Sarcogyne canadensis-wheeleri* clade, a newly recognized group sister to the European *Acarospora glaucocarpa* group. *The Bryologist* 123(1): 11-30.
- Knudsen, K., L. Arcadia & J. Kocourková. 2019. *Acarospora squamulosa*, the correct name for *A. peliocypha*. *Mycotaxon* 134: 281-287.
- Knudsen, K., L. Arcadia & V. Wirth. 2021a. Proposal to conserve the name *Sarcogyne* (Acarosporaceae, lichenised Ascomycota) with a conserved type. *Taxon* 70(5): 1129-1131.
- Knudsen, K., O. Breuss & J. Kocourková. 2014a. A new lichenicolous *Heteroplacidium* (Verrucariaceae) from the deserts of southern California. *Opuscula Philolichenum* 13: 26-33.
- Knudsen, K. & J. A. Elix. 2007a. *Lepraria*, pp. 384-388. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Knudsen, K. & J. A. Elix. 2007b. A new *Lepraria* (Stereocaulaceae) from the Santa Monica Mountains in southern California. *The Bryologist* 110: 115-118.
- Knudsen, K., J. A. Elix & J. C. Lendemer. 2007. *Lepraria adhaerens*: a new species from North America. *Opuscula Philolichenum* 4: 5-10.
- Knudsen, K., J. A. Elix & V. Reeb. 2008a. A preliminary study of the genera *Acarospora* and *Pleopsidium* in South America. *Opuscula Philolichenum* 5: 1-22.
- Knudsen, K. & A. Flakus. 2016. The identity of *Acarospora xanthophana* (Fungi: Ascomycota) and a description of *A. congregate* sp. nov. to accommodate a widely distributed saxicolous species occurring in the higher elevations of South America. *Taxon* 65(1): 146-151.
- Knudsen, K. & J. Kocourková. 2008a. A study of lichenicolous species of *Polysporina* (Acarosporaceae). *Mycotaxon* 105: 149-164.
- Knudsen, K. & J. Kocourková. 2008b. New records of lichen and lichenicolous fungi from California. *Crossosoma* 34: 37-39.
- Knudsen, K. & J. Kocourková. 2009a. Lichens and lichenicolous fungi of the northwestern Santa Ana Mountains. *Crossosoma* 35: 66-81.
- Knudsen, K. & J. Kocourková. 2009b. Lichens, lichenicolous and allied fungi of the Santa Monica Mountains, Part 4: additions and corrections to the annotated list. *Opuscula Philolichenum* 7: 29-48.
- Knudsen, K. & J. Kocourková. 2009c. A taxonomic study of *Polysporina gyrocarpa* and *P. cyclocarpa* (Acarosporaceae) and a new record from Asia of *P. arenacea*. *Bibliotheca Lichenologica* 100: 199-206.
- Knudsen, K. & J. Kocourková. 2010a. Lichenological notes 1. Acarosporaceae. *Mycotaxon* 112: 361-366.
- Knudsen, K. & J. Kocourková. 2010b. Lichens, Lichenicolous and Allied Fungi of the Santa Monica Mountains, Part 5: Additions and Corrections to the Annotated Checklist. *Opuscula Philolichenum* 8: 83-100.
- Knudsen, K. & J. Kocourková. 2010c. Lichens and lichenicolous fungi of West Anacapa Island Chanel Islands National Park. *Crossosoma* 36(2): 32-49.
- Knudsen, K. & J. Kocourková. 2010d. A new *Lichenostigma* species (Genus incertae sedis) from Southern California. *Bryologist* 113: 229-234.

- Knudsen, K. & J. Kocourková. 2010e. New records of lichens and lichenicolous fungi for California II. *Crossosoma* 36(2): 57-61
- Knudsen, K. & J. Kocourková. 2010f. A new species of *Stigmidium* from corticolous *Caloplaca* in southern California (USA) and Baja California (Mexico). *Bibliotheca Lichenologica* 105: 25-31.
- Knudsen, K. & J. Kocourková. 2010g. *Pyrenidium aggregatum*, a new species from North America. *Opuscula Philolichenum* 8: 71-74.
- Knudsen, K. & J. Kocourková. 2011. Lichenological notes 3: *Sarcogyne plicata* in California. *Mycotaxon* 118: 423-431.
- Knudsen, K. & J. Kocourková. 2012a. The annotated checklist of lichens, lichenicolous and allied fungi of Channel Islands National Park. *Opuscula Philolichenum* 11: 145-302.
- Knudsen, K. & J. Kocourková. 2012b. Erratum: *Placidium boccanum* does not occur in North America. *Opuscula Philolichenum* 11: 303.
- Knudsen, K. & J. Kocourková. 2013. Lichenological notes 6: nomenclatural acts. *Mycotaxon* 124: 353-356.
- Knudsen, K. & J. Kocourková. 2014a. A new species of *Lecidea* (Lecideaceae, lichenized Ascomycetes) from the mountains of California. *Opuscula Philolichenum* 13: 80-83.
- Knudsen, K. & J. Kocourková. 2014b. Notes on the California lichen flora 6: new records. *Opuscula Philolichenum* 13: 4-7.
- Knudsen, K. & J. Kocourková. 2015. A new species of *Acarospora* (Acarosporaceae) from eastern Canada with melanized epiphytial accretions, with additional notes on *A. anatolica* and *Polysporina terricola*. *Opuscula Philolichenum* 14: 144-147.
- Knudsen, K. & J. Kocourková. 2016. A name misapplied: *Tornabea scutellifera* does not occur in North America. *Bulletin of the California Lichen Society* 23(2): 14-17.
- Knudsen, K. & J. Kocourková. 2017. *Acarospora toensbergii* (Acarosporaceae), a new species from Alaska, U.S.A. *Opuscula Philolichenum* 16: 317-321.
- Knudsen, K. & J. Kocourková. 2018a. *Toninia nashii* is a lichenicolous fungus. *Bulletin of the California Lichen Society* 25(1): 16-17.
- Knudsen, K. & J. Kocourková. 2018b. Two new calciphyses from Western North America, *Acarospora brucei* and *Acarospora erratica* (Acarosporaceae). *Opuscula Philolichenum* 17: 342-350.
- Knudsen, K. & J. Kocourková. 2020a. Acarosporaceae of Belarus. *Herzogia* 33(2): 394-406.
- Knudsen, K. & J. Kocourková. 2020b. *Acarospora scottii* and *Sarcogyne paradoxa* spp. nov. from North America. *Mycotaxon* 135: 453-463.
- Knudsen, K. & J. Kocourková. 2020c. Lichenological notes 7: on taxa of *Acarospora* and *Sarcogyne*. *Opuscula Philolichenum* 19: 158-162.
- Knudsen, K. & J. Kocourková. 2020d. The real *Acarospora socialis*. *Bulletin of the California Lichen Society* 27(2): 41-45.
- Knudsen, K., J. Kocourková, P. Cannon, B. Coppins, A. Fletcher & J. Simkin. 2021b. Acarosporales: Acarosporaceae, including the genera *Acarospora*, *Caeruleum*, *Myriospora*, *Pleopsidium*, *Sarcogyne* and *Trimmatothelopsis*. Revisions of British and Irish Lichens 12: 1-25.

- Knudsen, K., J. Kocourková, E. Hodková, J. N. Adams & Y. Wang. 2021c. Three species of *Trimmatothelopsis* (Acarosporaceae) from Europe and North America. *The Bryologist* 124(2): 271-280.
- Knudsen, K., J. Kocourková, E. Hodková, J. Malíček & Y. Wang. 2021d. Acarosporaceae of the Chihuahuan Desert: four Magnusson species saved from synonymy and a new yellow species. *The Bryologist* 124(4): 533-551.
- Knudsen, K., J. Kocourková & J. Etayo. 2009. A new species of *Sphaerellothecium* (Mycosphaerellaceae) on *Placidium lacinulatum*. *Opuscula Philolichenum* 6: 41-49.
- Knudsen, K., J. Kocourková & J. C. Lendemer. 2020 (2019). *Calicium brachysporum*, a rare California endemic. *Bulletin of the California Lichen Society* 26(2): 51-53.
- Knudsen, K., J. Kocourková & B. McCune. 2013a. *Sarcogyne mitziae* (Acarosporaceae), a new species from biotic soil crusts in western North America. *The Bryologist* 116(2): 122-126.
- Knudsen, K., J. Kocourková & A. Nordin. 2014b. Conspicuous similarity hides diversity in the *Acarospora badiofusca* group (Acarosporaceae). *The Bryologist* 117(4): 319-328.
- Knudsen, K., J. Kocourková & M. Westberg. 2013b. The identity of *Sarcogyne hypophaea* (Nyl.) Arnold. *Opuscula Philolichenum* 12: 23-26.
- Knudsen, K., J. Kocourková, M. Westberg & T. Wheeler. 2016. Two new species of Acarosporaceae from North America with carbonized epihymenial accretions. *Lichenologist* 48(5): 347-354.
- Knudsen, K., J. Kocourková & T. Wheeler. 2015. *Protoparmelia ryaniana* is a synonym of *Lecanora verrucariicola*, which belongs in the genus *Miriquidica*. *Opuscula Philolichenum* 14: 139-143.
- Knudsen, K., J. Kocourková & T. Wheeler. 2018a. Neotypification of *Sarcogyne integra* (Acarosporaceae). *Opuscula Philolichenum* 17: 330-334.
- Knudsen, K. & T. La Doux. 2005. Lichen flora of the Southwestern Mojave Desert: Key's Ranch, Joshua Tree National Park, San Bernardino County, California, USA. *Evansia* 22: 103-109.
- Knudsen, K. & T. La Doux. 2006. Lichen flora of the southwestern Mojave Desert: Eureka Peak, Joshua Tree National Park, Riverside and San Bernardino County, California. *Evansia* 23: 24-27.
- Knudsen, K. & J. C. Lendemer. 2005a. Changes and additions to the checklist of North American lichens - III. *Mycotaxon* 93: 277-281.
- Knudsen, K. & J. C. Lendemer. 2005b. Changes and additions to the North American lichen flora - IV. *Mycotaxon* 93: 289-295.
- Knudsen, K. & J. C. Lendemer. 2006. Changes and additions to the North American lichen mycota - V. *Mycotaxon* 95: 309-313.
- Knudsen, K. & J. C. Lendemer. 2007. Studies in lichens and lichenicolous fungi: notes on some North American taxa. *Mycotaxon* 101: 81-87.
- Knudsen, K. & J. C. Lendemer. 2009a. *Cladonia maritima*, a new species in the *C. cervicornis* group from western North America. *Opuscula Philolichenum* 6: 121-124.
- Knudsen, K. & J. C. Lendemer. 2009b. *Naetrocymbe herrei* (Pleosporales: Ascomycetes), a new lichenized saxicolous species from the coast of central California, U.S.A. *Opuscula Philolichenum* 6: 59-64.

- Knudsen, K. & J. C. Lendemer. 2009c. Two new species of *Lecanora* with gyrophoric acid from North America. *Opuscula Philolichenum* 7: 21-28.
- Knudsen, K. & J. C. Lendemer. 2016. A new perspective on *Melanophloea*, *Thelocarpella*, and *Trimmatothelopsis*: species previously placed in multiple families are united within a single genus in the Acarosporaceae. *The Bryologist* 119(3): 266-279.
- Knudsen, K., J. C. Lendemer & J. A. Elix. 2011a. *Lecanora peninsularis* (Lecanoraceae, lichenized Ascomyctes), a second new species with gyrophoric acid from California. *Nova Hedwigia* 92: 101-105.
- Knudsen, K., J. C. Lendemer & R. C. Harris 2011b. Studies in lichens and lichenicolous fungi – no. 15: miscellaneous notes on species from eastern North America. *Opuscula Philolichenum* 9:45-75.
- Knudsen, K., J. C. Lendemer & J. Kocourková. 2014c. *Lecanora annularis* (Lecanoraceae, Lecanorales), a new lichen species from the Channel Islands and the central California coast. *Monographs of the Western North American Naturalist* 7: 221-224.
- Knudsen, K., J. C. Lendemer & J. Kocourková. 2018b. *Ramalina sarahae* (Ramalinaceae), a new species from the Channel Islands of California, U.S.A. *The Bryologist* 121(4): 513-519.
- Knudsen, K., J. Lendemer & R. E. Riefner Jr. 2005. *Flavoparmelia subcapitata* rediscovered in southern California. *Bulletin of the California Lichen Society* 11: 1-2.
- Knudsen, K., J. C. Lendemer, M. Schultz, J. Kocourková, J. W. Sheard, A. Pigniolo & T. Wheeler. 2017. Lichen biodiversity and ecology in the San Bernardino and San Jacinto Mountains in southern California (U.S.A.). *Opuscula Philolichenum* 16: 15-138.
- Knudsen, K. & B. McCune. 2013. A new squamulose *Sarcogyne* from Oregon. *North American Fungi* 8 (8): 1-6.
- Knudsen, K. & C. A. Morse. 2009. *Acarospora nicolai* (Acarosporaceae), a rediscovered species. *The Bryologist* 112: 147-151.
- Knudsen, K. & B. Owe-Larsson. 2005. *Miriquidica mexicana* in Southern California. *Bulletin of the California Lichen Society* 11: 7-8.
- Knudsen, K., B. Owe-Larsson, J. A. Elix, J. C. Lendemer & J. Kocourková. 2008b. Lichens and lichenicolous fungi of the Santa Monica Mountains, Part 3: additions and corrections to the annotated checklist. *Opuscula Philolichenum* 5: 53-60.
- Knudsen, K., V. Reeb, M. Westberg, R. Srikantha, & D. Bhattacharya. 2010. *Acarospora rosulata* in Europe, North America and Asia. *Lichenologist* 42: 291-296.
- Knudsen, K., J. W. Sheard, J. Kocourková & H. Mayrhofer. 2013b. A new lichenicolous lichen from Europe and western North America in the genus *Dimelaena* (Physciaceae). *The Bryologist* 116(3): 257-262.
- Knudsen, K. & S. M. Standley. 2007. *Sarcogyne*, pp. 289-296. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens*. Unlimited, Arizona State University, Tempe.
- Knudsen, K. & T. Wheeler. 2015. *Niebla ramosissima*: an endemic of San Nicolas Island. *Bulletin of the California Lichen Society* 22(2): 33-36.
- Kocourková, J. 2007. *Roselliniella microthelia*, a new lichenicolous fungus for North America. *Evansia* 24: 113-115.

- Kocourková, J. 2009. Observations on the genus *Neolamya*, with the description of the new species *N. xanthoparmeliae* (Ascomycota, genera incertae sedis). *Opuscula Philolichenum* 6: 137-147.
- Kocourková, J., A. M. Fryday, K. Knudsen, & J. C. Lendemer. 2010. Studies in lichens and lichenicolous fungi: more notes on taxa from North America 6. *Mycotaxon* 111: 423-429.
- Kocourková, J. & D. L. Hawksworth. 2008. *Acaroconium punctiforme* gen. sp. nov., a new lichenicolous coelomycete on *Acarospora* species and *Sarcogyne regularis*. *Lichenologist* 105:109.
- Kocourková, J. & K. Knudsen. 2008. Four new lichenicolous fungi from North America. *Evansia* 25: 62-64.
- Kocourková, J. & K. Knudsen. 2009a. *Gelatinopsis acarosporicola* (Helotiaceae), a new lichenicolous fungus on *Acarospora socialis* from western North America. *The Bryologist* 112: 363-367.
- Kocourková, J. & K. Knudsen. 2009b. A new species of *Stigmidium* (Mycosphaerellaceae, Ascomycetes) from western North America. *Czech Mycology* 61(1): 73-80.
- Kocourková, J. & K. Knudsen. 2009c. *Stigmidium epistigmellum* (Mycosphaerellaceae), a lichenicolous fungus from maritime Caloplaca in North America. *The Bryologist* 112(3): 578-583.
- Kocourková, J. & K. Knudsen. 2009d. Three lichenicolous fungi new for North America. *Evansia* 26(3): 148-151.
- Kocourková, J. & K. Knudsen. 2010. A new species of *Dacampia* (Dacampiaceae) on *Lecania fuscella*. *Bibliotheca Lichenologica* 105: 33-36.
- Kocourková, J. & K. Knudsen. 2011. *Endococcus thelommatis*, a new lichenicolous fungus from southern California. *Bibliotheca Lichenologica* 106: 173-178.
- Kocourková, J. & K. Knudsen. 2012. A new species of *Stigmidium* (Mycosphaerellaceae) on *Aspicilia* from North America. *Mycotaxon* 121: 45-52. Kocourková, J. & K. Knudsen. 2018. *Stigmidium rouxianum* (Mycosphaerellaceae, Dothideomycetes), reported new for North America and California. *Opuscula Philolichenum* 17: 293-298.
- Kocourková, J. & K. Knudsen. 2015. Notes on the California lichen flora 7: more new records. *Opuscula Philolichenum* 14: 118-120.
- Kocourková, J., K. Knudsen, J.C. Lendemer, & A. M. Fryday. 2008. New California records of lichens and lichenicolous fungi. *Crossosoma* 34: 19–23.
- Kocourková, J., K. Knudsen, & S. Tucker. 2012. A checklist of the lichenicolous biota of California. *Opuscula Philolichenum* 11: 64-103.
- Kohlmeyer, J., D. L. Hawksworth, & B. Volkman-Kohlmeyer. 2004. Observations on two marine and maritime “borderline” lichens: *Mastodia tessellata* and *Collemopsidium pelvetiae*. *Mycological Progress* 3(1): 51-56.
- Kolb, A. & T. Spribille. 2001. *Calicium corynellum* (Ach.) Ach. in the United States, and *Calicium montanum* Tibell new for North America. *Evansia* 18: 90-92.
- Kondratyuk, S. Y. 1996. Four new species of lichenicolous fungi, pp. 309-315. In S. P. Wasser (ed.), *Botany and Mycology for the Next Millennium: Collection of Scientific Articles Devoted to the 70th Anniversary of Academician K. M. Sytnik*. N. G. Khodolny Institute of Botany, National Academy of Sciences of Ukraine, Kiev.

- Kondratyuk, S. Y. & D. J. Galloway. 1995. Two new lichenicolous fungi from *Lobaria* and *Sticta* (Stictaceae), pp. 255-261. In F. J. A. Daniels, M. Schulz & J. Peine (eds.), Flechten Follmann. Contributions to lichenology in Honour of Gerhard Follmann. Geobotanical and Phytotaxonomical Study Group, Botanical Institute, University of Cologne, Cologne.
- Kondratyuk, S. Y. & I. Kärnefelt. 2003a. Five new Xanthorias from Holarctic. Ukrayins'kyi Botanichnyi Zhurnal 60: 121-130.
- Kondratyuk, S. Y. & I. Kärnefelt. 2003b. Revision of three natural groups of xanthorioid lichens (Teloschistaceae, Ascomycota). Ukrayins'kyi Botanichnyi Zhurnal 60: 427-437.
- Kondratyuk, S.Y., L. Lökö, E. Farkas, S.-H Jang, D. Liu, J. Halda, P.-E. Persson, M. Hansson, I. Kärnefelt, A. Thell & J.-S. Hur. 2019. Three new genera of the Ramalinaceae (lichen-forming Ascomycota) and the phenomenon of presence of 'extraneous mycobiont DNA' in lichen associations. Acta Botanica Hungarica. 61(3-4): 275-323.
- Kondratyuk, S., L. Lökö, S. Tschabalenko, M. Haji Moniri, E. Farkas, X. Y. Wang, S.-O. Oh & J.-S. Hur. 2013. New and noteworthy lichen-forming and lichenicolous fungi. Acta Botanica Hungarica 55(3-4): 275-349.
- Kondratyuk, S. & J. Poelt. 1997. Two new Asian *Xanthoria* species (Teloschistaceae, lichenized Ascomycotina). Lichenologist 29: 173-190.
- Kondratyuk, S. Y., B. Zarei-darki & S. J. Khajeddin. 2012. New species and combinations in the genus *Protoparmeliopsis* (Lecanoraceae, lichenized Ascomycota). Ukrayins'kyi Botanichnyi Zhurnal 69(6): 869-879.
- Konoreva, L. A., S. V. Chesnokov, I. S. Stepanchikova, T. Spribille, C. Björk & P. Williston. 2021. Nine *Micarea* species new to Canada including five species new to North America. Herzogia 34(1): 18-37.
- Košuthová, A., M. Westberg, M. A. G. Otálora & M. Wedin. 2019. *Rostania* revised: testing generic delimitations in Collemataceae (Peltigerales, Lecanoromycetes). MycoKeys 47: 17-33.
- Kowalewska, A., M. Kukwa, I. Ostrowska, A. Jabłońska, M. Oset & J. Szok. 2008. The lichens of the *Cladonia pyxidata-chlorophphaea* group and allied species in Poland. Herzogia 21: 61-78.
- Kukwa, M. 2002. Taxonomic notes on the lichen genera *Lepraria* and *Leproloma*. Annales Botanici Fennici 39: 225-226.
- Kukwa, M. 2009a. The lichen genus *Ochrolechia* in Poland III. with a key and notes on some taxa. Herzogia 22: 43-66.
- Kukwa, M. 2009b. *Ochrolechia aegaea* and *O. alaskana*, two species with gyrophoric and variolaric acids in the cortex. Graphis Scripta 21(2): 42-48.
- Kukwa, M. & M. P. Zhurbenko. 2010. Notes on the lichen genus *Lepraria* from the Arctic. Graphis Scripta 22: 3-8.
- Kümmerling, H., C. Leuckert & V. Wirth. 1995. Chemische Flechtenanalysen XI. *Lepraria jackii* Tønsberg. Nova Hedwigia 60: 457-465.
- Kurokawa, S. 2001. Taxonomic notes on *Parmelia reparata* (Parmeliaceae, Lichenes) and the related species. Bulletin of the National Science Museum, Series B [Tokyo] 27: 1-10.
- Ladd, D. & C. Morse. 2012. Endemism lost: *Lecanora pallidochlorina* (Lecanorales, lichenized Ascomycotina) in the Great Plains, U.S.A. Opuscula Philolichenum 11: 60-63.

- Ladd, D. & C. Morse. 2018. A new lichenicolous species of *Toninia* (Ramalinaceae) on *Dermatocarpon* in central North America. *The Bryologist* 121: 214-220.
- LaGreca, S. 1999. A phylogenetic evaluation of the *Ramalina americana* chemotype complex (lichenized Ascomycota, Ramalinaceae) based on rDNA ITS sequence data. *The Bryologist* 102: 602-618.
- LaGreca, S. 2020. *Chrysothrix bergeri* (Ascomycota: Arthoniales: Chrysotrichaceae), a new lichen species from the southeastern United States, the Caribbean, and Bermuda. *Plant and Fungal Systematics* 65(2): 509-514.
- LaGreca, S. & H. T. Lumbsch. 2001. Three species of *Lecanora* new to North America, with notes on other poorly known lecanoroid lichens. *The Bryologist* 104: 204-211.
- Lamb, I. M. 1977. A conspectus of the lichen genus *Stereocaulon* (Schreb.) Hoffm. *Journal of the Hattori Botanical Laboratory* 43: 191-355.
- Laundon, J. R. 1986. Studies in the nomenclature of British lichens II. *Lichenologist* 18: 169-177.
- Laundon, J. R. 2005. The publication and typification of Sir James Edward Smith's lichens in *English Botany*. *Botanical Journal of the Linnean Society* 147: 483-499.
- Laundon, J. R. 2010. *Lecanora antiqua*, a new saxicolous species from Great Britain, and the nomenclature and authorship of *L. albescens*, *L. conferta* and *L. muralis*. *Lichenologist* 42: 631-636.
- Launis, A. & L. Myllys. 2014. *Micarea byssacea* new to North America and *Micarea hedlundii* new to Maine, Michigan and Quebec. *Opuscula Philolichenum* 13: 84-90.
- Lawrey, J. D., P. Diederich, M. P. Nelsen, C. Freebury, D. Van den Broeck, M. Sikaroodi & D. Ertz. 2012. Phylogenetic placement of lichenicolous *Phoma* species in the Phaeosphaeriaceae (Pleosporales, Dothideomycetes). *Fungal Diversity* 55: 195-213.
- Lawrey, J. D., J. Etayo, M. Dal-Forno, K. E. Driscoll & P. Diederich. 2015. Molecular data support establishment of a new genus for the lichenicolous species *Neobarya usneae* (Hypocreales). *The Bryologist* 118(1): 83-92.
- Lawrey, J. D., R. Lücking, H. J. M. Sipman, J. L. Chaves, S. A. Redhead, F. Bungartz, M. Sikaroodi & P. M. Gillevet. 2009. High concentration of basidiolichens in a single family of agaricoid mushrooms (Basidiomycota: Agaricales: Hygrophoraceae). *Mycological Research* 113: 1154-1171.
- Leavitt, S. D., T. L. Esslinger, P. K. Divakar, A. Crespo & H. T. Lumbsch. 2016. Hidden diversity before our eyes: delimiting and describing cryptic lichen-forming fungal species in camouflage lichens (Parmeliaceae, Ascomycota). *Fungal Biology* 120: 1374-1391.
- Leavitt, S. D., T. L. Esslinger, P. K. Divakar & H. T. Lumbsch. 2012. Miocene divergence, phenotypically cryptic lineages, and contrasting distribution patterns in common lichen-forming fungi (Ascomycota: Parmeliaceae). *Biological Journal of the Linnean Society* 107: 920-937.
- Leavitt, S. D., C. C. Newberry, J. Hollinger, B. Wright & L L. St. Clair. 2018. An integrative perspective into diversity in *Acarospora* (Acarosporaceae, Ascomycota), including a new species from the Great Basin, U.S.A. *The Bryologist* 121: 275-285.
- Lendemer, J. C. 2003. *Dermiscellum oulocheila*, forgotten priority and nomenclatural confusion in the Physciaceae (lichenized Ascomycetes). *The Bryologist* 106: 311-313.
- Lendemer, J. C. 2004a. Changes and additions to the checklist of North American lichens. I. *Mycotaxon* 89: 255-257.

- Lendemer, J. C. 2004b. Lichens of Eastern North America Exsiccati. Fascicle II, nos. 51-100.
Opuscula Philolichenum 1: 25-39.
- Lendemer, J. C. 2004c. Lichens of Eastern North America Exsiccati. Fascicle III, nos. 101-150.
Opuscula Philolichenum 1: 41-54.
- Lendemer, J. C. 2004d. *Placynthiella knudsenii* sp. nov., a new lichen from western North America.
Opuscula Philolichenum 1: 75-77.
- Lendemer, J. C. 2004e. Recent records of lichens in the local area (MD, NJ, PA). Opuscula
Philolichenum 1: 9-20.
- Lendemer, J. C. 2005a. Lichens of Eastern North America Exsiccati. Fascicle IV, nos. 151-200.
Opuscula Philolichenum 2: 37-52.
- Lendemer, J. C. 2005b. *Xanthoparmelia viriduloumbrina*, a neglected species from eastern North
America. Mycotaxon 92: 441-442.
- Lendemer, J. C. 2006. Contributions to the lichen flora of New Jersey: a preliminary checklist of the
lichens of Wharton State Forest. Opuscula Philolichenum 3: 21-40.
- Lendemer, J. C. 2007a. Lichens of Eastern North America Exsiccati, Fascicle V, Nos. 201-250.
Opuscula Philolichenum 4: 69-80.
- Lendemer, J. C. 2007b. *Megalaria beechingii* (lichenized Ascomycota), a new species from Eastern
North America. Opuscula Philolichenum 4: 39-44.
- Lendemer, J. C. 2008. Studies in lichens and lichenicolous fungi: notes on some taxa from eastern
North America. Mycotaxon 104: 325-329.
- Lendemer, J. C. 2009a. A synopsis of the lichen genus *Heterodermia* (Physciaceae, lichenized
Ascomycota) in eastern North America. Opuscula Philolichenum 6: 1-35.
- Lendemer, J. C. 2009b. *Opegrapha moroziana* (Roccellaceae, lichenized Ascomycetes), a new
sorediate saxicolous species from eastern North America. Opuscula Philolichenum 6: 51-
54.
- Lendemer, J.C. 2009c. *Pertusaria andersoniae* (Pertusariaceae, lichenized Ascomycetes), a new
species from high elevations of the southern Appalachian Mountains in eastern North
America. Opuscula Philolichenum 6:55-58.
- Lendemer, J. C. 2010a. Notes on *Lepraria* s. l. (Lecanoromycetes, Ascomycota) in North America:
new species, new reports, and preliminary keys. Brittonia 62: 267-292.
- Lendemer, J. C. 2010b. Notes on the genus *Graphis* (Graphidaceae: Lichenized Ascomycetes) in
the coastal plain of southeastern North America. Journal of the Torrey Botanical Society
137: 312-317.
- Lendemer, J. C. 2011a. *Gyalideopsis mexicana*, a new report for North America and a remarkable
disjunction from Central America. North American Fungi 6(15): 1-5.
- Lendemer, J. C. 2011b. A taxonomic revision of the North American species of *Lepraria* s.l. that
produce divaricatic acid, with notes on the type species of the genus *L. incana*. Mycologia
103(6): 1216-1229.
- Lendemer, J. C. 2011c. *Vezdaea schuyleriana* (Vezdaeaceae, Lichenized Ascomycetes), a new
species from eastern North America. Notulae Naturae 484: 1-4.

- Lendemer, J. C. 2012a. Perspectives on chemotaxonomy: molecular data confirm the existence of two morphologically distinct species within a chemically defined *Lepraria caesiella* (Stereocaulaceae). *Castanea* 77(1): 89-105.
- Lendemer, J. C. 2012b. A tale of two species: molecular data reveal the chemotypes of *Lepraria normandinoides* (Stereocaulaceae) to be two sympatric species. *Journal of the Torrey Botanical Society* 139(2): 118-130.
- Lendemer, J. C. 2013a. Molecular phylogenetic evidence corroborates morphology but not chemistry in the *Lepraria neglecta* group (Stereocaulaceae). *Memoirs of the New York Botanical Garden* 108: 127-153.
- Lendemer, J. C. 2013b. A monograph of the crustose members of the genus *Lepraria* Ach. s. str. (Stereocaulaceae, lichenized Ascomycetes) in North America north of Mexico. *Opuscula Philolichenum* 11: 27-141.
- Lendemer, J. C. 2013c. Two new sterile species of *Loxospora* (Sarrameanaceae: lichenized Ascomycetes) from the Mid-Atlantic Coastal Plain. *Journal of the North Carolina Academy of Science* 129(3): 71-81.
- Lendemer, J. C. 2015. *Lecanora layana* (Lecanoraceae), a new sorediate species widespread in temperate eastern North America. *The Bryologist* 118(2): 145-153.
- Lendemer, J. C. 2016a. A new look at *Parmotrema madagascariaceum* and *P. xanthinum* in North America. *Journal of the Torrey Botanical Society* 143(3): 285-297.
- Lendemer, J. C. 2016b. *Trichothelium americanum*, a new species widespread in the coastal plain of southeastern North America. *Journal of the Torrey Botanical Society* 143(2): 199-206.
- Lendemer, J. C. 2016c. *Herteliana schuyleriana* (Squamariaceae), a new crustose lichen widespread in the Appalachian Mountains of eastern North America. *Bartonia* 69: 62-76.
- Lendemer, J. C. 2017a. Lichens and allied fungi of the Indiana forest alliance ecoblitz area, Brown and Monroe counties, Indiana incorporated into a revised checklist for the state of Indiana. *Proceedings of the Indiana Academy of Science* 126(2): 129-152.
- Lendemer, J. C. 2017b. Revision of *Gyalideopsis ozarkensis* and *G. subaequatoriana* (Gomphillaceae; lichenized Ascomycetes), leads to the description of an overlooked new species. *The Bryologist* 120(3): 274-286.
- Lendemer, J. C. 2018. *Bacidia gullahgeechee* (Bacidiaceae, Lecanoromycetes) an unusual new species potentially endemic to the globally unique Ashepoo-Combahee-Edisto River Basin of southeastern North America. *The Bryologist* 121(4): 536-546.
- Lendemer, J. C. 2020a. *Bacidia thiersiana* (Ramalinaceae), a new species with lobaric acid widespread in southeastern North America. *The Bryologist* 123(1): 39-47.
- Lendemer, J. C. 2020b. *Leprocaulon beechingii* (Leprocaulaceae), a new species from the southern Appalachian Mountains of eastern North America. *The Bryologist* 123(1): 1-10.
- Lendemer, J. C. & J. L. Allen. 2019. *Hypotrachyna oprah* (Parmeliaceae, lichenized Ascomycota), a new foliose lichen with lichenanthe from southeastern North America. *Castanea* 84(1): 24-32.
- Lendemer, J. C. & J. L. Allen. 2020. A revision of *Hypotrachyna* subgenus *Parmelinopsis* (Parmeliaceae) in eastern North America. *The Bryologist* 123(2): 265-332.

- Lendemer, J. C. & O. Breuss. 2009. *Verrucaria thujae* (Verrucariaceae, lichenized Ascomycetes), a new corticolous species from the Great Lakes Region of North America. *Opuscula Philolichenum* 7: 13-16.
- Lendemer, J. C. & I. M. Brodo. 2018. Studies in lichens and lichenicolous fungi – No. 21: Notes on *Lambiella caeca* and *L. fuscosora*. *Opuscula Philolichenum* 17: 269-274.
- Lendemer, J. C., W. R. Buck & R. C. Harris. 2016a. Two new host-specific hepaticolous species of *Catinaria* (Ramalinaceae). *Lichenologist* 48(5): 441-449.
- Lendemer, J. C. & J. A. Elix. 2010. Two new species of *Chrysotrichia* from eastern North America. *Opuscula Philolichenum* 8: 51-58.
- Lendemer, J. C. & B. Goffinet. 2015. *Sticta deyana*: a new endemic photomorphic lichen from the imperiled Mid-Atlantic Coastal Plain of eastern North America. *Systematic Botany* 40(4): 933-941.
- Lendemer, J. C. & R. C. Harris. 2004. A checklist of the lichens collected on the 28th A. Leroy Andrews Foray. *Evansia* 21: 88-100.
- Lendemer, J. C. & R. C. Harris. 2007. *Lepraria normandinoides*, a new widespread species from Eastern North America. *Opuscula Philolichenum* 4: 45-50.
- Lendemer, J. C. & R. C. Harris. 2011. *Ramboldia blochiana*, a new sorediate species in the *Ramboldia russula* group. *Opuscula Philolichenum* 9: 1-4.
- Lendemer, J. C. & R. C. Harris. 2012. Studies in lichens and lichenicolous fungi – no. 16. *Opuscula Philolichenum* 11: 323-321.
- Lendemer, J. C. & R. C. Harris. 2013a. *Buellia sharpiana* (Physciaceae, Lichenized Ascomycetes), another new species from the Great Smoky Mountains of eastern North America. *Castanea* 78(2): 148-153.
- Lendemer, J. C. & R. C. Harris. 2013b. *Cladonia appalachensis*, belated description of a southern Appalachian lichen endemic from the Great Smoky Mountains. *Opuscula Philolichenum* 12: 17-22. 2013.
- Lendemer, J. C. & R. C. Harris. 2014a. Seven new species of Graphidaceae (Lichenized Ascomycetes) from the coastal plain of southeastern North America. *Phytotaxa* 189(1): 153-175.
- Lendemer, J. C. & R. C. Harris. 2014b. Studies in lichens and lichenicolous fungi no. 17 – Notes on lichens from the coastal plain of Southeastern North America. *Opuscula Philolichenum* 13: 8-19.
- Lendemer, J. C. & R. C. Harris. 2014c. Studies in lichens and lichenicolous fungi – no. 18: Resolution of three names introduced by Degelius and Magnusson based on material from the Great Smoky Mountains. *Castanea* 79(2): 106-117.
- Lendemer, J. C. & R. C. Harris. 2014d. Studies in lichens and lichenicolous fungi – no. 19: Further notes on species from the coastal plain of southeastern North America. *Opuscula Philolichenum* 13: 155-176.
- Lendemer, J. C. & R. C. Harris. 2015a. A nomenclatural note on *Mycoporum biseptatum* (basionym *Arthonia biseptata*). *Opuscula Philolichenum* 14: 116-117.
- Lendemer, J. C. & R. C. Harris. 2015b. *Xyleborus nigricans*, a second species for the previously monospecific genus newly found in the Mid-Atlantic Coastal Plain of North America. *The Bryologist* 118(3): 284-292.

- Lendemer, J. C. & R. C. Harris. 2016. Studies in lichens and lichenicolous fungi – No. 20: Further notes on species from the eastern North America. *Opuscula Philolichenum* 15: 105-131.
- Lendemer, J. C. & R. C. Harris. 2017. Nomenclatural changes for North American members of the *Variolaria*-group necessitated by the recognition of *Lepra* (Pertusariales). *The Bryologist* 120(2): 182-189.
- Lendemer, J. C., R. C. Harris & J. A. Elix. 2008a. *Pertusaria appalachensis*, a new species from Eastern North America. *Opuscula Philolichenum* 5: 77-82.
- Lendemer, J. C., R. C. Harris & D. Ladd. 2016b. The faces of *Bacidia schweinitzii*: molecular and morphological data reveal three new species including a widespread sorediate morph. *The Bryologist* 119(2): 143-171.
- Lendemer, J. C., R. C. Harris & R. T. McMullin. 2019a. Studies in lichens and lichenicolous fungi – No. 22: The identities of *Lecidea deminutula*, *L. olivacea* var. *inspersa*, *L. virginicensis* and *Thelenella humilis*. *Opuscula philolichenum* 18: 90-101.
- Lendemer, J. C., R. C. Harris & A. M. Ruiz. 2016c. A review of the lichens of the Dare Regional Biodiversity Hotspot in the mid-Atlantic coastal plain of North Carolina, Eastern North America. *Castanea* 81(1): 1-77.
- Lendemer, J. C., R. C. Harris & E. Tripp. 2007. *Heterodermia neglecta* (Physciaceae), a new lichen species from eastern North America. *The Bryologist* 110: 490-493.
- Lendemer, J. C., R. C. Harris & E. A. Tripp. 2013. The Lichens and Allied Fungi of Great Smoky Mountains National Park. Memoirs of the New York Botanical Garden, vol. 104. New York Botanical Garden Press.
- Lendemer, J. C. & D. A. Hewitt. 2002. A catalogue of the type specimens of lichens in the herbarium of The Academy of Natural Sciences of Philadelphia. *Proceedings of the Academy of Natural Sciences of Philadelphia* 152: 173-204.
- Lendemer, J. C. & B. P. Hodkinson. 2009. The wisdom of fools: new molecular and morphological insights into the North American apodetiate species of *Cladonia*. *Opuscula Philolichenum* 7: 79-100.
- Lendemer, J. C. & B. P. Hodkinson. 2010. A new perspective on *Punctelia subrudecta* (Parmeliaceae) in North America: previously rejected morphological characters corroborate molecular phylogenetic evidence and provide insight into an old problem. *Lichenologist* 42: 405-421.
- Lendemer, J. C. & B. P. Hodkinson. 2012. Recognition of the *Parmelia crozalsiana* group as the genus *Crespoa*. *North American Fungi* 7(2): 1-5.
- Lendemer, J. C. & B. P. Hodkinson. 2013. A radical shift in the taxonomy of *Lepraria* s.l.: molecular and morphological studies shed new light on the evolution of asexuality and lichen growth form diversification. *Mycologia* 105(4): 994-1018.
- Lendemer, J. C., J. R. Hoffman & J. W. Sheard. 2019b. *Rinodina brauniana* (Physciaceae, Teloschistales), a new species with pseudoisidia from the southern Appalachian Mountains of eastern North America. *The Bryologist* 122(1): 111-121.
- Lendemer, J. C. & K. G. Keepers. 2021. *Bacidia depriestiana* (Ramalinaceae), a new species from the southern Appalachian Mountains of eastern North America. *The Bryologist* 124(3): 362-375.
- Lendemer, J. C. & K. Knudsen. 2007. Changes and additions to the North American lichen Mycota – VI. *Proceedings of the Academy of Natural Sciences of Philadelphia* 156: 55-57.

- Lendemer, J. C. & K. Knudsen. 2008a. *Ramonia vermispora*, a new species from the Sonoran Desert region of southwestern North America. *Opuscula Philolichenum* 5: 83-88.
- Lendemer, J. C. & K. Knudsen. 2008b. Studies in lichens and lichenicolous fungi: further notes on North American taxa. *Mycotaxon* 103: 75-86.
- Lendemer, J. C. & K. Knudsen. 2009. Two new usnic acid containing species of *Lecanora* from Western North America *Opuscula Philolichenum* 6: 73-80. Lendemer, J. C. & K. Knudsen. 2010 [2011]. *Lecanographa insolita*, an unusual new species of Roccellaceae from western North America. *The Bryologist* 113: 350-355.
- Lendemer, J. C. & K. Knudsen. 2011. Studies in lichens and lichenicolous fungi: 7. More notes on taxa from North America. *Mycotaxon* 115: 45-52.
- Lendemer, J. C., K. Knudsen & B. J. Coppins. 2009a. Further notes on the genus *Ramonia* in California: the first modern record of *R. ablephora* and the description of *R. extensa* sp. nov. *Opuscula Philolichenum* 7: 191-194.
- Lendemer, J. C., K. Knudsen & J. A. Elix. 2008b. *Lepraria friabilis*, a new species from Eastern North America. *Opuscula Philolichenum* 5: 61-66.
- Lendemer, J. C., K. Knudsen & A. M. Fryday. 2010. New and interesting lichens, lichenicolous and allied fungi from Yosemite National Park, California, U.S.A. *Opuscula Philolichenum* 8: 107-120.
- Lendemer, J. C., J. Kocourková & K. Knudsen. 2009b. Studies in lichen and lichenicolous fungi: more notes on taxa from North America. *Mycotaxon* 108: 491-497.
- Lendemer, J. C., J. Kocourková & K. Knudsen. 2008c. Studies in lichens and lichenicolous fungi: notes on some taxa from North America. *Mycotaxon* 105: 379-386.
- Lendemer, J. C., J. Kocourková & K. Knudsen. 2009c. Studies in lichens and lichenicolous fungi: more notes on taxa from North America. *Mycotaxon* 110: 373-378.
- Lendemer, J. C. & R. Lücking. 2004. *Gyalideopsis moodyae* (Ostropales: Gomphillaceae), a new lichen species from eastern North America. *The Bryologist* 107: 234-236.
- Lendemer, J. C. & T. Lumbsch. 2008. *Protoparmelia capitata* sp. nov., and *P. isidiata* Diederich, Aptroot & Sérus., two species of *Protoparmelia* (Lecanorales, Ascomycota) from southeastern North America. *Lichenologist* 40: 329-336.
- Lendemer, J. C. & J. A. Macklin. 2006. Contributions to the lichen flora of Pennsylvania: a preliminary checklist of the lichens of Nescopeck State Park. *Opuscula Philolichenum* 3: 41-48.
- Lendemer, J. C. & C. A. Morse. 2010. *Caloplaca yuchiorum* (Teloschistaceae; lichenized Ascomycota), a new sorediate species from North America. *Journal of the Torrey Botanical Society* 127: 327-332.
- Lendemer, J. C. & H. O'Brien. 2011. How do you reconcile molecular and non-molecular datasets? A case study where new molecular data prompts a revision of *Peltigera hydrothyria* s.l. in North America and the recognition of two species. *Opuscula Philolichenum* 9: 99-111.
- Lendemer, J. C. & D. Ray. 2017. Two new pinicolous *Arthonia* (Arthoniaceae: Arthoniomycetes) from the Delmarva Peninsula of the Atlantic Coastal Plain in eastern North America. *The Bryologist* 120(1): 11-18. Lendemer, J. C. & A. M. Ruiz. 2015. Molecular data confirm morphological variability in the widespread foliose lichen *Canoparmelia caroliniana* (Parmeliaceae). *Castanea* 80(1): 29-36.

- Lendemer, J. C. & J. W. Sheard. 2006. The typification and distribution of *Rinodina chrysomelaena* (Physciaceae), a rare eastern North American lichen. *The Bryologist* 109: 562-565.
- Lendemer, J. C., J. W. Sheard, G. Thor & T. Tønsberg. 2012. *Rinodina chrysidiata*, a new species from far eastern Asia and the Appalachian Mountains of North America. *Lichenologist* 44(2): 179-187.
- Lendemer, J. C., H. B. Stone & E. A. Tripp. 2017. Taxonomic delimitation of the rare, eastern North American endemic lichen *Santessonella crossophylla* (Pannariaceae). *Journal of the Torrey Botanical Society* 144(4): 459-468.
- Lendemer, J. C. & I. I. Tavares. 2003. Nomenclature and typification in the genus *Usnea* (lichenized Ascomycetes) - I. *Usnea rigida*. *Proceedings of the Academy of Natural Sciences of Philadelphia* 153: 177-180.
- Lendemer, J. C. & T. Tønsberg. 2014. *Lepraria brodoi* (Stereocaulaceae, lichenized Ascomycetes), a new species from the temperate rainforests of western Canada and southeastern Alaska, U.S.A. *Opuscula Philolichenum* 13: 20-25.
- Lendemer, J. C. & E. A. Tripp. 2008. Contributions to the lichen flora of North Carolina: a preliminary checklist of the lichens of Gorges State Park. *The Bryologist* 111(1): 57-67.
- Lendemer, J. C. & E. A. Tripp. 2014. Discovery of *Gyalideopsis mexicana* in the United States. *North American Fungi* 9(7): 1-4.
- Lendemer, J. C. & E. A. Tripp. 2015. *Lecanora anakeesticola* (Lecanorales): an unusual new fruticose species from Great Smoky Mountains National Park in eastern North America. *The Bryologist* 118(1): 1-10.
- Lendemer, J. C., E. A. Tripp & J. Sheard. 2014. A review of *Rinodina* (Physciaceae) in Great Smoky Mountains National Park highlights the growing significance of this “island of biodiversity” in eastern North America. *The Bryologist* 117(3): 259-281.
- Lendemer, J. C. & M. Westberg. 2010. *Candelariella xanthostigmoides* in North America. *Opuscula Philolichenum* 8: 75-81.
- Lendemer, J. C. & R. Yahr. 2004. A checklist of the lichens collected during the Tuckerman workshop #12, Outer Banks, North Carolina, USA. *Evansia* 21: 118-136.
- Lepage, E. 1972. Nouveau catalogue des lichens du Quebec. *Naturaliste Canadien* 99: 533-550.
- Leuckert, C. & H. Hertel. 2003. On the *Lecidea atrobrunnea* complex (Lecanorales, Lecideaceae) in the Americas. I. Introduction and chemistry. *Bibliotheca Lichenologica* 86: 13-31.
- Lewis, C. J. 2014. Notes on new and interesting cyanolichens from Ontario, Canada. *Opuscula Philolichenum* 13: 34-43. 2014.
- Lewis, C. J. & M. Schultz. 2020. *Lempholemma syreniarum* (Lichinaceae), a new species from Ontario, Canada. *The Bryologist* 123(3): 423-429.
- Lewis, C. J. & L. Śliwa. 2012. *Lecanora carlottiana*, a new saxicolous lichen species from the Great Lakes region of North America. *The Bryologist* 115(3): 375-381.
- Lindblom, L. 1997. The genus *Xanthoria* (Fr.) Th. Fr. in North America. *Journal of the Hattori Botanical Laboratory* 83: 75-172.
- Lindblom, L. 2004a. *Xanthomendoza*, pp. 561-566. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.

- Lindblom, L. 2004b. *Xanthoria*, pp. 605-611. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Lindblom, L. 2006. *Xanthomendoza galericulata*, a new sorediate lichen species, with notes on similar species in North America. *The Bryologist* 109: 1-8.
- Llano, G. A. 1950. A Monograph of the Lichen Family Umbilicariaceae in the Western Hemisphere. Navexos P-831. Office of Naval Research, Washington. 281 pp.
- Llop, E. & S. Ekman. 2004. "Bacidia coprodes" in the Mediterranean region, p. 18. In T. Randlane & A. Saag (eds.), Book of Abstracts of the 5th IAL Symposium. Lichens in Focus. Tartu University Press.
- Llop, E. & S. Ekman. 2007. *Bacidia coprodes* – resurrecting a misinterpreted species. *Lichenologist* 39: 251-257.
- Lohtander, K., L. Myllys, M. Källersjö, R. Moberg, S. Stenroos & A. Tehler. 2009. New entities in *Physcia aipolia*-*P. caesia* group (Physciaceae, Ascomycetes): an analysis based on mtSSU, ITS, group I intron and betatubulin sequences. *Annales Botanici Fennici* 46(1): 43-53.
- Lücking, R. 2008. Follicolous Lichenized Fungi. *Flora Neotropica Monograph* 103. Flora Neotropica Monograph 103. Organization for Flora Neotropica and The New York Botanical Garden Press, Bronx, New York. 866 pp.
- Lücking, R., A. Aptroot, J. L. Chaves, H. J. M. Sipman & L. Umaña. 2007. A first assessment of the TICOLICHEN biodiversity inventory in Costa Rica: the genus *Coccocarpia* (Peltigerales: Coccocarpiaceae). *Bibliotheca Lichenologica* 95: 429-457.
- Lücking, R., W. R. Buck & E. Rivas Plata. 2007. The lichen family Gomphillaceae (Ostropales) in eastern North America, with notes on hyphophore development in *Gomphillus* and *Gyalideopsis*. *The Bryologist* 110: 622-672.
- Lücking, R. & M. Cáceres. 2004. Corticolous species of *Trichothelium* (Ascomycota: Porinaceae). *Mycological Research* 108: 571-575.
- Lücking, R. & K. Kalb. 2000. Foliikole Flechten aus Brasilien (vornehmlich Amazonien), inklusive einer Checkliste und Bemerkungen zu *Coenogonium* und *Dimerella* (Gyalectaceae). *Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie* 122: 1-61.
- Lücking, R. & K. Kalb. 2018. Formal reinstatement of *Allographa* (Graphidaceae): how to deal with a hyperdiverse genus complex with cryptic differentiation and paucity of molecular data. *Herzogia* 31(1): 535-561.
- Lücking, R., K. Kalb, B. Staiger & J. McNeill. 2007. Proposal to conserve the name *Phaeographis*, with a conserved type, against *Creographa*, *Ectographis*, *Flegographa*, *Hymenodection*, *Platygramma*, and *Pyrographa* (Ascomycota: Ostropales: Graphidaceae), along with notes on the names *Graphina* and *Phaeographina*. *Taxon* 56(4): 1296-1299.
- Lücking, R., L. Kaminsky, G. B. Perlmutter, J. D. Lawrey & M. Dal Forno. 2020. *Cora timucua* (Hygrophoraceae), a new and potentially extinct, previously misidentified basidiolichen of Florida inland scrub documented from historical collections. *The Bryologist* 123(4): 657-673.
- Lücking, R., A. Mangold & H. T. Lumbsch. 2016. A worldwide key to species of the genera *Myriotrema* and *Glaucotrema* (lichenized Ascomycota: Graphidaceae), with a nomenclatural checklist of species published in *Myriotrema* [Ein weltweiter schlüssel zu

- den arten der gattungen *Myriotrema* und *Glaucotrema* (lichenisierte Ascomycota: Graphidaceae) mit einer nomenklatorischen checkliste aller in der gattung *Myriotrema* publizierten namen]. Herzogia 29(2): 493-513.
- Lücking, R., A. Mangold, E. Rivas Plata, S. Parnmen, E. Kraichak & H. T. Lumbsch. 2015. Morphology-based phylogenetic binning to assess a taxonomic challenge: a case study in Graphidaceae (Ascomycota) requires a new generic name for the widespread *Leptotrema wightii*. Botanical Journal of the Linnean Society 179(3): 436-443.
- Lücking, R. & B. McCune. 2012. *Graphis pergracilis* new to North America, and a new name for *Graphis britannica* sensu Staiger auct. Evansia 29: 77-84.
- Lücking, R., B. Moncada & D. L. Hawksworth. 2019. Gone with the wind: sequencing its type species supports inclusion of *Cryptolechia* in *Gyalecta* (Ostropales: Gyalectaceae). Lichenologist 51(4): 287-299.
- Lücking, R., B. Moncada, B. McCune, E. Farkas, B. Goffinet, D. Parker, J. L. Chaves, L. Lököö, P. R. Nelson, T. Spribille, S. Stenroos, T. Wheeler, A. Yanez-Ayabaca, K. Dillman, O. T. Gockman, T. Goward, J. Hollinger, E. A Tripp, J. Villella, W. R. Álvaro-Alba, C. J. Arango, M. E. S. Cáceres, L. F. Coca, C. Printzen, C. Rodriguez, K. Scharnagl, R. Rozzi, E. Soto-Medina & L. S. Yakovchenko. 2017a. *Pseudocyphellaria crocata* (Ascomycota: Lobariaceae) in the Americas is revealed to be thirteen species, and none of them is *P. crocata*. The Bryologist 120(4): 441-500.
- Lücking, R., E. Rivas Plata, K. Kalb, R. S. Common, A. Barcenas Peña & M. V. Duya. 2011a. *Halegrapha* (Ascomycota: Graphidaceae), an enigmatic new genus of tropical lichenized fungi dedicated to Mason E. Hale Jr. Lichenologist 43: 1-13.
- Lücking, R., F. Seavey, R. S. Common, S. Q. Beeching, O. Breuss, W. R. Buck, L. Crane, M. Hodges, B. P. Hodkinson, E. Lay, J. C. Lendemer, R. T. McMullin, J. A. Mercado-Díaz, M. P. Nelsen, E. Rivas Plata, W. Safranek, W. B. Sanders, H. P. Schaefer Jr., & J. Seavey. 2011b. The Lichens of Fakahatchee Strand Preserve State Park, Florida: Proceedings from the 18th Tuckerman Workshop. Bulletin of the Florida Museum of Natural History 49: 127-186.
- Lücking, R., B. L. Stuart & H. T. Lumbsch. 2004. Phylogenetic relationships of Gomphillaceae and Asterothyriaceae: evidence from a combined Bayesian analysis of nuclear and mitochondrial sequences. Mycologia 96: 283-294.
- Lücking, R., A. Tehler, F. Bungartz, E. Rivas Plata & H. T. Lumbsch. 2013a. Journey from the West: did tropical Graphidaceae (lichenized Ascomycota: Ostropales) evolve from a saxicolous ancestor along the American Pacific coast? American Journal of Botany 100(5): 844-856.
- Lücking, R., M. Dal Forno, J. D. Lawrey, F. Bungartz, M. E. H. Rojas, J. E. Hernandez, M. P. Marcelli, B. Moncada, E. A. Morales, M. P. Nelsen, E. Paz, L. Salcedo, A. A. Spielmann, K. Wilk, S. Will-Wolf & A. Yanez-Ayabaca. 2013b. Ten new species of lichenized Basidiomycota in the genera *Dictyonema* and *Cora*. Phytotaxa 139(1): 1-38.
- Lücking, R., R. G. Thorn, I. Saar, M. D. Piercy-Normore, B. Moncada, J. Doering, H. Mann, R. Lebeuf, M. Voitk & A. Voitk. 2017b. A hidden basidiolichen rediscovered: *Omphalina oreades* is a separate species in the genus *Lichenomphalia* (Basidiomycota: Agaricales: Hygrophoraceae). Lichenologist 49(5): 467-481.
- Lücking, R. & T. Tønsberg. 2016. *Gyalideopsis pusilla* (Gomphillaceae, lichenized Ascomycetes), a new species from southeastern North America. North American Fungi 11(7): 1-4.

- Lumbsch, H. T. 1997. Systematic studies in the suborder Agyriineae (Lecanorales). *Journal of the Hattori Botanical Laboratory* 83: 1-73.
- Lumbsch, H. T. 2002. *Diploschistes*, pp. 173-178. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Lumbsch, H. T. 2004. *Ingvariella*, pp. 136-137. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Lumbsch, H. T. et al. 2011. One hundred new species of lichenized fungi: a signature of undiscovered global diversity. *Phytotaxa* 18: 1-127.
- Lumbsch, H. T. & S. M. Huhndorf. 2010. Myconet Volume 14. Part One. Outline of Ascomycota - 2009. Part Two. Notes on Ascomycete Systematics. Nos. 4751-5113. - *Fieldiana. Life and Earth Sciences* 1: 1-64.
- Lumbsch, H. T. & T. H. Nash III. 1999. A revision of *Pertusaria* species with hyaline ascospores in southwestern North America (Pertusariales, Ascomycotina). *The Bryologist* 102: 215-239.
- Lumbsch, H. T., M. I. Messuti & T. H. Nash III. 2003. New or overlooked species in the *Lecanora subfuscata* group from southwestern North America (Lecanorales, Ascomycotina). *The Bryologist* 106: 552-559.
- Lumbsch, H. T., M. Plümper, R. Guderley & G. B. Feige. 1997. The corticolous species of *Lecanora* sensu stricto with pruinose apothecial discs, pp. 131-161. In L. Tibell & I. Hedberg (eds.), *Lichen Studies Dedicated to Rolf Santesson. Symbolae Botanicae Upsalienses* 32. Acta Universitatis Upsaliensis, Uppsala.
- Lumbsch, H. T., I. Schmitt, H. Döring & M. Wedin. 2001. ITS sequence data suggest variability of ascus types and support ontogenetic characters as phylogenetic discriminators in the Agyriales (Ascomycota). *Mycological Research* 105(3): 265-274.
- Lumbsch, H. T. & N. Wirtz. 2011. Phylogenetic relationships of the neuropogonoid core group in the genus *Usnea* (Ascomycota: Parmeliaceae). *Lichenologist* 43(6): 553-559.
- Maass, W. S. G. 1986. *Moelleropsis* (Lecanorales) as a component of *Erioderma* habitats in Atlantic Canada. *Proceedings of the Nova Scotian Institute of Science* 37: 21-36.
- MacDonald, A. M., J. T. Lundholm & S. R. Clayden. 2011. Saxicolous lichens on a Nova Scotian coastal barren. *Northeastern Naturalist* 18(4): 475-488.
- Magain, N., E. Sérusiaux, M. P. Sérusiaux, F. Lutzoni, J. Miadlikowska. 2016 Disentangling the *Peltigera polydactylon* species complex by recognizing two new taxa, *P. polydactylon* subsp. *udeghe* and *P. seneca*. *Herzogia* 29(2): 514-528.
- Magain, N., T. Spribille, J. Dimeglio, P. R. Nelson, J. Miadlikowska & E. Sérusiaux. 2020. Phylogenetic evidence for an expanded circumscription of *Gabura* (Arctomiaceae). *Lichenologist* 52(1): 3-15.
- Mangold, A., M. P. Martín, K. Kalb, R. Lücking & H. T. Lumbsch. 2008. Molecular data show that *Topeliopsis* (Ascomycota, Thelotremaeae) is polyphyletic. *Lichenologist* 40(1): 39-46.
- Manoharan-Basil, S. S., J. Miadlikowska, T. Goward, Ó. S. Andresson & V. P. W. Miao. 2016. *Peltigera islandica*, a new cyanolichen species in section *Peltigera* ('*P. canina* group'). *Lichenologist* 48(5): 451-467.
- Marbach, B. 2000. Corticole und lignicole Arten der Flechtengattung *Buellia* sensu lato in den Subtropen und Tropen. *Bibliotheca Lichenologica* 74: 1-384.

- Marcano, V., A. Morales Méndez, H. Sipman & L. Calderon. 1996. A first checklist of the lichen-forming fungi of the Venezuelan Andes. *Tropical Bryology* 12: 193-235.
- Marcelli, M. P., L. S. Canêz, M. N. Benatti, A. A. Spielmann, P. Jungbluth & J. A. Elix. 2011. Taxonomical novelties in Parmeliaceae. *Bibliotheca Lichenologica* 106: 211-224.
- Mark, K., L. Saag, S. D. Leavitt, S. Will-Wolf, M. P. Nelsen, T. Törra, A. Saag, T. Rndlne & H. T. Lumbsch. 2016. Evaluation of traditionally circumscribed species in the lichen-forming genus *Usnea*, section *Usnea* (Parmeliaceae, Ascomycota) using a six-locus dataset. *Organisms, Diversity & Evolution* 16: 497-524.
- Matzer, M., H. Mayrhofer, A. Wippel & J. A. Elix. 1996. *Dimelaena radiata* (Physciaceae, Lecanorales) and its lichenicolous fungus *Endococcus buelliae* (Verrucariales). *The Bryologist* 99: 450-456.
- May, P. F. 1997. *Ophioparma lapponica* - a misunderstood species. *Harvard Papers in Botany* 2: 213-228.
- Mayrhofer, H. 1987. Ergänzende Studien zur Taxonomie der Gattung *Protothelenella*. *Herzogia* 7: 313-342.
- Mayrhofer, H. & J. W. Sheard. 2002. *Amandinea cacuminum*: a new combination (Physciaceae, lichenized Ascomycetes). *Mycotaxon* 82: 437-441.
- Mayrhofer, H. & J. W. Sheard. 2007. *Rinodina archaea* (Physciaceae, lichenized Ascomycetes) and related species. *Bibliotheca Lichenologica* 96: 229-246.
- Mayrhofer, H., J. W. Sheard, M. C. Grassler & J. A. Elix. 2001. *Rinodina intermedia* (Physciaceae, lichenized Ascomycetes): a well-characterized species with submuriform ascospores. *The Bryologist* 104: 456-463.
- McCarthy, J. W., M. Pitcher, & S. R. Clayden. 2012. *Parmeliopsis esorediata* (Degel.) Nordnes discovered in North America. *Evansia* 29: 85.
- McCarthy, P. M. & T. Tønsberg. 1998. *Porina radicicola*, a new lichen from western North America. *Lichenologist* 30: 245-248.
- McCune, B. 1996. *Micarea botryoides* new to North America. *Evansia* 13: 65-66.
- McCune, B. 1997a. *Lauderlindsaya*, a parasitic fungus on *Normandina*, new to North America. *Evansia* 14: 13.
- McCune, B. 1997b. *Ptychographa*, a lichen genus new to North America. *The Bryologist* 100: 239-240.
- McCune, B. 1998a. *Hypotrachyna riparia*, a new lichen from western North America. *The Bryologist* 101: 448-450.
- McCune, B. 1998b. Lichens of granitic peaks in the Bitterroot Range, Montana and Idaho, USA, pp. 281-294. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd., Ithaca, New York.
- McCune, B. 2002. *Hypogymnia*, pp. 228-238. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- McCune, B. 2008. Three species of *Hypogymnia* (Ascomycota: Parmeliaceae) from the Bering Sea region, Alaska and Russia. *North American Fungi* 3: 1-10.

- McCune, B. 2017. Microlichens of the Pacific Northwest, Vol. 2, Keys to the Species. 755 pp. Wild Blueberry Media, Corvallis, Oregon.
- McCune, B. 2018. Two new species in the *Umbilicaria torrefacta* group from Alaska and the Pacific Northwest of North America. *Graphis Scripta* 30(6): 65-77.
- McCune, B. 2020a. *Epigloea diversispora*, a new possibly lichenized ascomycete from Oregon, with a key to the World species. *The Bryologist* 123(3): 534-540.
- McCune, B. 2020b. *Gyrophthorus perforans*, a genus and species of lichenicolous fungi new to North America. *Evansia* 37(1): 7-9
- McCune, B., T. Ahti & C. M. Duncan. 2006. *Hypogymnia incurvoides* (Parmeliaceae), a little-known Russian species discovered in eastern North America. *The Bryologist* 109: 80-84.
- McCune, B., U. Arup, O. Breuss, E. Di Meglio, J. Di Meglio, T. L. Esslinger, N. Magain, J. Miadlikowska, A. E. Miller, L. Muggia, P. R. Nelson, R. Rosentreter, M. Schultz, J. W. Sheard, T. Tønsberg & J. Walton. 2018. Biodiversity and ecology of lichens of Katmai and Lake Clark National Parks and Preserves, Alaska. *Mycosphere* 9(4): 859-930.
- McCune, B., U. Arup, O. Breuss, E. Di Meglio, J. Di Meglio, T. L. Esslinger, J. Miadlikowska, A. E. Miller, R. Rosentreter, M. Schultz, J. Sheard, T. Tønsberg & J. Walton. 2020. Biodiversity and ecology of lichens of Kenai Fjords National Park, Alaska. *Plant and Fungal Systematics* 65(2): 586-619.
- McCune, B., F. Camacho & J. Ponzetti. 2002. Three new species of *Trapeliopsis* on soil in western North America. *The Bryologist* 105: 78-85.
- McCune, B. & M. J. Curtis. 2012. *Umbilicaria semitensis* (lichenized fungi: Umbilicariaceae) resurrected. *The Bryologist* 115(2): 255-264.
- McCune, B., M. J. Curtis & J. Di Meglio. 2017. New taxa and a case of ephemeral spore production in Lecideaceae from western North America. *The Bryologist* 120(2): 115-124.
- McCune, B., E. Di Meglio, T. Tønsberg & R. Yahr. 2019. Five new crustose *Stereocaulon* species in western North America. *The Bryologist* 122(2): 197-218.
- McCune, B. & J. Di Meglio. 2021. Revision of the *Aspicilia reptans* group in western North America, an important component of soil biocrusts. *Monographs in North American Lichenology*, Vol. 5 (Northwest Lichenologists), pp. i-iv + 1-92.
- McCune, B., J. Di Meglio & M. J. Curtis. 2014a. An unusual ascospore shape and a new species, *Umbilicaria nodulospora* (Umbilicariaceae), from California and Oregon. *The Bryologist* 117(2): 170-178.
- McCune, B., E. A. Holt, P. N. Neitlich, T. Ahti & R. Rosentreter 2009. Macrolichen diversity in Noatak National Preserve, Alaska. *North American Fungi* 4(4): 1-22.
- McCune, B. & H. T. Lumbsch. 2017. *Lambiella arenosa*, a new species from the coastal Oregon dunes. *The Bryologist* 120(3): 329-334.
- McCune, B. & J. Ponzetti. 2005. *Cercidospora soror* and *Rhizocarpon malenconianum* from North America. *Evansia* 22: 6-12.
- McCune, B. & R. Rosentreter. 1997. *Hypogymnia subphysodes* new to North America. *Evansia* 14: 106.
- McCune, B. & R. Rosentreter. 2007. Biotic Soil Crust Lichens of the Columbia Basin. *Monographs in North American Lichenology*. Volume 1. Northwest Lichenologists, Ltd., Corvallis. 105 pp.

- McCune, B. & R. Rosentreter. 2014. New lichen records from Oregon to Alaska in North America. *Evansia* 31(1): 1-7.
- McCune, B., R. Rosentreter & a Debolt. 1997. Biogeography of rare lichens from the coast of Oregon, pp. 234-241. In T. N. Kaye, A. Liston, R. M. Love, D. L. Luoma, R. J. Meinke & M. V. Wilson (eds.), *Conservation and Management of Native Plants and Fungi*. Native Plant Society of Oregon, Corvallis.
- McCune, B., R. Rosentreter, T. Spribile, O. Breuss & T. Wheeler. 2014b. *Montana Lichens: An Annotated List*. Monographs in North American Lichenology 2: 1-183. Northwest Lichenologists, Corvallis, Oregon.
- McCune, B. & C. Schoch. 2009. *Hypogymnia minilobata* (Parmeliaceae), a new lichen from coastal California. *The Bryologist* 112: 94-100.
- McCune, B., C. Schoch, H. T. Root, S. A. Kageyama & J. Miadlikowska. 2011. Geographic, climatic, and chemical differentiation in the *Hypogymnia imshaugii* species complex (Lecanoromycetes, Parmeliaceae) in North America. *The Bryologist* 114(3): 526-544.
- McCune, B. & D. Stone. 2020. *Gregorella*, a cyanobacterial pioneer on soil, new to North America. *Evansia* 37(1): 15-19.
- McCune, B. & J. Stone. 2009. *Leightoniomyces phillipsii*, a synnematosus soil-dwelling hyphomycete new to North America. *North American Fungi* 4(5):1-4.
- McCune, B., E. Timdal & M. Bendiksby. 2016. *Rhizocarpon quinonum*, a new anthraquinone-containing species from the Alaska Peninsula. *Lichenologist* 48(5): 367-375.
- McDonald, T., J. Miadlikowska & F. Lutzoni. 2003. The lichen genus *Sticta* in the Great Smoky Mountains: a phylogenetic study of morphological, chemical, and molecular data. *The Bryologist* 106: 61-79.
- McMullin, R. T. 2018. New and interesting lichens and allied fungi from British Columbia, Nova Scotia, Nunavut, Ontario, Prince Edward Island, and Quebec, Canada. *Opuscula Philolichenum* 17: 275-292.
- McMullin, R. T., J. Gagnon, F. Anderson, W. R. Buck, S. R. Clayden, B. C. Dorin, A. Fryday, J. G. Guccion, R. C. Harris, J. Hinds, C. Isabel, D. Ladd, E. Lay, J. C. Lendemer, J. R. Maloles, C. Roy, & D. P. Waters. 2017. One hundred new provincial, national, and continental lichen and allied fungi records from Parc National de la Gaspésie, Québec, Canada. *Northeastern Naturalist* 24(4): 446-466.
- McMullin, R. T. & J. C. Lendemer. 2013. Lichen biodiversity and conservation status in the Copeland Forest Resources Management Area: a lichen-rich second-growth forest in southern Ontario. *Canadian Field-Naturalist* 127: 240-254.
- McMullin, R. T. & J. C. Lendemer. 2016. *Megalaria allenae* (Ramalinaceae), a new sorediate species from southeastern North America previously confused with *M. pulvrea*. *The Bryologist* 119(3): 290-297.
- McMullin, R. T., J. C. Lendemer, H. E. Braid & S. G. Newmaster. 2016. Molecular insights into the lichen genus *Alectoria* (Parmeliaceae) in North America. *Botany* 94: 165-175.
- McMullin, R. T., J. R. Maloles, S. B. Selva & S. G. Newmaster. 2018. A synopsis of *Chaenotheca* in North America, including a new species from southern Ontario, *C. selvae*, supported by morphometric analyses. *Botany* 96: 547-553.

- McMullin, R. T., B. McCune & J. C. Lendemer. 2020. *Bacidia gigantensis* (Ramalinaceae), a new species with homosekikaic acid from the north shore of Lake Superior in Ontario, Canada. *The Bryologist* 123(2): 215-224.
- McMullin, R. T., S. B. Selva, J. R. Maloles & S. G. Newmaster. 2012. *Calicium denigratum* (Vain.) Tibell, a new lichen record for North America. *North American Fungi* 7(11): 1-5.
- Merrill, G. K. 1909. Lichen notes no. 14. Three new forms of *Calicium*. *Bryologist* 12: 107-108.
- Messuti, M. I. & H. T. Lumbsch. 2000. A revision of the genus *Ochrolechia* in southern South America. *Bibliotheca Lichenologica* 75: 33-46.
- Miądlikowska, J. et al. (31 co-authors). 2014a. A multigene phylogenetic synthesis for the class Lecanoromycetes (Ascomycota): 1307 fungi representing 1139 infrageneric taxa, 317 genera and 66 families. *Molecular Phylogenetics and Evolution* 79: 132-168.
- Miądlikowska, J. & F. Lutzoni. 2000. Phylogenetic revision of the genus *Peltigera* (lichen-forming Ascomycota) based on morphological, chemical, and large subunit nuclear ribosomal DNA data. *International Journal of Plant Science* 161: 925-958.
- Miądlikowska, J., B. McCune & F. Lutzoni. 2002. *Pseudocyphellaria perpetua*, a new lichen from western North America. *The Bryologist* 105: 1-10.
- Miądlikowska, J., D. Richardson, N. Magain, B. Ball, F. Anderson, R. Cameron, J. Lendemer, C. Truong & F. Lutzoni. 2014b. Phylogenetic placement, species delimitation, and cyanobiont identity of endangered aquatic *Peltigera* species (lichen-forming Ascomycota, lecanoromycetes). *American Journal of Botany* 101(7): 1141-1156.
- Miądlikowska, J., C. L. Schoch, S. A. Kageyama, K. Molnar, F. Lutzoni & B. McCune. 2011. *Hypogymnia* phylogeny, including *Cavernularia*, reveals biogeographic structure. *The Bryologist* 114(2): 392-400.
- Michlig, S. A. & L. I. Ferraro. 2010. The first record of *Parmotrema pseudocrinitum* (Parmeliaceae, lichenized Ascomycota) in South America. *Mycotaxon* 112: 275-282.
- Millanes, A. M., P. Diederich & M. Wedin. 2016. *Cyphobasidium* gen. nov., a new lichen-inhabiting lineage in the Cystobasidiomycetes (Pucciniomycotina, Basidiomycota, Fungi). *Fungal Biology* 120(11): 1468-1477.
- Millanes, A. M., P. Diederich, M. Westberg & M. Wedin. 2016. Three new species in the *Biatoropsis usnearum* complex. *Herzogia* 29: 337-354.
- Millanes, A. M., M. Westberg, M. Wedin & P. Diederich. 2012. *Tremella diploschistina* (Tremellales, Basidiomycota, Fungi), a new lichenicolous species growing on *Diploschistes*. *Lichenologist* 44(3): 321-332.
- Miller, N. G., A. M. Fryday & J. W. Hinds. 2005. Bryophytes and lichens of a calcium-rich spring seep isolated on the granitic terrain of Mt. Katahdin, Maine, U.S.A. *Rhodora* 107: 339-358.
- Moberg, R. 1995. The lichen genus *Phaeophyscia* in China and Russian Far East. *Nordic Journal of Botany* 15: 319-335.
- Moberg, R. 1997. The lichen genus *Physcia* in the Sonoran Desert and adjacent regions, pp. 163-186. In L. Tibell & I. Hedberg (eds.), *Lichen Studies Dedicated to Rolf Santesson*. *Symbolae Botanicae Upsalienses* 32. Acta Universitatis Upsaliensis, Uppsala.
- Moberg, R. 2011. The lichen genus *Heterodermia* (Physciaceae) in South America – a contribution including five new species. *Nordic Journal of Botany* 29 : 129-147.

- Moberg, R. & G. Carlin. 1996. The genus *Placopsis* (Trapeliaceae) in Norden. *Symbolae Botanicae Upsalienses* 31: 319-325.
- Moberg, R. & T. H. Nash III. 1999. The genus *Heterodermia* in the Sonoran Desert area. *The Bryologist* 102: 1-14.
- Moe, R. 1997. *Verrucaria tavaresiae* sp. nov. *Bulletin of the California Lichen Society* 4: 7-11.
- Mohr, C. 1901. Plant life of Alabama. Contributions from the U.S. National Herbarium, vol. 6, 921 pp.
- Molina, M. C., A. Crespo, O. Blanco, N. Hladun & D. L. Hawksworth. 2002. Molecular phylogeny and status of *Diploicia* and *Diplotomma*, with observations on *Diploicia subcanescens* and *Diplotomma rivas-martinezii*. *Lichenologist* 34: 509-519.
- Molina, M. C., R. Del-Prado, P. K. Divakar, D. Sánchez-Mata & A. Crespo. 2011. Another example of cryptic diversity in lichen-forming fungi: The new species *Parmelia mayi* (Ascomycota: Parmeliaceae). *Organisms Diversity and Evolution* 11(5): 331-342.
- Molina, M. C., P. K. Divakar, T. Goward, A. M. Millanes, H. T. Lumbsch & A. Crespo. 2016. Neogene diversification in the temperate lichen-forming fungal genus *Parmelia* (Parmeliaceae, Ascomycota). *Systematics and Biodiversity*, 2016, 1-16.
- Moncada, B., R. Lücking & L. Betancourt-Macuase. 2013. Phylogeny of the *Lobariaceae* (lichenized Ascomycota: *Peltigerales*), with a reappraisal of the genus *Lobariella*. *Lichenologist* 45 (2): 203-263.
- Moncada, B., B. Reidy & R. Lücking. 2014. A phylogenetic revision of Hawaiian *Pseudocyphellaria* sensu lato (lichenized Ascomycota: Lobariaceae) reveals eight new species and a high degree of inferred endemism. *The Bryologist* 117(2): 119-160.
- Morse, C. A. 2013. A new lichenicolous *Enterographa* (Arthoniales, Roccellaceae) from central North America. *Opuscula Philolichenenum* 12: 233-240.
- Morse, C. A. 2016. Two new species of *Thelenella* and new reports from the Great Plains of central North America, with a worldwide key to the genus. *Opuscula Philolichenenum* 15: 22-36.
- Morse, C. A. & D. Ladd. 2013. A new species of *Fellhanera* (lichenized Ascomycota: Pilocarpaceae) from central North America. *Lichenologist* 45(3). 341-346.
- Morse, C. A. & D. Ladd. 2015. *Lichenes Exsiccati Magnicamporum* Fascicle 1, with comments on selected taxa. *Opuscula Philolichenenum* 14: 66-81.
- Morse, C. A. & D. Ladd. 2016. *Lecanora inaurata*, a new member of the the *L. subfuscum* group from central North America. *Lichenologist* 48(5): 377-385.
- Morse, C. A. & D. Ladd. 2019. *Staurothele nemorum* sp. nov. (Ascomycota: Verrucariaceae), with a revised key to North American *Staurothele* s. lat. *Lichenologist* 51(6): 495-506.
- Morse, C. A. & D. Ladd. 2021. A new species of *Reichlingia* (Arthoniaceae) from the grasslands of central North America. *The Bryologist* 124(1): 33-38.
- Morse, C. A. & J. C. Lendemer. 2019. A new *Biatoridium* from eastern North America, with comments on the disposition of species of *Biatorella* sensu Magnusson. *The Bryologist* 122(1): 1-9.
- Morse, C. A. & J. W. Sheard. 2020. *Rinodina lecideopsis* (Teloschistales, Physciaceae) a new endemic species from the central United States related to *R. bischoffii*. *The Bryologist* 123(1): 31-38.

- Motiejūnaitė, J., M. P. Zhurbenko, A. Suija & G. Kantvilas. 2019. Lichenicolous ascomycetes on *Siphula*-like lichens, with a key to the species. *Lichenologist* 51(1): 45-73.
- Muggia, L., C. Gueidan & M. Grube. 2010. Phylogenetic placement of some morphologically unusual members of Verrucariales. *Mycologia* 102: 835-846.
- Muggia, L., J. Kocourková & K. Knudsen. 2015. Disentangling the complex of *Lichenothelia* species from rock communities in the desert. *Mycologia* 107(6): 1233-1253.
- Muggia, L., P. Nelson, T. Wheeler, L. S. Yakovchenko, T. Tønsberg & T. Spribille 2011: Convergent evolution of a symbiotic duet: The case of the lichen genus *Polychidium* (Peltigerales, Ascomycota). *American Journal of Botany* 98(10): 1647-1656.
- Muscavitch, Z. M. & J. C. Lendemer. 2016. A new species of *Acanthothecis* (Ostropales), highlights subtropical floristic elements of the southern Appalachian lichen biota in eastern North America. *The Bryologist* 119(4): 350-360.
- Muscavitch, Z. M., J. C. Lendemer & R. C. Harris. 2017a. A review of the lichen genus *Phlyctis* in North America (Phlyctidaceae) including the description of a new widespread saxicolous species from eastern North America. *The Bryologist* 120(4): 388-417.
- Muscavitch, Z. M., J. C. Lendemer & R. C. Harris. 2017b. A synopsis of the lichenicolous fungi occurring on *Phlyctis* including description of a new *Monodictys* widespread on *P. speirea*. *The Bryologist* 120(4): 418-426.
- Mylllys, L., S. Velmala, H. Holien, P. Halonen, L. Wang & T. Goward. 2011. Phylogeny of the genus *Bryoria*. *Lichenologist* 43(6): 617-638.
- Mylllys, L., S. Velmala, H. Lindgren, D. Glavich, T. Carlberg, L. Wang & T. Goward. 2014. Taxonomic delimitation of the genera *Bryoria* and *Sulcaria*, with a new combination *Sulcaria spiralisfera* introduced. *Lichenologist* 46(6): 737-752.
- Mylllys, L., S. Velmala, R. Pino-Bodas & T. Goward. 2016. New species in *Bryoria* (Parmeliaceae, Lecanoromycetes) from north-west North America. *Lichenologist* 48(5): 355-365.
- Nadyeina, O., M. Grube & H. Mayrhofer. 2010. A contribution to the taxonomy of the genus *Rinodina* (Physciaceae, lichenized Ascomycotina) using combined ITS and mtSSU rDNA data. *Lichenologist* 42: 521-531.
- Nash, T. H., III. 2002. Previously reported but currently excluded species from the Greater Sonoran Desert Region, pp. 509-510. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Nash, T. H., III & J. A. Elix. 2004. *Xanthoparmelia*, pp. 566-604. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Nash, T. H., III & H. Hertel. 1997. *Lecanora comoduensis* (Lecanorales: Lecanoraceae), a new species of lichenized fungi from the Sonoran Desert Region. *The Bryologist* 100: 377-379.
- Nash, T. H., III, C. Kainz, L. Zedd, B. D. Ryan & G. Rambold. 2004a. *Miriquidica*, pp. 361-363. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Nash, T. H., III, K. Kalb & G. Rambold. 2004b. *Tephromela*, pp. 530-532. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.

- Nash, T. H., III, B. D. Ryan, W. C. Davis, O. Breuss, J. Hafellner, H. T. Lumbsch, L. Tibell & T. Feuerer. 1998. Additions to the lichen flora of Arizona IV. *The Bryologist* 101: 93-99.
- Nash, T. H., III, H. G. M. Sipman & J. A. Elix. 2002. *Hypotrachyna*, pp. 238-251. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Navarro-Rosinés, P., V. Calatayud & J. Hafellner. 2004. *Cercidospora*, pp. 635-639. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Navarro-Rosinés, P. & J. Hafellner. 1996. *Lichenostigma elongata* spec. nov. (Dothideales), a lichenicolous ascomycete on *Lobothallia* and *Aspicilia* species. *Mycotaxon* 57: 211-225.
- Navarro-Rosinés, P. & J. Hafellner. 2004. *Cercidospora*, pp. 635-639, In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Navarro-Rosinés, P. & N. L. Hladun. 2004. *Sarcopyrenia*, pp. 690-691, In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Navarro-Rosinés, P., C. Roux & C. Gueidan. 2007. La generoj *Verrucula* kaj *Verruculopsis* (Verrucariaceae, Verrucariales). *Bulletin de la Société Linnéenne de Provence* 58: 133-180.
- Neily, T. & F. Anderson. 2010. *Leptogium hibernicum* Mitch. ex P. M. Jørg. discovered in North America. *Lichenologist* 42: 629.
- Nelsen, M. P., R. Lücking, C. J. Andrew, E. Rivas Plata, J. L. Chaves, M. E. S. Cáceres & N. Ventura. 2012. Dismantling *Herpothallon*: *Herpothallon antillarum* (Arthoniomycetes: Arthoniaceae) is a member of the genus *Diorygma* (Lecanoromycetes: Graphidaceae). *Bryologist* 115(2): 313-321.
- Nelsen, M. P., R. Lücking, M. E. S. Cáceres, A. Aptroot & H. T. Lumbsch. 2017. Assessing the phylogenetic placement and redundancy of Aspidotheliaceae (Ascomycota), an orphaned family of lichen-forming fungi. *Systematics and Biodiversity* 15(1): 63-73.
- Nelsen, M. P., R. Lücking, E. Rivas Plata & J. S. Mbatchou. 2010. *Heiomasia*, a new genus in the lichen-forming family Graphidaceae (Ascomycota: Lecanoromycetes: Ostropales) with disjunct distribution in Southeastern North America and Southeast Asia. *The Bryologist* 113: 742-751.
- Nelsen, M. P., A. Thell, S. D. Leavitt, C. J. Hampton-Miller & H. T. Lumbsch. 2013. A reappraisal of *Masonhalea* (Parmeliaceae, Lecanorales) based on molecular and morphological data. *Lichenologist* 45(6): 729-738.
- Nelson, P. R., R. Kepler, J. Walton, J. Fankhauser, L. Nelson & Wang Li Song. 2013. *Parmelina yalungana* resurrected and reported from Alaska, China and Russia. *The Bryologist* 115(4): 557-565.
- Nimis, P. L. & S. Martellos. 2003. A Second Checklist of the Lichens of Italy with a Thesaurus of Synonyms. Museo Regionale di Scienze Naturali Saint-Pierre - Valle d'Aosta. 192 pp.
- Nimis, P. L. & M. Tretiach. 1997. A revision of *Tornabea*, a genus of fruticose lichens new to North America. *The Bryologist* 100: 217-225.
- Nordin, A. 1996. *Buellia* species (Physciaceae) with pluriseptate spores in Norden. *Symb Botanicae Upsalienses* 31: 327-354.

- Nordin, A. 1999. *Buellia* species with pluriseptate spores: new and unrecorded species in North America. *The Bryologist* 102: 249-264.
- Nordin, A. 2000. Taxonomy and phylogeny of *Buellia* species with pluriseptate spores (Lecanorales, Ascomycotina). *Symbolae Botanicae Upsalienses* 33: 1-117.
- Nordin, A. 2002. *Collemopsidium angermannicum*, a widespread but rarely collected aquatic lichen. *Graphis Scripta* 13: 39-41.
- Nordin, A. 2004. New species in *Tetramelas*. *Lichenologist* 36: 355-359.
- Nordin, A., S. Savić & L. Tibell. 2010. Phylogeny and taxonomy of *Aspicilia* and Megasporaceae. *Mycologia* 102: 1339-1349.
- Nordin, A. & L. Tibell. 2005. Additional species in *Tetramelas*. *Lichenologist* 37: 491-498.
- Nordin, A., L. Tibell & B. Owe-Larsson. 2007. A preliminary phylogeny of *Aspicilia* in relation to morphological and secondary product variation. *Bibliotheca Lichenologica* 96: 247-266.
- Nordin, A., L. Tibell & B. Owe-Larsson. 2009. *Endocarpon moenium* belongs in Acarosporaceae. *Graphis Scripta* 21: 21-22.
- Nylander, W. 1891. *Sertum Lichenaeae Tropicae e Labuan et Singapore*. Paul Schmidt, Paris. 48 pp.
- Onut-Brännström, I., H. Johannesson & L. Tibell. 2018. *Thamnolia tundrae* sp. Nov., a cryptic species and putative glacial relict. *Lichenologist* 50(1): 59-75.
- Orange, A. 2004. *Verrucaria papillosa* is a synonym of *V. viridiula*. *Lichenologist* 36: 445-447.
- Orange, A. 2009. *Thelidium* A. Massal. (1855), pp. 879-883, In C. W. Smith et al., *The Lichens of Great Britain and Ireland*. British Lichen Society, London.
- Orange, A. 2012. Semi-cryptic marine species of *Hydropunctaria* (Verrucariaceae, lichenized Ascomycota) from north-west Europe. *Lichenologist* 44(3): 299-320.
- Oset, M. 2014. The lichen genus *Stereocaulon* (Schreb.) Hoffm. in Poland – a taxonomic and ecological study. *Monographiae Botanicae* 104. 81 pp. Polish Botanical Society, Warsaw, Poland.
- Otálora, M. A. G., I. Martínez, M. C. Molina, G. Aragón & F. Lutzoni 2008: Phylogenetic relationships and taxonomy of the *Leptogium lichenoides* group (Collemataceae, Ascomycota) in Europe. *Taxon* 57(3): 907-921.
- Otálora, M. A. G., P. M. Jørgensen & M. Wedin. 2014. A revised generic classification of the jelly lichens, *Collemataceae*. *Fungal Diversity* 64: 275-293.
- Owe-Larsson, B., A. Nordin & L. Tibell. 2007. *Aspicilia*, pp. 61-108. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens* Unlimited, Arizona State University, Tempe.
- Owe-Larsson, B., A. Nordin, L. Tibell & M. Sohrabi. 2011. *Circinaria arida* sp. nova and the '*Aspicilia desertorum*' complex. *Bibliotheca Lichenologica* 106: 235-246.
- Owe-Larsson, B. & B. D. Ryan. 2007. *Bellemerea*, pp. 110-112. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens* Unlimited, Arizona State University, Tempe.
- Palice, Z., C. Printzen, T. Spribille & J. A. Elix. 2011. Notes on the synonyms of *Lecanora filamentosa*. *Graphis Scripta* 23(1): 1-7.

- Pérez-Ortega, S. & T. Spribille. 2007. *Bellemerella ritae* sp. nov. (Verrucariaceae), a new lichenicolous ascomycete from northwest North America. *Nova Hedwigia* 85: 515-520.
- Pérez-Ortega, S. & T. Spribille. 2009a. *Lepraria torii*, a new epiphytic species with fumarprotocetraric acid from northwest North America. *Graphis Scripta* 21(2): 36-41.
- Pérez-Ortega, S. & T. Spribille. 2009b. Three new species of *Lichenopeltella* (Microthyriaceae, Ascomycota) from northwest North America. *Nova Hedwigia* 89: 219-228.
- Pérez-Ortega, S., J. Etayo & T. Spribille. 2011. A new species of *Llimoniella* (Ascomycota, Helotiales) on *Ramboldia cinnabarinina* from Alaska. *Lichenologist* 43(4): 363-366.
- Pérez-Ortega, S., T. Spribille, Z. Palice, J. A. Elix & C Printzen. 2010. A molecular phylogeny of the *Lecanora varia* group, including a new species from western North America. *Mycological Progress* 9(4): 523-535.
- Pérez-Vargas, I., C. Hernández Padrón, R. Arroyo & E. Seriñá. 2010. *Usnea brasiliensis* (Zahlbr.) Motyka (Parmeliaceae), a new amphi-Atlantic disjunct lichen species. *The Bryologist* 113: 308-312.
- Perlmutter, G. B. 2006. *Flakea papillata* in North America. *The Bryologist* 109: 566-569.
- Perlmutter, G. B., G. B. Blank & E. Rivas Plata. 2017. Checklists of corticolous lichenized and allied fungi collected in mixed forests of western Wake County, North Carolina, USA. *Evansia* 34 (1): 23-37.
- Perlmutter, G. B. & D. N. Greene. 2005. Corrections and additions to the North Carolina, USA lichen checklist. *Evansia* 22: 126-137.
- Perlmutter, G. B. & E. Rivas Plata. 2018. New combinations and notes on *Buellia* and *Rostania*. *Opuscula Philolichenum* 17: 319-321.
- Perlmutter, G. B. & E. Rivas Plata. 2020. *Lecanora (Aspicilia) albopruinosa* Looman is a synonym of *Circinaria contorta*. *Opuscula Philolichenum* 19: 168-171.
- Perlmutter, G. B., E. Rivas Plata, S. LaGreca, A. Aptroot, R. Lücking, A. Tehler & D. Ertz. 2020. *Iatoria akompsa* is revealed as a disjunct North American species of *Pentagenella* (Opegraphaceae) through molecular phylogenetic analysis and phenotype-based binning. *The Bryologist* 123(3): 502-516.
- Perlmutter, G. B., E. Rivas Plata & R. Lücking. 2018. Is *Stirtonia alba* in North America? Resolving a nomenclatural impasse and assessing the taxonomic status of the *Arthonia alba* complex. *The Bryologist* 121: 80-86.
- Perlmutter, G. B., S. C. Tucker, E. Rivas Plata, P. Clerc & R. Lücking. 2015. *Melaspilea demissa* (Tuck.) Zahlbr. (lichenized Ascomycota) in eastern North America with a key to North American species of *Melaspilea* s. lat. *Lichenologist* 47(3): 167-182.
- Peterson, E. B. 2021. *Stenocybe procrastinata* (Mycocaliciaceae), a new calicioid fungus on *Cercocarpus* in western North America. *Opuscula Philolichenum* 20: 37-43.
- Peterson, E. B. & T. Goward. 2016. *Chaenothecopsis aeruginosa* sp. nov., an overlooked Calicioid in the Pacific Northwest of North America. *Herzogia* 29(2): 561-565.
- Peterson, E. B. & J. Rikkinen. 1998. *Stenocybe fragmenta*, a new species of Mycocaliciaceae with fragmenting spores. *Mycologia* 90: 1087-1090.
- Peterson, E. B. & J. Rikkinen. 1999. Range extensions of selected pin-lichens and allied fungi in the Pacific Northwest. *The Bryologist* 102: 370-376.

- Piercey-Normore, M., T. Ahti & T. Goward. 2010. Phylogenetic and haplotype analyses of four segregates within *Cladonia arbuscula* s.l. *Botany* 88: 397-408.
- Pino-Bodas, R., T. Ahti & A. R. Burgaz. 2014. *Cladonia islandica* (Cladoniaceae, Ascomycota) a species newly discovered in Spain, Alaska and Canada. *Botanica Complutensis* 38: 25-27.
- Pino-Bodas, R., T. Ahti, S. Stenroos, M. P. Martín & A. R. Burgaz. 2012. *Cladonia conista* and *C. humilis* (Cladoniaceae) are different species. *Bibliotheca Lichenologica* 108: 161-176.
- Pino-Bodas, R., T. Ahti, S. Stenroos, M. P. Martín & A. R. Burgaz. 2013. Multilocus approach to species recognition in the *Cladonia humilis* complex. *American Journal of Botany* 100(4): 664-678.
- Pino-Bodas, R., A. R. Burgaz & M. P. Martín. 2010. Elucidating the taxonomic rank of *Cladonia subulata* versus *C. rei* (Cladoniaceae). *Mycotaxon* 113: 311-326.
- Pino-Bodas, R., M. P. Zhurbenko & S. Stenroos. 2017. Phylogenetic placement within Lecanoromycetes of lichenicolous fungi associated with *Cladonia* and some other genera. *Persoonia* 39: 91-117.
- Ponzetti, J. & B. McCune. 2006. A new species of *Bactrospora* from northwestern North America. *The Bryologist* 109: 85-88.
- Prieto, M., I. Martínez, G. Aragón, C. Gueidan & F. Lutzoni. 2012. Molecular phylogeny of *Heteroplacidium*, *Placidium* and related catapyrenioid genera (Verrucariaceae, lichen-forming Ascomycota). *American Journal of Botany* 99(1): 23-35.
- Prieto, M. & M. Wedin. 2017. Phylogeny, taxonomy and diversification events in the Caliciaceae. *Fungal Diversity* 82: 221-238.
- Printzen, C. 1995. Die Flechtengattung *Biatora* in Europa. *Bibliotheca Lichenologica* 60: 1-275.
- Printzen, C. 1999. *Japewiella* gen. nov., a new lichen genus and a new species from Mexico. *The Bryologist* 102: 714-719.
- Printzen, C. 2001. Corticolous and lignicolous species of *Lecanora* (Lecanoraceae, Lecanorales) with usnic or isousnic acid in the Sonoran Desert Region. *The Bryologist* 104: 382-409.
- Printzen, C. 2004. *Biatora*, pp. 37-39. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Printzen, C. 2007. New records of *Cheiromycina* species, a genus of lichenized hyphomycetes, with *C. reimieri* sp. nov. and a revised key to the species. *Nova Hedwigia* 84(1-2): 261-267.
- Printzen, C. 2014. A molecular phylogeny of the lichen genus *Biatora* including some morphologically similar species. *Lichenologist* 46(3): 441-453.
- Printzen, C., J. P. Halda, J. W. McCarthy, Z. Palice, P. Rodriguez-Flakus, G. Thor, T. T. J. P. Halda, J. W. McCarthy, Z. Palice, P. Rodriguez-Flakus, G. Thor, T. Tønsberg & J. Vondrák. 2014. Five new species of *Biatora* from four continents. *Herzogia* 29(2): 566-585.
- Printzen, C. & G. Kantvilas. 2004. *Hertelidea*, genus novum Stereocaulacearum (Ascomycetes lichenisati). *Bibliotheca Lichenologica* 88: 539-553.
- Printzen, C. & P. May. 2002. *Lecanora ramulicola* (Lecanoraceae, Lecanorales), an overlooked lichen species from the *Lecanora symmicta* group. *The Bryologist* 105: 63-69.

- Printzen, C. & B. McCune. 2004. *Trapeliopsis*, pp. 538-541. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Printzen, C. & V. Otte. 2005. *Biatora longispora*, new to Europe, and a revised key to European and Macaronesian *Biatora* species. *Graphis Scripta* 17: 56-61.
- Printzen, C., T. Stribille & T. Tønsberg. 2008. *Myochroidea*, a new genus of corticolous, crustose lichens to accommodate the *Lecidea leprosula* group. *Lichenologist* 40: 195-207
- Printzen, C. & T. Tønsberg. 1999. The lichen genus *Biatora* in northwestern North America. *The Bryologist* 102: 692-713.
- Printzen, C. & T. Tønsberg. 2003. Four new species and three new apothecial pigments of *Biatora*. *Bibliotheca Lichenologica* 86: 133-145.
- Printzen, C. & T. Tønsberg. 2004. New and interesting *Biatora*-species, mainly from North America. *Symbolae Botanicae Upsalienses* 8: 343-357.
- Printzen, C. & T. Tønsberg. 2007. *Bacidia lobaria* (Bacidiaceae, Lecanorales) sp. nov., a sorediate lichen from the southeastern U.S.A. *The Bryologist* 110: 487-489.
- Printzen, C., T. Tønsberg & Z. Palice. 2002. *Biatora aegrefaciens*, rare but widespread. *Graphis Scripta* 13: 37-38.
- Purvis, O. W., P.-M. Jørgensen & P. W. James. 1995. The lichen genus *Thelotrema* Ach. in Europe. *Bibliotheca Lichenologica* 58: 335-360.
- Qian, H. & K. Klinka. 1998. Plants of British Columbia. UBC Press, Vancouver, 534 pp.
- Raithelhuber, J. 1983. Über die Nomenklatur einiger Argentinischer Blätterpilze. *Metrodiana Sonderheft* 2: 1-24.
- Rajvanshi, V., L. L. St. Clair, B. L. Webb & C. C. Newberry. 1998. The terricolous lichen flora of the San Rafael Swell, Emery County, Utah, U.S.A, pp. 399-406. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd., Ithaca, New York.
- Rambold, G. 1989. A Monograph of the Saxicolous Lecideoid Lichens of Australia (Excl. Tasmania). *Bibliotheca Lichenologica* 34: 1-345.
- Rambold, G. & D. Triebel. 1990. *Gelatinopsis*, *Geltingia* and *Phaeopyxis*: three helotialean genera with lichenicolous species. Notes from the Royal Botanic Garden Edinburgh 46: 375-389.
- Rambold, G. & D. Triebel. 1992: The Inter-lecanoralean Associations. *Bibliotheca Lichenologica* 48: 1-201.
- Randlane, T., A. Saag, A. Thell & T. Ahti. 2013. Third world list of cetrarioid lichens. Ver. January 20, 2013. <http://esamba.bo.bg.ut.ee/checklist/cetrarioid>
- Réblová, M., W. A. Untereiner & K. Réblová. 2013. Novel evolutionary lineages revealed in the Chaetothyriales (Fungi) based on multigene phylogenetic analyses and comparison of ITS secondary structure. *PLoS ONE* 8(5): 1-28.
- Redhead, S. A., F. Lutzoni, J.-M. Moncalvo & R. Vilgalys. 2002. Phylogeny of agarics: partial systematics solutions for core omphaloid genera in the Agaricales (Euagarics). *Mycotaxon* 83: 19-57.
- Reese Naesborg, R. 2010. Taxonomic revision of the *Lecania cyrtella* group based on molecular and morphological evidence. *Mycologia* 100: 397-416.

- Reese Naesborg, R., E. B. Peterson & L. Tibell. 2018. *Chaenotheca longispora* (Coniocybaceae), a new lichen from coast redwood trees in California, U.S.A. *The Bryologist* 122(1): 31-37.
- Resl, P., H. Mayrhofer, S. R. Clayden, T. Spribille, G. Thor, T. Tönsberg & J. W. Sheard. 2016. Morphological, chemical and species delimitation analyses provide new taxonomic insights into two groups of *Rinodina*. *Lichenologist* 48(5): 469-488.
- Resl, P., K. Schneider, M. Westberg, C. Printzen, Z. Palice, G. Thor, A. Fryday, H. Mayrhofer & T. Spribille. 2015. Diagnostics for a troubled backbone: testing topological hypotheses of trapeloid lichenized fungi in a large-scale phylogeny of Ostropomycetidae (Lecanoromycetes). *Fungal Diversity* 73: 239-258.
- Richardson, D. H. S., Z. Lucas & F. Anderson. 2010. The lichen flora of Sable Island, Nova Scotia: its past, present and likely future statusfull access. *The Bryologist* 112: 558-571.
- Rico, V. J., V. Calatayud & M. Giralt. 2003. *Buellia tesserata* and *Dimelaena radiata*, two closely related species. *Lichenologist* 35: 117-124.
- Rikkinen, J. 1998. *Chaenotheca olivaceorufa* (Caliciales) new to North America. *The Bryologist* 101: 558-559.
- Rikkinen, J. 1999. Two new species of resinicolous *Chaenothecopsis* (Mycocaliciaceae) from western North America. *The Bryologist* 102: 366-369.
- Rikkinen, J. 2003a. *Chaenothecopsis nigripunctata*, a remarkable new species of resinicolous Mycocaliciaceae from western North America. *Mycologia* 95(1): 98-103.
- Rikkinen, J. 2003b. New resinicolous ascomycetes from beaver scars in western North America. *Annales Botanici Fennici* 40: 443-450.
- Rivas Plata, E., R. Lücking & H. T. Lumbsch. 2012. Molecular phylogeny and systematics of the *Ocellularia* clade (Ascomycotga: Ostropales: Graphidaceae). *Taxon* 61(6): 1161-1179.
- Rodrigues, A. S., L. S. Canêz & A. P. Lorenz. 2021. *Canoparmelia amazonica*, *Myelochroa lindmanii* and *Parmelinella salacinifera* belong to *Parmelinella* (Parmeliaceae). *The Bryologist* 124(3): 352-361.
- Rodriguez Flakus, P. & C. Printzen. 2014. *Palicella*, a new genus of lichenized fungi and its phylogenetic position within Lecanoraceae. *Lichenologist* 46(4): 535-552.
- Roemer, J., T. H. Nash III, H. T. Lumbsch & M. I. Messuti. 2004. *Ochrolechia*, pp. 381-387. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Rosentreter, R. 1998. Notes on *Aspicilia reptans* complex, with descriptions of two new species, pp. 163-170. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd., Ithaca, New York.
- Ryan, B. D. 2004a. *Lignoscripta*, pp. 350-351. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ryan, B. D. 2004b. *Xylographa*, pp. 612-616. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.

- Ryan, B. D. & H. T. Lumbsch. 2007. *Topelia*, p. 398. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Ryan, B. D., H. T. Lumbsch, M. I. Messuti, C. Printzen, L. Śliwa & T. H. Nash III. 2004. *Lecanora*, pp. 176-286. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ryan, B. D. & T. H. Nash III. 1991. *Lecanora* Sect. *Petrasterion* (lichenized Ascomycotina) in North America: Notes on the *L. novomexicana* complex (Subsect. *Pseudocorticatae*). *Mycotaxon* 41(1): 57-65.
- Ryan, B. D. & T. H. Nash III. 1997a. Placodiod taxa of Lecanoraceae sensu Zahlbr. (lichenized Ascomycotina) in North America: taxa excluded from *Lecanora* subg. *Placodium*. *Nova Hedwigia* 64: 393-420.
- Ryan, B. D. & T. H. Nash III. 1997b. Systematics of *Lecanora* subgenus *Placodium* (lichenized Ascomycotina) in North America: an overview, with keys. *Nova Hedwigia* 64: 111-127.
- Ryan, B. D. & A. Tehler. 2004. *Lecanactis*, pp. 141-143, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- Ryan, B. D. & E. Timdal. 2002. *Solenopsora*, pp. 462-465. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Ryan, B. D. & E. Timdal 2011. Validation of two names in Solenopsora (Catillariaceae). *Bibliotheca Lichenologica* 106: 289-290.
- Saag, L., K. Mark, A. Saag & T. Rndlane. 2014. Species delimitation in the lichenized fungal genus *Vulpicida* (Parmeliaceae, Ascomycota) using gene concatenation and coalescent-based species tree approaches. *American Journal of Botany* 101(12): 2169-2182.
- Safranek, W. W. & R. Lücking. 2005. *Gyalectidium floridense*, a new foliicolous lichen from the southeastern United States. *The Bryologist* 108: 295-297.
- Sanders, W. B. & A. de los Ríos. 2015. Structure and in situ development of the microlichen *Gyalectidium paolae* (Gomphillaceae, Ascomycota), an overlooked colonist on palm leaves in southwest Florida. *American Journal of Botany* 102(9): 1403-1412.
- Sanders, W. B. & R. Lücking. 2015. Three new species of foliicolous Gomphillaceae (lichen-forming ascomycetes) from southern Florida. *The Bryologist* 118(2): 170-177.
- Santesson, R. 1993. The Lichens and Lichenicolous Fungi of Sweden and Norway. SBT-förlaget, Lund. 240 pp.
- Santesson, R., R. Moberg, A. Nordin, T. Tønsberg & O. Vitikainen 2004. Lichen-forming and Lichenicolous Fungi of Fennoscandia. Museum of Evolution, Uppsala University, Uppsala, Sweden. 359 pp.
- Savić, S. & L. Tibell. 2008. The lichen genus *Henrica* (Verrucariaceae, Eurotiomycetes) in northern Europe. *Nordic Journal of Botany* 26: 237-247. Savić, S. & L. Tibell. 2009. Taxonomy and species delimitation in *Sporodictyon* (Verrucariaceae) in Northern Europe and the adjacent Arctic - reconciling molecular and morphological data. *Taxon* 58: 585-605.

- Schmitt, I., J. D. Fankhauser, K. Sweeney, T. Spribille, K. Kalb & H. T. Lumbsch. 2010. Gyalectoid *Pertusaria* species form a sister-clade to *Coccotrema* (Ostropomycetidae, Ascomycota) and comprise the new lichen genus *Gyalectaria*. *Mycology* 1: 75-83.
- Schmitt, I., H. T. Lumbsch & C. Bratt. 2006. Two new brown-spored species of *Pertusaria* from southwestern North America. *Lichenologist* 38(5): 411-416.
- Schmitt, I., J. Otte, S. Parnmen, A. D. Sadowska-Deś, R. Lücking & H. T. Lumbsch. 2012. A new circumscription of the genus *Varicellaria* (Pertusariales, Ascomycota). *MycoKeys* 4: 23-36.
- Schmull, M., J. Miądlikowska, M. Pelzer, E. Stocker-Wörgötter, V. Hofstetter, E. Fraker, B. P. Hodkinson, V. Reeb, M. Kukwa, H. T. Lumbsch, F. Kauff & F. Lutzoni. 2011. Phylogenetic affiliations of members of the heterogeneous lichen-forming fungi of the genus *Lecidea* sensu Zahlbruckner (Lecanoromycetes, Ascomycota). *Mycologia* 103(5): 983-1003.
- Schmull, M. & T. Spribille. 2005. *Schaereria dolodes* (Nyl. ex Hasse) Schmull & T. Sprib.: a second corticolous species in the genus. *Lichenologist* 37: 527-533.
- Scholz, P. 1998. *Phacopsis doerfeltii*, sp. nov., and two other interesting lichenicolous fungi from Canada [*Phacopsis doerfeltii*, sp. nov., und zwei weitere bemerkenswerte lichenicole Pilze aus Kanada]. *Sauteria* 9: 37-42.
- Scholz, P. 2000. Katalog der Flechten und flechtenbewohnenden Pilze Deutschlands. *Schriftenreihe für Vegetationskunde* 31: 1-298.
- Schultz, M. 2002a. *Anema*, pp. 97-98. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2002b. *Digitothyrea*, pp. 171-173. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2002c. *Gloeohheppia*, pp. 202-203. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2002d. *Lemmopsis*, pp. 261-262. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2002e. *Stromatella*, pp. 475-476. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2002f. *Synalissa*, pp. 476-477. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Schultz, M. 2005. An overview of *Lichinella* in the southwestern United States and northwestern Mexico, and the new species *Lichinella granulosa*. *The Bryologist* 108: 567-590.
- Schultz, M. 2006. *Pterygiopsis cava* and *P. mutabilis* (Lichinaceae), two new species from southwestern United States and northwestern Mexico. *The Bryologist* 109: 68-79.
- Schultz, M. 2007a. *Leprocollema*, pp. 232-233. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Volume 3. Lichens Unlimited, Arizona State University, Tempe. Schultz, M. 2007b. On the identity of *Anema dodgei*, *Psorotrichia*

- segregata* and *Psorotichia squamulosa*, three misunderstood cyanolichens from the southwestern United States. *The Bryologist* 110: 286-294.
- Schultz, M. 2007c. *Psorotichia*, pp. 279-284. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Schultz, M. 2007d. *Pyrenopsis*, pp. 286-287. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Schultz, M. 2009. Chasing small cyanolichens. *Bulletin of the California Lichen Society* 16(2): 34-37.
- Schultz, M. & B. Büdel. 2005. *Phloeopeccania anemoides*, a new lichen species from Baja California Sur and Sinaloa, Mexico. *The Bryologist* 108: 520-525.
- Schultz, M., C. Printzen & C. Scheidegger. 2000. *Harpidium nashii* sp. nov., a new species and a genus new to North America. *The Bryologist* 103: 802-805.
- Seavey, F. 2009. *Cryptothecia evergladensis* sp. nov. (Arthoniaceae), a new lichen species from Everglades National Park, Florida. *Opuscula Philolichenum* 7: 49-54.
- Seavey, F. 2010. Rediscovery of *Cladonia cinerella* Ahti (Cladoniaceae) in Everglades National Park. *The Bryologist* 113: 739-741.
- Seavey, F. & J. Seavey. 2011. *Calopadia schomerae* (Pilocarpaceae), a new lichen from Everglades National Park. *Opuscula Philolichenum* 9: 39-43.
- Seavey, F. & J. Seavey. 2012. *Caloplaca lecanorae* (Teloschistaceae), a new lichenicolous lichen and several additions to the North American lichenized mycota from Everglades National Park. *Bryologist* 115(2): 322-328.
- Seavey, F. & J. Seavey. 2014a. Four new species and sixteen new lichen records for North America from Everglades National Park. *The Bryologist* 117(4): 395-404.
- Seavey, F. & J. Seavey. 2014b. New additions to the lichen genus *Enterographa* (Roccellaceae) from Everglades National Park including an updated key. *Lichenologist* 46(1): 83-93.
- Seavey, F. & J. Seavey. 2015. Three new *Stirtonia* from Everglades National Park with a key to neotropical species. *Lichenologist* 47(1): 1-7.
- Seavey, F., J. Seavey, J. Gagnon, J. Guccion, B. Kaminsky, J. Pearson, A. Podaril & B. Randall. 2017. The lichens of Dagny Johnson Key Largo Hammock Botanical State Park, Key Largo, Florida, USA. *Bulletin of the Florida Museum of Natural History* 53(5): 201-268.
- Seavey, F., J. Seavey, J. E. Hernández M. & R. Lücking. 2014. Three new *Opegrapha* species (Roccellaceae, Arthoniales) and several additions to the North American lichen mycota from Everglades National Park. *The Bryologist* 117(1): 62-71.
- Seaward, M. R. D., D. H. S. Richardson, I. M. Brodo, R. C. Harris, & D. L. Hawksworth. 2017. Checklist of lichen-forming, lichenicolous and allied fungi of Eagle Hill and its vicinity, Maine. *Northeastern Naturalist* 24: 349-379.
- Selva, S. B. 2004. *Coniocybe gracilescens* and species of *Sphinctrina* with 1-septate spores. *Symbolae Botanicae Upsalienses* 34: 19-23.
- Selva, S. B. 2010. New and interesting calicioid lichens and fungi from eastern North America. *The Bryologist* 113: 272-276.

- Selva, S. B. 2013. The calicioid lichens and fungi of the Acadian Forest ecoregion of northeastern North America, I. New species and range extensions. *The Bryologist* 116(3): 248-256.
- Selva, S. B. 2014. The calicioid lichens and fungi of the Acadian Forest ecoregion of northeastern North America, II. The rest of the story. *The Bryologist* 117(4): 336-367.
- Selva, S. B. & R. T. McMullin. 2020. An update of G. K. Merrill's 1909 "Lichen notes no. 14". *Mycotaxon* 135: 333-337.
- Selva, S. B. & L. Tibell. 1999. Lichenized and non-lichenized calicioid fungi from North America. *The Bryologist* 102: 377-397.
- Selva, S. B. & H. Tuovila. 2016. Two new resinicolous mycocalicioid fungi from the Acadian Forest: one new to science, the other new to North America. *The Bryologist* 119(4): 417-422.
- Sérusiaux, E., P. Diederich, A. M. Brand & P. van den Boom. 1999. New or interesting lichens and lichenicolous fungi from Belgium and Luxembourg. VIII [Lichens et champignons nouveaux ou intéressants pour la flore de la Belgique et du G.-D. de Luxembourg. VIII]. *Lejeunia* 162: 1-95.
- Sheard, J. W. 1995. Disjunct distributions of some North American, corticolous, vegetatively reproducing *Rinodina* species (Physciaceae, lichenized Ascomycetes) [Die disjunkte Verbreitung einiger nordamerikanischer corticoler, sich vegetativ verbreitender Arten der Gattung *Rinodina* (Physciaceae, lichenisierte Ascomyceten)]. *Herzogia* 11: 115-132.
- Sheard, J. W. 1998. *Rinodina riparia* (lichenized Ascomycetes, Physciaceae), a new corticolous species from North America, pp. 37-40. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana*: North American Lichenology in Honor of John W. Thomson. Mycotaxon Ltd., Ithaca, New York.
- Sheard, J. W. 2004. *Rinodina*, pp. 467-502. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Sheard, J. W. 2010. The lichen genus *Rinodina* (Ach.) Gray (Lecanoromycetidae, Physciaceae) in North America, North of Mexico. NRC Research Press, Ottawa, Ontario, Canada, 246 pp.
- Sheard, J. W. 2011. *Rinodina pityrea* recorded for the first time from North America. *Bibliotheca Lichenologica* 106: 291-295.
- Sheard, J. W. 2018. A synopsis and new key to the species of *Rinodina* (Ach.) Gray (Physciaceae, lichenized Ascomycetes) presently recognized in North America. *Herzogia* 31(1): 395-423.
- Sheard, J. W., K. Knudsen, H. Mayrhofer & C. A. Morse. 2011. Three new species of *Rinodina* (Physciaceae) and a new record from North America. *The Bryologist* 114(3): 453-465.
- Sheard, J. W., J. C. Lendemer, T. Spribille, G. Thor & T. Tønsberg. 2012. Further contributions to the genus *Rinodina* (Physciaceae, Lecanoromycetidae): two species new to science and a new record for the Canadian High Arctic. *Herzogia* 25 (2): 125-143.
- Sheard, J. W., J. C. Lendemer & E. A. Tripp. 2008. *Buellia japonica* (Physciaceae), a new lichen record for North America. *The Bryologist* 111(1): 124-127.
- Sheard, J. W. & P. F. May. 1997. A synopsis of the species of *Amandinea* (lichenized Ascomycetes, Physciaceae) as presently known in North America. *The Bryologist* 100: 159-169.
- Sheard, J. W. & H. Mayrhofer. 2002. New species of *Rinodina* (Physciaceae, lichenized Ascomycetes) from western North America. *The Bryologist* 105: 645-672.

- Sheard, J. W., B. McCune & T. Tønsberg. 2014. A new corticolous species of *Rinodina* (Physciaceae) and two interesting range extensions for species collected from Katmai National Park, Alaska. *The Bryologist* 117(3): 253-258.
- Sheard, J. W., A. K. Ezhkin, I. A. Galanina, D. Himelbrant, E. Kuznetsova, A. Shimizu, I. Stepanchikova, G. Thor, T. Tønsberg, L. S. Yakovchenko & T. Spribille. 2017. The lichen genus *Rinodina* (Physciaceae, Caliciales) in northeastern Asia. *Lichenologist* 49(6): 617-672.
- Shi, H., X. Wang, Y. Zhou, D. Liu, Y. Zhang, M. Yang, E. Timdal & L. Wang. 2018. Three new species and one new combination of *Gypsoplaca* (lichenized Ascomycota) from the Hengduan Mountains in China. *Mycological Progress* 17(7); 781-790.
- Sierk, H. A. 1964. The genus *Leptogium* in North America north of Mexico. *The Bryologist* 67: 245-317.
- Sierra, R. & E. A. Molinari-Novoa. 2020. *Neoechinodiscus*, a new name for *Echinodiscus* Etayo & Diederich (lichenicolous Helotiales). *Opuscula Philolichenum* 19: 172-173.
- Sikaroodi, M., J. D. Lawrey, D. L. Hawksworth & P. T. DePriest. 2001. The phylogenetic position of selected lichenicolous fungi: *Hobsonia*, *Illosporium*, and *Marchandiomyces*. *Mycological Research* 105: 453-460.
- Simon, A., T. Goward, J. Di Meglio, K. Dillman, T. Spribille, & B. Goffinet. 2018. *Sticta torii* sp. nov., a remarkable lichen of high conservation priority from northwestern North America. *Graphis Scripta* 30(6): 105-114.
- Simon, A., R. Lücking, B. Moncada, J. A. Mercado-Díaz, F. Bungartz, M. E. da Silva Cáceres, E. L. Gumboski, S. M. de Azevedo Martins, A. A. Spielmann, D. Parker & B. Goffinet. 2020. *Emmanuelia*, a new genus of lobarioid lichen-forming (Ascomycota: Peltigerales): phylogeny and synopsis of accepted species. *Plant and Fungal Systematics* 65(1): 76-94.
- Singh, G., A. Aptroot, V. J. Rico, J. Otte, P. K. Divakar, A. Crespo, M. da Silva Cáceres, H. T. Lumbsch, & I. Schmitt. 2018. *Neoprotoparmelia* gen. nov. and *Maronina* (Lecanorales, Protoparmelioidae): species description and generic delimitation using DNA barcodes and phenotypical characters. *MycoKeys* 44: 19-50.
- Śliwa, L. 2007a. *Lecanora semipallida*, the correct name for *L. xanthostoma*, and a reappraisal of *L. flotoviana* (Lecanoraceae, Ascomycotina). *Polish Botanical Journal* 52(1): 71-79. Śliwa, L. 2007b. A revision of the *Lecanora dispersa* complex in North America. *Polish Botanical Journal* 52(1): 1-70. Søchting, U. 2004. *Caloplaca kamczatica* and *C. obesimarginata* sp. nov, two species of temperate, Pacific North America. *Symbolae Botanicae Upsalienses* 34: 399-403.
- Søchting, U. & M. Olech. 1995. The lichen genus *Caloplaca* in polar regions. *Lichenologist* 27(6): 463-471.
- Smith, A. L. 1926: A monograph of the British Lichens. A descriptive catalogue of the species in the department of Botany, British Museum. British Museum Natural History, London. viii + 497 pp.
- Søchting, U., I. Kärnefelt & S. Kondratyuk. 2002. Revision of *Xanthomendoza* (Teloschistaceae, Lecanorales) based on morphology, anatomy, secondary metabolites and molecular data. *Mitteilungen aus dem Institut für Allgemeine Botanik in Hamburg* 30-32: 225-240.
- Søchting, U. & T. Tønsberg. 1997. *Caloplaca xanthostigmaoides* (Räs.) Zahlbr., a common lichen in cool regions of the northern hemisphere, pp. 247-253. In L. Tibell & I. Hedberg (eds.),

Lichen Studies Dedicated to Rolf Santesson. *Symbolae Botanicae Upsalienses* 32. Acta Universitatis Upsaliensis, Uppsala.

- Sohrabi, M., S. D. Leavitt, V. J. Rico, M. G. Halici, G. Shrestha & S. Stenroos. 2013a. *Teuvoa*, a new lichen genus in Megasporaceae (Ascomycota: Pertusariales), including *Teuvoa junipericola* sp. nov. *Lichenologist* 45(3): 347-360.
- Sohrabi, M., S. Stenroos, F. Högnabba, A. Nordin & B. Owe-Larsson. 2011. *Aspicilia rogeri* sp. nov. (Megasporaceae) and other allied vagrant species in North America. *The Bryologist* 114: 178-189.
- Sohrabi, M., S. Stenroos, L. Myllys, U. Sochting, T. Ahti & J. Hyvönen. 2013b. Phylogeny and taxonomy of the ‘manna lichens.’ *Mycological Progress* 12(2): 231-269.
- Šoun, J., J. Vondrák, U. Søchting, P. Hrouzek, A. Khodosovtsev & U. Arup. 2011. Taxonomy and phylogeny of the *Caloplaca cerina* group in Europe. *Lichenologist* 43: 113-135.
- Sparrius, L. B. 2004a. *Dirina calcicola*, a new lichen species from Florida, U.S.A. *The Bryologist* 107: 521-523.
- Sparrius, L. B. 2004b. A Monograph of *Enterographa* and *Sclerophyton*. *Bibliotheca Lichenologica* 89: 1-141.
- Sparrius, L. & C. R. Björk. 2008. *Enterographa oregonensis* (Roccellaceae), a new foliicolous species from the northwest coast of North America. *The Bryologist* 111(3): 487-489.
- Spjut, R. W. 1996. *Niebla* and *Vermilacinia* (Ramalinaceae) from California and Baja California. *Sida, Botanical Miscellany* 14: 1-208.
- Spribille, T. & C. R. Björk. 2008. New records and range extensions in the North American lignicolous lichen flora. *Mycotaxon* 105: 455-468.
- Spribille, T., C. R. Björk, S. Ekman, J. A. Elix, T. Goward, C. Printzen, T. Tønsberg, and T. Wheeler. 2009. Contributions to an epiphytic lichen flora of northwest North America: I. Eight new species from British Columbia inland rain forests. *The Bryologist* 112: 109-137.
- [Spribille, T., A. M. Fryday, S. Pérez-Ortega, M. Svensson, T. Tønsberg, S. Ekman, H. Holien, P. Resl, K. Schneider, E. Stabenheiner, H. Thüs, J. Vondrák & L. Sharman. 2020. Lichens and associated fungi from Glacier Bay National Park, Alaska. *Lichenologist* 52: 61-181.](#)
- Spribille, T., B. Goffinet, B. Klug, L. Muggia, W. Obermayer & H. Mayrhofer 2011a. Molecular support for the recognition of the *Mycoblastus fucatus* group as the new genus *Violella* (Tephromelataceae, Lecanorales). *Lichenologist* 43(5): 445-466.
- Spribille, T. & M. Hauck. 2003. *Pyrrhospora gowardiana*, a new montane lichen from western North America (Lecanoraceae, lichenized Ascomycetes). *The Bryologist* 106: 560-564.
- Spribille, T., P. M. Jørgensen, M. Schultz & I. Houde. 2007. *Santessonella saximontana*, a new lichen species from British Columbia. *Bibliotheca Lichenologica* 96: 287-297.
- Spribille, T., B. Klug & H. Mayrhofer. 2011b. A phylogenetic analysis of the boreal lichen *Mycoblastus sanguinarius* (Mycoblastaceae, lichenized Ascomycota) reveals cryptic clades correlated with fatty acid profiles. *Molecular Phylogenetics and Evolution* 59: 603-614.
- Spribille, T. & L. Muggia. 2013[2012]. Expanded taxon sampling disentangles evolutionary relationships and reveals a new family in Peltigerales (Lecanoromycetidae, Ascomycota). *Fungal Diversity* 58(1): 171-184.

- Spribille, T., S. Pérez-Ortega, T. Tønsberg, and D. Schirokauer. 2010. Lichens and lichenicolous fungi of the Klondike Gold Rush National Historic Park, Alaska, in a global biodiversity. *The Bryologist* 113: 439-515.
- Spribille, T. & C. Printzen. 2007. *Lecidea rubrocastanea*, a new lichen species from conifer bark and wood in interior western North America (Lecanorales, lichenized ascomycetes). *Lichenologist* 39: 339-347.
- Spribille, T., P. Resl, T. Ahti, S. Pérez-Ortega, T. Tønsberg, H. Mayrhofer & H. T. Lumbsch. 2014a. Molecular systematics of the wood-inhabiting, lichen-forming genus *Xylographa* (Baeomycetales, Ostropomycetidae) with eight new species. *Symbolae Botanicae Upsalienses* 37(1): 1-87.
- Spribille, T. & T. Tønsberg. 2007. *Mycoblastus marginatus*, a new synonym for *M. affinis* (Mycoblastaceae, lichenized Ascomycota). *Mycotaxon* 100: 105-107.
- Spribille, T., T. Tønsberg, E. Stabentheiner & L. Muggia. 2014b. Reassessing evolutionary relationships in the filamentous cyanolichen genus *Spilonema* (Peltigerales, Lecanoromycetes). *Lichenologist* 46(3): 373-388.
- Staiger, B. 2002. Die Flechtenfamilie Graphidaceae. Studien in Richtung einer natürlicheren Gliederung. *Bibliotheca Lichenologica* 85: 1-526.
- Staiger, B. & K. Kalb. 1995. *Haematomma*-studien. I. Die Flechtengattung *Haematomma*. *Bibliotheca Lichenologica* 59: 1-198.
- Staiger, B. & K. Kalb. 1999. *Acanthothecis* and other graphidioid lichens with warty periphysoids or paraphysis-tips. *Mycotaxon* 73: 69-134.
- Staiger, B. & K. Kalb. 2004. *Fissurina*, pp. 109-110. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Stenroos, S. 1989. Taxonomy of the *Cladonia coccifera* group. 1. *Annales Botanici Fennici* 26: 157-168.
- Stenroos, S., S. Velmala, J. Pykälä & T. Ahti. 2016. *Lichens of Finland*, 896 pp., Finnish Museum of Natural History (Norrlinia 30).
- Stirton, J. 1875. Lichens British and foreign. *Transactions of the Glasgow Society of Field Naturalists*, 1875: 85-95.
- Stone, D. F., J. W. Hinds, F. L. Anderson & J. C. Lendemer. 2016. A revision of the *Leptogium saturninum* group in North America. *Lichenologist* 48(5): 387-421.
- Stone, D. & B. McCune. 2010. *Collema quadrifidum*, a new epiphytic lichen species from the Pacific Northwest of the United States. *North American Fungi* 5(2): 1-6.
- Stone, D. F., B. McCune, C. J. Pardo-De la Hoz, N. Magain & J. Miadlikowska. 2021. *Sinuicella denisonii*, a new genus and species in the Peltigraceae from western North America. *Lichenologist* 53: 185-192.
- Stone, D. & A. Ruchty. 2008. *Leptogium siskiyouensis*, a new epiphytic lichen species from the Pacific Northwest of the United States. *North American Fungi* 3(2): 1-7.
- Suija, A., A. de los Ríos & S. Pérez-Ortega. 2015. A molecular reappraisal of *Abrothallus* species growing on lichens of the order Peltigerales. *Phytotaxa* 195(3): 201-226.

- Suija, A., S. Pérez-Ortega & D. L. Hawksworth. 2011. *Abrothallus halei* (Ascomycota, incertae sedis), a new lichenicolous fungus on *Lobaria* species in Europe and North America. *Lichenologist* 43: 51-55.
- Sundin, R. & A. Tehler. 1996. The genus *Dendrographa* (Roccellaceae). *The Bryologist* 99: 19-31.
- Svensson, M., S. Ekman, J. T. Klepsland, A. Nordin, G. Thor, G. von Hirschheydt, F. Jonsson, T. Knutsson, M. Lif, T. Spribille & M. Westberg. 2017. Taxonomic novelties and new records of Fennoscandian crustose lichens. *MycoKeys* 25: 51-86.
- Sweat, K. G., W. A. Iselin, S. T. Bates, and T. H. Nash III. 2004. Lichens of Parashant National Monument, Arizona: A Preliminary Study. *Journal of the Arizona-Nevada Academy of Science* 37(2):85-90.
- Syrek, M. & M. Kukwa. 2008. Taxonomy of the lichen *Cladonia rei* and its status in Poland. *Biologia* 63: 493-497.
- Talbot, S. S., S. L. Talbot, J. W. Thomson & W. B. Schofield. 2000. Lichens of Izembek National Wildlife Refuge, westernmost Alaska Peninsula. *The Bryologist* 103: 379-389.
- Tavares, I. I. 1997. A preliminary key to *Usnea* in California. *Bulletin of the California Lichen Society* 4: 19-23.
- Tavares, I. I. & W. B. Sanders. 1998. Preliminary report on the short, apotheciate taxa of *Usnea* in the southwestern United States, pp. 171-185. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd.
- Tavares, I., S. Tucker, R. Moe & D. Wright (Eds.). 1997. *Bulletin of the California Lichen Society*. Vol. 4. No. 1. Summer 1997. 18 pp.
- Tehler, A. 1993. The genus *Schismatomma* (Arthoniales, Euascomycetidae). *Opera Botanica* 118: 1-38.
- Tehler, A. 1996. *Syncesia* (Arthoniales, Euascomycetidae). *Flora Neotropica*, 74. New York Botanical Garden (for Organization for Flora Neotropica), New York. 48 pp.
- Tehler, A. 2002a. On the typification of two misunderstood *Roccella* (lichenized fungi) names, *R. tinctoria* and *R. fucoides*. *Taxon* 51: 787-790.
- Tehler, A. 2002b. *Roccella*, pp. 451-454. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Lichens Unlimited, Arizona State University.
- Tehler, A. 2002c. *Schismatomma*, pp. 455-457. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*. Lichens Unlimited, Arizona State University.
- Tehler, A. 2003. *Roccella phycopsis* the correct name for *R. fucoides* (lichenized fungi). *Taxon* 52: 621.
- Tehler, A. 2006. *Roccella gracilis*, the correct name for *R. peruvensis* and *R. humboldtiana* (lichenized fungi, Roccellaceae). *Taxon* 55: 785-787.
- Tehler, A., Å. Dahlkild, P. Eldenäs & G. B. Feige. 2004. The phylogeny and taxonomy of Macaronesian, European and Mediterranean *Roccella* (Roccellaceae, Arthoniales). *Symbolae Botanicae Upsaliensis* 34: 405-428.
- Tehler, A., D. Ertz & M. Irestedt. 2013. The genus *Dirina* (Roccellaceae, Arthoniales) revisited. *Lichenologist* 45 (4): 427-476.

- Tehler, A., K. Lohtander, L. Myllys & R. Sundin. 1997. On the identity of the genera *Hubbsia* and *Reinkella* (Roccellaceae), pp. 255-265. In L. Tibell & I. Hedberg (eds.), Lichen Studies Dedicated to Rolf Santesson. Symbolae Botanicae Upsalienses 32. Acta Universitatis Upsaliensis, Uppsala.
- Thell, A., J.A. Elix, and U. Söchting. 2009. *Xanthoparmelia lineola* s. l. in Australia and North America. *Bibliotheca Lichenologica* 99:393–404.
- Thell, A. & T. Goward. 1996. The new Cetrarioid genus *Kaernefeltia* and related groups in the Parmeliaceae (lichenized Ascomycotina). *The Bryologist* 99: 125-136.
- Thell, A., T. Goward, T. Rndlne, E. I. Kärnefelt & A. Saag. 1995. A revision of the North American lichen genus *Ahtiana* (Parmeliaceae). *The Bryologist* 98: 596-605.
- Thell, A., F. Högnabba, J. A. Elix, T. Feuerer, I. Kärnefelt, L. Myllys, T. Rndlne, A. Saag, S. Stenroos, T. Ahti & M. R. D. Seaward. 2009. Phylogeny of the cetrarioid core (Parmeliaceae) based on five genetic markers. *Lichenologist* 41(5): 489-511.
- Thiyagaraja, V., R. Lücking, D. Ertz, D. N. Wanasinghe, S. C. Karunarathna, E. Camporesi & K. D. Hyde. 2020. Evolution of non-lichenized, saprotrophic species of *Arthonia* (Ascomycota, Arthoniales) and resurrection of *Naevia*, with notes on *Mycoporum*. *Fungal Diversity* 102: 205-224.
- Thomson, J. W. 1963. The Lichen Genus *Physcia* in North America. Beihefte zur Nova Hedwigia. viii + 172 pp. 47 maps. 47 fig. on 27 pl.
- Thomson, J. W. 1967. The Lichen Genus *Cladonia* in North America. University of Toronto Press. xi + 172 pp.
- Thomson, J. W. 1997. American Arctic Lichens. 2. The Microlichens. The University of Wisconsin Press, Madison. 675 pp.
- Thor, G. 1991. The placement of *Chiodecton sanguineum* (syn. *Chiodecton rubrocinctum*), and *Cryptothecia striata* sp. nov. *The Bryologist* 94: 278-283.
- Thorn, R. G., D. W. Malloch & J. Ginns. 1998. *Leucogyrophana lichenicola* sp. nov., and a comparison with basidiomes and cultures of the similar *Leucogyrophana romellii*. *Canadian Journal of Botany* 76: 686-693.
- Tibell, L. 1996. *Phaeocalicium* (Mycocaliciaceae, Ascomycetes) in northern Europe. *Annales Botanici Fennici* 33: 205-221.
- Tibell, L. 2001. *Cybebe gracilenta* in an ITS/5.8S rDNA based phylogeny belongs to Chaenotheca (Coniocybaceae, lichenized Ascomycetes). *Lichenologist* 33: 519-525.
- Tibell, L. 2007. *Mycocalicium*, pp. 250-254. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Tibell, L. & A. Koffman. 2002. *Chaenotheca nitidula*, a new species of calicioid lichen from northeastern North America. *The Bryologist* 105: 353-357.
- Tibell, L. & B. D. Ryan. 2004. *Microcalicium*, pp. 669-672. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Tibell, S. & L. Tibell. 2015. Two new species of *Atla* (Verrucariaceae). *Lichenologist* 47(2): 93-98.
- Timdal, E. 2001. *Hypocenomyce oligospora* and *H. sierrae*, two new lichen species. *Mycotaxon* 77: 445-453.

- Timdal, E. 2002a. *Psora*, pp. 418-430. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Timdal, E. 2002b. Three squamulose species of *Rimularia* (Lecanorales). The Bryologist 105: 219-224.
- Timdal, E. 2002c. *Toninia*, pp. 488-501. In T. H. Nash III, B. D. Ryan, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. I. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Timdal, E. 2007. *Romjularia*, pp. 287-289. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Timdal, E. 2008. Studies on *Phyllopsora* (Ramalinaceae) in Peru. Lichenologist 40: 337-362.
- Timdal, E. 2011. The lichen genus *Phyllopsora* (Ramalinaceae) in the West Indies. Bibliotheca Lichenologica 106: 319-351.
- Timdal, E. & T. Tønsberg. 2006. *Psoroma paleaceum* comb. nov. the only hairy *Psoroma* in northern Europe. Graphis Scripta 18: 54-57.
- Timdal, E. & T. Tønsberg. 2012. *Cladonia straminea*, the correct name for *C. metacorallifera*. Graphis Scripta 24(2): 33-35.
- Tønsberg, T. 1997 [1998]. Additions to the lichen flora of North America VI. The Bryologist 100: 522-524.
- Tønsberg, T. 1999a. Additions to the lichen flora of North America VII. Some species found on Waadah Island, Washington. The Bryologist 102: 133-134.
- Tønsberg, T. 1999b. *Pseudocycphellaria arvidssonii* new to Africa and *P. mallota* new to North America. The Bryologist 102: 128-129.
- Tønsberg, T. 2002. Additions to the lichen flora of North America XI. The Bryologist 105: 122-125.
- Tønsberg, T. 2004a. *Chrysotrichix*, pp. 62-63. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Tønsberg, T. 2004b. *Lepraria*, pp. 322-329. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Tønsberg, T. 2007. Notes on the lichen genus *Lepraria* in Great Smoky Mountains National Park, southeastern North America: *Lepraria lanata* and *L. salazinica* spp. nov. Opuscula Philolichenum 4: 51-54.
- Tønsberg, T. 2016. *Jamesiella scotica* new to North America from USA, Alaska. Folia Cryptogamica Estonica 53: 23-24.
- Tønsberg, T. 2018. *Varicellaria lactea* new to the U.S.A. from Alaska. Opuscula Philolichenum 17: 1-5.
- Tønsberg, T. & B. Coppins. 2000. Additions to the lichen flora of North America IX. *Micarea alabastrites* and *M. synotheoides*. Evansia 17: 135-136.
- Tønsberg, T. & T. Goward. 2001. *Sticta oroborealis* sp. nov. and other Pacific North American lichens forming dendriscocauloid cyanotypes. The Bryologist 104: 12-23.

- Tønsberg, T. & T. Goward. 2016. *Cliostomum spribblei* (Ramalinaceae, lichenized Ascomycetes), a new species from western North America. *North American Fungi* 11(5): 1-7.
- Tønsberg, T. & A. Henssen. 1999. Additions to the lichen flora of North America VIII. *Santessonella grisea* new to North America. *Evansia* 16: 184.
- Tønsberg, T. & B. McCune. 2001. Additions to the lichen flora of North America X. *Buellia arborea*. *Evansia* 18: 128.
- Tønsberg, T., A. Nordin & L. Tibell. 2012. *Amandinea lignicola*, a new species from the Pacific coast of North America. *Graphis Scripta* 24(2): 60-64.
- Tønsberg, T. & C. Printzen. 2018. *Biatora troendelagica* new to North America from Alaska, USA. *Graphis Scripta* 30(9): 161-165.
- Tønsberg, T. & C. Williams. 2006. *Arthothelium norvegicum* in North America. *Evansia* 23: 80-81.
- Tretiach, M. & M. Schultz. 2007. *Peccania*, pp. 266-270. In T. H. Nash III, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited*, Arizona State University, Tempe.
- Triebel, D., M. Wedin & G. Rambold. 1997. The genus *Scutula* (lichenicolous ascomycetes, Lecanorales): species on the *Peltigera canina* and *P. horizontalis* groups, pp. 323-337. In L. Tibell & I. Hedberg (eds.), *Lichen Studies Dedicated to Rolf Santesson. Symbolae Botanicae Upsalienses 32. Acta Universitatis Upsaliensis*, Uppsala.
- Tripp, E. A. & J. C. Lendemer. 2010. The genus *Platygramme* in North America. *Castanea* 75: 388-393.
- Tripp, E. A. & J. C. Lendemer. 2015. *Candelariella clarkia* and *Lecidea hoganii*: two lichen species new to science from White Rocks Open Space, City of Boulder, Colorado. *The Bryologist* 118(2): 154-163.
- Tripp, E. A. & J. C. Lendemer. 2019. Highlights from 10+ years of lichenological research in Great Smoky Mountains National Park: celebrating the United States National Park Service Centennial. *Systematic Botany* 44(4): 943-980.
- Tripp, E. A., J. C. Lendemer & R. C. Harris. 2010. Resolving the genus *Graphina* Müll. Arg. in North America: new species, new combinations, and treatments for *Acanthothecis*, *Carbacanthographis*, and *Diorygma*. *Lichenologist* 42(1): 55-71.
- Tripp, E. A., C. A. Morse, K. G. Keepers, C. Anderson Stewart, C. S. Pogoda, K. H. White, J. R. Hoffman, N. C. Kane & C. M. McCain. 2019. Evidence of substrate endemism of lichens on Fox Hills Sandstone: discovery and description of *Lecanora lendemeri* as new to science. *The Bryologist* 122(2): 246-259.
- Truong, C, J. M. Rodriguez & P. Clerc. 2013. Pendulous *Usnea* species (Parmeliaceae, lichenized Ascomycota) in tropical South America and the Galapagos. *Lichenologist* 45 (4): 505-543.
- Tucker, S. 1981. Checklist of Louisiana lichens. *Proceedings of the Louisiana Academy of Sciences* 44: 58-70.
- Tucker, S. 2014. Catalog of lichens, lichenicolous and allied fungi in California (revised edition). *Constancea* 85 [<http://ucjeps.berkeley.edu/constancea/85/tucker.html>].
- Tucker, S. C. & W. P. Jordan. 1979. A catalog of California lichens. *Wasmann Journal of Biology* 36: 1-105.

- Tucker, S. C., K. Knudsen & J. Robertson. 2006. Additional lichen collections from Pinnacles National Monument, San Benito County, California. Bulletin of the California Lichen Society 13: 6-9.
- Tucker, S. C. & B. D. Ryan. 2006. Revised catalog of lichens, lichenicolous, and allied fungi in California. Constancea 84: 1-275 + 1-52.
- Tuckerman, E. 1872. Genera Lichenum: an Arrangement of the North American Lichens. Edwin Nelson, Amherst. XV + 283 pp.
- Tuckerman, E. 1882. A synopsis of the North American lichens. Part. I. Comprising the Parmeliacei, Cladonie and Coenogonie. S.F. Cassino - Boston. XX + 262 pp.
- Tuckerman, E. 1888. A synopsis of the North American lichens. Part. II. Comprising the Lecideacei, and (in part) the Graphidacei. New Bedford, Massachusetts. 176 pp.
- Tuovila, H., P. Larsson & J. Rikkinen. 2011. Three resinicolous North American species of Mycocaliciales in Europe with a re-evaluation of *Chaenothecopsis oregana* Rikkinen. *Karstenia* 51: 37-49.
- Tuovila, H., J. Rikkinen & S. Huhtinen. 2012. Nomenclatural corrections in calicioid fungi. *Karstenia* 52(2): 73-74.
- van den Boom, P. P. G. 2004. *Toninia*, pp. 708-709. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- van den Boom, P. P. G. & A. M. Brand. 2008. Some new *Lecanora* species from western and central Europe, belonging to the *L. saligna* group, with notes on related species. The Lichenologist 40: 465-497.
- van den Boom, P. P. G. & J. A. Elix. 2005. Notes on *Halecania* species, with descriptions of two new species from Asia. Lichenologist 37: 237-246.
- van den Boom, P. P. G. & B. D. Ryan. 2004a. *Halecania*, pp. 131-133. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- van den Boom, P. P. G. & B. D. Ryan. 2004b. *Lecania*, pp. 143-171. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- van den Boom, P. P. G., H. Sipman & J. A. Elix. 2007. *Protoparmelia*, pp. 392-393. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.
- Van den Broeck, D., A. Frisch, T. Razafindrahaja, B. Van de Vijver & D. Ertz. 2018. Phylogenetic position of *Synarthonia* (lichenized Ascomycota, Arthoniaceae), with the description of six new species. Plant Ecology and Evolution 151(3): 327-351.
- van Herk, K. & A. Aptroot. 2000. The sorediate *Punctelia* species with lecanoric acid in Europe. Lichenologist 32: 233-246.
- Vänska, H. 1984. The identity of the lichens *Lecanora frustulosa* and *L. argopholis*. Annales Botanici Fennici 21: 391-402.
- Veldkamp, J. F. 2004. *Bilimbia* (Lichenes) resurrected. Lichenologist 36: 191-195.

- Velmala, S., L. Myllys, T. Goward, H. Holien & P. Halonen. 2014. Taxonomy of Bryoria section Implexae (Parmeliaceae, Lecanoromycetes) in North America and Europe, based on chemical, morphological and molecular data. *Annales Botanici Fennici* 51: 345-371.
- Velmala, S., L. Myllys, P. Halonen, T. Goward, & T. Ahti. 2009. Molecular data show that *Bryoria fremontii* and *B. tortuosa* (Parmeliaceae) are conspecific. *Lichenologist* 41: 231-242.
- Villella, J., S. Loring & B. McCune. 2013. The lichens of southwest Oregon's Illinois River Watershed. *Bulletin of the California Lichen Society* 20(1): 33-48.
- Villella, J. & S. Sheehy. 2015. Additional sites of *Umbilicaria hirsute* from southwestern Oregon, and the associated lichenicolous fungus *Arthonia circinata* new to North America. *Bulletin of the California Lichen Society* 22(1): 19-22.
- Vitikainen, O. 1994. Taxonomic revision of *Peltigera* (lichenized Ascomycotina) in Europe. *Acta Botanica Fennica* 152: 1-96.
- Vitikainen, O. 2004. *Peltigera*, pp. 389-399. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.
- Vitikainen, O. 2006. *Peltigera tartarea*, a new species from Arctic America. *Journal of the Hattori Botanical Laboratory* 100: 853-854.
- Vitikainen, O., T. Ahti, M. Kuusinen, S. Lommi & T. Ulvinen. 1997. Checklist of lichens and allied fungi of Finland. *Norrlinia* 6: 1-123.
- Vondrák, J., I. Frolov, E. A. Davydov, I. Urbanavichene, S. Chesnokov, I. Zhdanov, E. Muchnik, L. Konoreva, D. Himelbrant, & S. Tchabanenko. 2016. The extensive geographical range of several species of Teloschistaceae: evidence from Russia. *Lichenologist* 48(3): 171-189.
- Vondrák, J. P. Říha, O. Redchenko, O. Vondráková, P. Hrouzek & A. Khodosovtsev. 2011. The *Caloplaca crenulatella* species complex; its intricate taxonomy and description of a new species. *Lichenologist* 43(5): 467-481.
- Vondrák, J., J. Šoun, M. Z. Søgaard, U. Søchting & U. Arup. 2010. *Caloplaca phlogina*, a lichen with two facies; an example of infraspecific variability resulting in the description of a redundant species. *Lichenologist* 42: 685-692.
- Waters, D. P. & J. C. Lendemer. 2019. The lichens and allied fungi of Mercer County, New Jersey. *Opuscula Philolichenum* 18: 17-51.
- Weber, W. A. & R. C. Wittman. 2000. The Colorado Catalog – Online Version. Catalog of the Colorado Flora: A Biodiversity Baseline. Lichens. (<http://cumuseum.colorado.edu/Research/Botany/Databases/catalog.html>).
- Wedin, M., F. Högnabba & T. Goward. 2009. A new species of *Sphaerophorus*, and a key to the family Sphaerophoraceae in western North America. *The Bryologist* 112: 368-374.
- Wedin, M., P. G. Ihlen & D. Triebel. 2007. *Scutula tuberculosa*, the correct name of the *Scutula* growing on *Solorina* spp., with a key to *Scutula* s. str. in the Northern Hemisphere. *Lichenologist* 39: 329-333.
- Wei, J.-C. & T. Ahti. 2002. *Cetradonia*, a new genus in the new family Cetradoniaceae (Lecanorales, Ascomycota). *Lichenologist* 34: 19-31.
- Westberg, M. 2004a. *Placomaronea*, pp. 418-419. In T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries & F. Bungartz (eds.), *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe, Arizona.

- Westberg, M. 2004b. *Vezdaea rheocarpa* new to North America. Mycotaxon 89: 153-154.
- Westberg, M. 2007a. *Candelariella* (Candelariaceae) in western United States and northern Mexico: the 8-spored, lecanorine species. The Bryologist 110: 391-419.
- Westberg, M. 2007b. *Candelariella* (Candelariaceae) in western United States and northern Mexico: the polysporous species. The Bryologist 110: 375-390.
- Westberg, M. 2007c. *Candelariella* (Candelariaceae) in western United States and northern Mexico; the species with biatorine apothecia. The Bryologist 110: 365-374.
- Westberg, M. 2010. The identity of *Candelariella canadensis*. Lichenologist 42(1): 119-122.
- Westberg, M. & U. Arup. 2011. *Candelaria pacifica* sp. nova (Ascomycota, Candelariales) and the identity of *Candelaria vulgaris*. Bibliotheca Lichenologica 106: 353-364.
- Westberg, M., U. Arup & I. Kärnfeldt. 2007. Phylogenetic studies in the Candelariaceae (lichenized Ascomycota) based on nuclear ITS DNA sequence data. Mycological Research 111: 1277-1284.
- Westberg, M., A. T. Crewe, O. W. Purvis & M. Wedin. 2011a. *Silobia*, a new genus for the *Acarospora smaragdula* complex (Ascomycota, Acarosporales) and a revision of the group in Sweden. Lichenologist 43: 7-25.
- Westberg, M., A. M. Millanes, K. Knudsen & M. Wedin. 2015. Phylogeny of the Acarosporaceae (Lecanoromycetes, Ascomycota, Fungi) and the evolution of carbonized ascospores. Fungal Diversity 73: 145-158.
- Westberg, M., C. A. Morse & M. Wedin 2011b. Two new species of *Candelariella* and a key to the Candelariales (lichenized Ascomycetes) in North America. The Bryologist 114(2): 325-334.
- Wetmore, C. M. 1960. The lichen genus *Nephroma* in North and Middle America. Publications of the Museum, Michigan State University, Biol. Ser. 1: 369-452
- Wetmore, C. M. 1967. Lichens of the Black Hills of South Dakota and Wyoming. Publ. Mus., Michigan State Univ., Biol. Ser. 3: 209-464.
- Wetmore, C. M. 1994. The lichen genus *Caloplaca* in North and Central America with brown or black apothecia. Mycologia 86: 813-838.
- Wetmore, C. M. 1996. The *Caloplaca sideritis* group in North and Central America. The Bryologist 99: 292-314.
- Wetmore, C. M. 1999. Four new species of *Caloplaca* from Mexico. The Bryologist 102: 99-103.
- Wetmore, C. M. 2001. The *Caloplaca citrina* group in North and Central America. The Bryologist 104: 1-11.
- Wetmore, C. M. 2003. The *Caloplaca squamosa* group in North and Central America. The Bryologist 106: 147-156.
- Wetmore, C. M. 2004a. The isidiate corticolous *Caloplaca* species in North and Central America. The Bryologist 107: 284-292.
- Wetmore, C. M. 2004b. The sorediate corticolous species of *Caloplaca* in North and Central America. The Bryologist 107: 505-520.
- Wetmore, C. M. 2007a. *Caloplaca*, pp. 179-220. In T. H. Nash III, C. Gries & F. Bungartz (eds.), Lichen Flora of the Greater Sonoran Desert Region. Volume 3. Lichens Unlimited, Arizona State University, Tempe.

- Wetmore, C. M. 2007b. Notes on *Caloplaca cerina* (Teloschistaceae) in North and Central America. *The Bryologist* 110: 798-807.
- Wetmore, C. M. 2009. New species of *Caloplaca* (Teloschistaceae) from North America. *The Bryologist* 112:379-386.
- Wetmore, C. M. & E. I. Kärnefelt. 1998. The lobate and subfruticose species of *Caloplaca* in north and central America. *The Bryologist* 101: 230-255.
- Wetmore, C. M. & E. I. Kärnefelt. 1999. What is *Caloplaca cinnabarina*? *The Bryologist* 102: 683-691.
- Widholm, T. J., R. S. Egan, F. R. Bertolletti, M. J. Asztalos, E. Kraichak, S. D. Leavitt, & H. T. Lumbsch. 2016. Picking holes in traditional species delimitations: an integrative taxonomic reassessment of the *Parmotrema perforatum* group (Parmeliaceae, Ascomycota). *Botanical Journal of the Linnean Society* 182: 868-884.
- Wilhelm, G. S. 1998. The lichen flora of Chicago and vicinity: one hundred years of Lichenology. *Eriogonia* 16: 3-36.
- Williams, C. B. & L. Tibell. 2008. *Calicium sequoiae*, a new lichen species from north-western California, USA. *Lichenologist* 40: 185-194.
- Will-Wolf, S. 1998. Lichens of Badlands National Park, South Dakota, USA, pp. 323-336. In M. G. Glenn, R. C. Harris, R. Dirig & M. S. Cole (eds.), *Lichenographia Thomsoniana: North American Lichenology in Honor of John W. Thomson*. Mycotaxon Ltd., Ithaca, New York.
- Wirth, M. & M. E. Hale, Jr. 1963. The lichen family Graphidaceae in Mexico. Contributions to the United States National Herbarium 36: 63-119.
- Wirth, M. & M. E. Hale, Jr. 1978. Morden-Smithsonian Expedition to Dominica: the lichens (Graphidaceae). *Smithsonian Contributions to Botany* 40: 1-64.
- Wirtz, N., C. Printzen & H. T. Lumbsch. 2008. The delimitation of Antarctic and bipolar species of neuropogonoid *Usnea* (Ascomycota, Lecanorales): a cohesion approach of species recognition for the *Usnea perpusilla* complex. *Mycological Research* 112: 472-484.
- Yakovchenko, L. S., J. Vondrák, Y. Ohmura, E. S. Korchikov, O. S. Vondráková & E. A. Davydov. 2017. *Candelariella blastidiata* sp. nov. (Ascomycota, Candelariaceae) from Eurasia and North America, and a key for grey thalli *Candelariella*. *Lichenologist* 49(2): 117-126.
- Yoshimura, I. & A. J. Sharp. 1973. First record of *Anaptychia isidiza* in North America. *Miscellanea Bryologica et Lichenologica* 6: 85.
- Yuzon, J., C. Roux, J. C. Lendemer & C. Gueidan. 2014. Molecular phylogeny and taxonomy of the endolithic lichen genus *Bagliettoa* (Ascomycota : Verrucariaceae). *Taxon* 63(6): 1177-1192.
- Zahlbrückner, A. 1924. Catalogus Lichenum Universalis, vol. II. Gebrüder Borntraeger – Leipzig, Berlin.
- Zakeri, Z., P. K. Divakar & V. Otte. 2017. Taxonomy and phylogeny of *Aspiciliella*, a resurrected genus of Megasporaceae, including the new species *A. portosantana*. *Herzogia* 30: 166-176.
- Zamora, J. C., A M. Millanes, J. Etayo & M. Wedin. 2018. *Tremella mayrhoferi*, a new lichenicolous species on *Lecanora allophana*. *Herzogia* 31(1): 666-676.
- Zhao, X., S. D. Leavitt, Z. T. Zhao, L. L. Zhang, U. Arup, M. Grube, S. Pérez-Ortega, C. Printzen, L. Śliwa, E. Kraichak, P. K. Divakar, A. Crespo & H. T. Lumbsch. 2016. Towards a revised

- generic classification of lecanoroid lichens (Lecanoraceae, Ascomycota) based on molecular, morphological and chemical evidence. *Fungal Diversity* 78: 293-304.
- Zhurbenko, M. 2007a. *Corticifraga santessonii* and *C. chugachiana* (Lecanoromycetes, Ascomycota), new species of lichenicolous fungi from the Holarctic. *Lichenologist* 39: 221-226.
- Zhurbenko, M. 2007b. A new species of *Unguiculariopsis* (Helotiales) on *Nephroma* from Alaska. *Mikologiya I Fitopatologiya* 41: 126-129.
- Zhurbenko, M. 2009a. Lichenicolous fungi and lichens from the Holarctic. Part II. *Opuscula Philolichenum* 7: 121-186.
- Zhurbenko, M. 2009b. Lichenicolous fungi and some lichens from the Holarctic. *Opuscula Philolichenum* 6: 87-120.
- Zhurbenko, M. P. 2009c. New and interesting lichenicolous hypocrealean fungi from the Northern Hemisphere. *Sydomia* 61(7): 177-188.
- Zhurbenko, M. 2010. Lichenicolous fungi and lichens growing on *Stereocaulon* from the Holarctic, with a key to the known species. *Opuscula Philolichenum* 8: 9-39.
- Zhurbenko, M. 2012. Lichenicolous fungi growing on *Thamnolia*, mainly from the Holarctic, with a worldwide key to the known species. *Lichenologist* 44(2): 147-177.
- Zhurbenko, M. P. 2013. Lichenicolous fungi and some allied lichens from the Canadian Arctic. *Opuscula Philolichenum* 12: 180-197.
- Zhurbenko, M. P. 2014. *Phaeospora catolechiae*, a lichenicolous fungus on *Catolechia wahlenbergii*, new to North America. *Opuscula Philolichenum* 13: 1-3.
- Zhurbenko, M. P. 2020. Lichenicolous fungi from the Holarctic. Part III. New reports and a key to species on *Hypogymnia*. *Opuscula Philolichenum* 19: 180-2020.
- Zhurbenko, M. P. 2021. Lichenicolous fungi from the Holarctic. Part IV: New reports and a key to species on *Dermatocarpon*. *Opuscula Philolichenum* 20: 44-53.
- Zhurbenko, M. P. & V. Alstrup. 2004. Lichenicolous fungi on *Cladonia* mainly from the Arctic. *Symbolae Botanicae Upsalienses* 34: 477-499.
- Zhurbenko, M. P. & U. Braun. 2013. *Ameroconium cladoniae* gen. et sp. nov. and *Phoma psoromatis* sp. nov., new anamorphic lichenicolous fungi from the Holarctic. *Lichenologist* 45(5): 583-591.
- Zhurbenko, M. & F. J. A. Daniëls. 2003. New or rarely reported lichenicolous fungi and lichens from the Canadian Arctic. *Mycotaxon* 88: 97-106.
- Zhurbenko, M. & K. Dillman. 2010. *Polycoccum hymeniicola* comb. nov. (Dacampiaceae) and other interesting lichenicolous fungi from southeastern Alaska. *The Bryologist* 113: 260-266.
- Zhurbenko, M. P., O. Enkhtuya & S. Javkhlan. 2019. A first synopsis of lichenicolous fungi of Mongolia, with the description of five new species. *Plant and Fungal Systematics* 64(2): 345-366.
- Zhurbenko, M. P., M. Kukwa & M. Oset. 2009. *Roselliniella stereocaulorum* (Sordariales, Ascomycota), a new lichenicolous fungus from the Holarctic. *Mycotaxon* 109: 323-328.
- Zhurbenko, M. & G. Laursen. 2003. Lichenicolous fungi from central Alaska: new records and range extensions. *The Bryologist* 106: 460-464.

- Zhurbenko, M. P., G. A. Laursen & D. A. Walker. 2005. New and rare lichenicolous fungi and lichens from the North American Arctic. *Mycotaxon* 92: 201-212.
- Zhurbenko, M. P., V. Matveeva, C. Vonlanthen, D. A. Walker & M. K. Raynolds. 2006. Lichens from Ellef Ringnes Island, Canadian Arctic Archipelago. *Evansia* 23(3): 69-78.
- Zhurbenko, M. P. & R. Pino-Bodas. 2017. A revision of lichenicolous fungi growing on *Cladonia*, mainly from the Northern Hemisphere, with a worldwide key to the known species. *Opuscula Philolichenum* 16: 188-266.