

Literature

- Ahti, T. (2000) Cladoniaceae. *Flora Neotropica* **78**: 1-362.
- Andersson, N.J.(1855) Om Galápagos Öarnes Vegetation. *Kongliga Svenska Vetenskaps Akademien Handl.* **2**: 61-256.
- Aptroot, A. & Bungartz, F. (2007) The lichen genus *Ramalina* on the Galapagos. *Lichenologist* **39**(6): 519-542.
- Aptroot, A. & Lücking, R. (2016) A first collaborative attempt at a global revision of Trypetheliaceae (Ascomycota: Dothideomycetes: Trypetheliales). *Lichenologist* **48**(6): 607-608.
- Aptroot, A. & Sparrius, L. (2008) Crustose Roccellaceae in the Galapagos Islands, with the new species *Schismatomma spierii*. *The Bryologist* **111**(4): 659-666. Aptroot (1991)
- Aptroot, A. (2006) Three new species of *Lithothelium* (Pyrenulaceae) from China and Thailand, with a revised world key and annotated list of species. *Lichenologist* **38**(6): 541-548.
- Aptroot, A. (2013) A world key to the species of *Anthracothecium* and *Pyrenula*. *Lichenologist* **44**(1): 5-53.
- Aptroot, A., Cácares, M.E., Johnston, M.K. & Lücking, R. (2016) Index to scientific names and nomenclatural checklist of Trypetheliaceae. *Lichenologist* **48**(6): 995-1011.
- Aptroot, A., G. Thor, R. Lücking, J.A. Elix & Chaves, J.L. (2009) The lichen genus *Herpothallon* reinstated. *Bibliotheca Lichenologica* **99**: 19-66.
- Aptroot, A., Sparrius, L., LaGreca, S. & Bungartz, F. (2008) *Angiactis*, a new crustose lichen genus in the Roccellaceae, with species from Bermuda, the Galápagos Islands and Australia. *The Bryologist* **111**(3): 510-516.
- Awasthi, D.D. (1975) A monograph of the lichen genus *Dirinaria*. *Bibliotheca Lichenologica* **2**: 1-109.
- Brodo, I. M., Sharnoff, S. D. & Sharnoff, S. (2001) Lichens of North America. Yale University Press, New Haven.
- Bungartz, F. (2008) Cyanolichens of the Galapagos Islands – The genera *Collema* and *Leptogium*. *Sauteria* **15**: 139-158.
- Bungartz, F. (2018) *Acantholichen galapagoensis*. The IUCN Red List of Threatened Species 2018: e.T95836378A95838134 (<http://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T95836378A95838134.en>).
- Bungartz, F., Benatti, M.N. & Spielmann, A.A. (2013a) The genus *Bulbothrix* (Parmeliaceae, Lecanoromycetes) in the Galapagos Islands: a case study of superficially similar, but overlooked macrolichens. *The Bryologist* **116**(4): 358-372.
- Bungartz, F., Dután-Patiño, V.L. & Elix, J.A. (2013b) The lichen genera *Cryptothecia*, *Herpothallon* and *Helminthocarpon* (Arthoniales) in the Galapagos Islands, Ecuador. *Lichenologist* **45**(6): 1-24.
- Bungartz, F., Elix, J.A., Kalb, K. & Giralt, M. (2016) New and overlooked species from the Galapagos Islands: the generic concept of *Diploicia* reassessed. *Lichenologist* **48**(5): 489-515.
- Bungartz, F., Elix, J.A., Yáñez-Ayabaca, A. & Archer, A.W. (2015) Endemism in the genus *Pertusaria* (Pertusariales, lichenized Ascomycota) from the Galapagos Islands. *Telopea* **18**: 325-369 (<http://dx.doi.org/10.7751/telopea8895>).
- Bungartz, F., Elix, J.A., Yáñez-Ayabaca, A. & Archer, A.W. (2015) Endemism in the genus *Pertusaria* (Pertusariales, lichenized Ascomycota) from the Galapagos Islands. *Telopea* **18**: 325-369.
- Bungartz, F., Giralt, M., Sheard, J. & Elix, J.A. (2016) The lichen genus *Rinodina* (Physciaceae, Teloschistales) in the Galapagos Islands, Ecuador. *The Bryologist* **119**(1): 60-93.
- Bungartz, F., Hillmann, G., Kalb, K. & Elix, J.A. (2013c) Leprose and Leproid Lichens of the Galapagos with a particular focus on *Lepraria* (Stereocaulaceae) and *Septotrapelia* (Pilocarpaceae). *Phytotaxa* **150**(1): 1-28.
- Bungartz, F., Ziemmeck, F., Yáñez Ayabaca, A., Nugra, F. & Aptroot, A. (2013d) CDF Checklist of Galapagos Lichenized Fungi. In: Bungartz, F., Herrera, H., Jaramillo, P., Tirado, N., Jiménez-Uzcátegui, H., Ruiz, D., Guézou, A. & Ziemmeck, F. (eds.) Charles Darwin Foundation Galapagos Species Checklist. Charles Darwin Foundation, Galapagos: <http://checklists.datazone.darwinfoundation.org/true-fungi/lichens/>. Last updated 3 Dec 2013.
- Bungartz, F., Lücking, R. & Aptroot, A. (2009) The lichen family Graphidaceae (Ostropales, Lecanoromycetes) in the Galapagos Islands. *Nova Hedwigia* **90**: 1-44.
- Bungartz, F., Lücking, R. & Aptroot, A. (2009) The lichen family Graphidaceae (Ostropales, Lecanoromycetes) in the Galapagos Islands. *Nova Hedwigia* **90**: 1-44.
- Bungartz, F., Truong, C., Herrera-Campos, M.A. & Clerc, P. (2018) The genus *Usnea* (Parmeliaceae, Lecanoromycetes) in the Galapagos Islands. *Herzogia* **31**(1):571- 629.
- Clerc, P. (2008) *Usnea*. In: T. Nash III, C. Gries & F. Bungartz (eds.) *Lichen Flora of the Greater Sonoran Desert Region*, Vol. III. Arizona State University, Tempe, pp. 302-335.
- Clerc, P. (2011) Notes on the genus *Usnea* Adans. (lichenized Ascomycota) III. *Bibliotheca Lichenologica* **106**: 41-51.
- Dal-Forno, M., Bungartz, F., Yáñez-Ayabaca, A., Lücking, R. & Lawrey, J.D. (2017) High levels of endemism among Galapagos basidiolichens. *Fungal Diversity* **85**(1): 45–73 (<http://dx.doi.org/10.1007/s13225-017-0380-6>).
- Dal-Forno, M., Lücking, R., Bungartz, F., Yáñez-Ayabaca, A., Marcelli, M.P., Spielmann, A.A., Coca, L.F., Chaves, J.L., Aptroot, A., Sipman, H.J.M., Sikaroodi, M., Gillevet, P. & Lawrey, J.D. (2016) From one to six: Unrecognized species diversity in the genus *Acantholichen* (lichenized Basidiomycota: Hygrophoraceae). *Mycologia* **108**(1): 38-55.

- Darbshire, O.V. (1935) The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 23: The Roccellaceae with Notes on Specimens Collected During The Expedition of 1905-06 to the Galapagos Islands. *Proceedings of the Californian Academy of Sciences*, 4th Series, **21**(23): 285-294.
- Diederich, P. (1995) New or interesting lichenicolous fungi VI. *Arthonia follmanniana*, a new species from the Galapagos Islands. In: Daniels, F.J.A., Schultz, M. & Peine, J. (eds.) *Flechten Follmann. Contributions to Lichenology in Honour of Gerhard Follmann*. University of Cologne, Cologne, pp. 179-182.
- Dodge, C.W. (1935) *Lichenes*. In: H.K. Svenson: *Plants of the Astor Expedition, 1930 (Galápagos and Cocos Islands)*. American Journal of Botany **22**(2): 221.
- Dodge, C.W. (1936) Lichens of the G. Allan Hancock Expedition of 1934, collected by Wm. R. Taylor. *Hancock Pacific Expeditions* **3**(3): 33-46.
- Elix, J.A. & McCarthy, P.M. (1998) Catalogue of the Lichens of the Smaller Pacific Islands. *Bibliotheca Lichenologica* **70**: 1-361.
- Ertz, D. (2009) Revision of the corticolous *Opegrapha* species from the Paleotropics. *Bibliotheca Lichenologica* **102**: 1-176.
- Ertz, D., Bungartz, F., Diederich, P. & Tibell, L. (2011) Molecular and morphological data place *Blarneya* in *Tylophoron* (Arthoniaceae). *Lichenologist* **43**(4): 1-12.
- Ertz, D., Flakus, A., Oset, M., Sipman, H.J.M. & Kukwa, M. (2015) A first assessment of lichenized Arthoniales in Bolivia with descriptions of two new species. *Phytotaxa* **217**(1): 1-025.
- Ertz, D., Tehler, A. (2010) The phylogeny of Arthoniales (Pezizomycotina) inferred from nucLSU and RPB2 sequences. *Fungal Diversity* **49**(1): 47-71 (<http://dx.doi.org/10.1007/s13225-010-0080-y>).
- Ertz, D., Tehler, A., Irestedt, M., Frisch, A., Thor, G. & van den Boom, P. (2014) A large-scale phylogenetic revision of Roccellaceae (Arthoniales) reveals eight new genera. *Fungal Diversity* **70**(1) 31-53 (<http://dx.doi.org/10.1007/s13225-014-0286-5>).
- Farlow, W.G. (1902) *Lichens*. In: B.L. Robinson: *Flora of the Galapagos Islands*. *Proceedings of the American Academy of Arts and Sciences* **38**(4): 83-89
- Fryday, A.M. & Øvstvedal, D.O. (2012) New species, combinations and records of lichenized fungi from the Falkland Islands (Islas Malvinas). *Lichenologist*. **44**: 483-500.
- Galloway, D.J. & Arvidsson, L. (1990) Studies in *Pseudocypsellaria* (Lichens) II. Ecuadorean species. *Lichenologist* **22**(2): 103-135.
- Galloway, D.J. (1985) Nomenclatural notes on *Pseudocypsellaria* II: Some southern hemisphere taxa. *Lichenologist* **17**(3): 303-307.
- Grube, M. (2007) *Arthonia*. In: Nash III, T.H., Gries, C. & Bungartz, F. (eds.) *Lichen Flora of the Greater Sonoran Desert Region*, Vol. III, Arizona State University, Tempe, p. 39-61.
- Guderley, R. (1999) Die *Lecanora subfuscata*-Gruppe in Süd- und Mittelamerika. *Journal of the Hattori Botanical Laboratory* **87**: 131-257.
- Harris, R.C. (1995) *More Florida Lichens, including the 10 cent tour of the pyrenolichens, a twenty year perspective*. New York Botanical Garden, Bronx (published by the author), 182 pp.
- Herrera-Campos, M., Clerc, P. & Nash III, T.H. (1998) Pendulous species of *Usnea* from the temperate forests in Mexico. *The Bryologist* **101**: 303-329.
- Herrera-Campos, M., Nash III, T.H. & Garcia, A. (2001) Preliminary study of the *Usnea fragiliscescens* aggregate in Mexico. *The Bryologist* **104**: 235-259.
- Hooker, J.D. (1847) An Enumeration of the Plants of the Galapagos Archipelago; with descriptions of those which are new. *Transactions of the Linnaean Society of London* **20**: 163-233.
- Imshaug, H.A. (1955) The lichen genus *Buellia* in Central America. *The Bryologist* **58**(4): 277-287
- Jagadeesh Ram, T.A.M., Aptroot, A., Sinha, G.P. & Singh, K.P. (2007) A new isidiate *Megalaria* species and new records of lichenized, lichenicolous and non-lichenized ascomycetes from India. *Nova Hedwigia* **85**(1-2): 139-144
- Jørgensen, P.M. (1998) *Acantholichen pannariooides*, a new basidiolichen from South America. *The Bryologist* **101**(3): 444-447.
- Kalb, K. (2001) New or otherwise interesting lichens. I. In: McCarthy, P.M., Kantvilas, G. & Louwhoff, S.H.J.J. (eds.): *Lichenological Contributions in Honour of Jack Elix*. *Bibliotheca Lichenologica* **78**:141-167.
- Kalb, K. (2008) Neue oder anderweitig interessante Flechten. IV. *Sauteria* **15**: 239-248
- Kashiwadani, H. & Kalb, K. (1993) The genus *Ramalina* in Brazil. *Lichenologist* **25**: 1-31.
- Kirk, P. (ed.) (2010) *Index Fungorum*. CABI Bioscience, CBS and Landcare Research (www.indexfungorum.org).
- Kirk, P. (ed.) (2013) *Index Fungorum*. CABI Bioscience, CBS and Landcare Research (www.indexfungorum.org).
- Knudsen, K. & Bungartz, F. (2013) *Chrysotricha galapagoana*, a new species from the Galapagos Islands. *Opuscula Philolichenum* **12**:174-179 (<http://sweetgum.nybg.org/philolichenum/>).
- Knudsen, K. & Bungartz, F. (2014) *Myriospora westbergii* (Acarosporaceae), a new discovery from the Galapagos Islands, Ecuador. *Opuscula Philolichenum* **13**:177-183 (<http://sweetgum.nybg.org/philolichenum/>).
- Knudsen, K. (2012) Some Notes on Acarosporaceae in South America. *Opuscula Philolichenum* **11**: 31-35 (<http://sweetgum.nybg.org/philolichenum/>).
- Lamb, I.M. (1947) A monograph of the lichen genus *Placopsis* Nyl. *Lilloa* **13**: 151-288.
- Lamb, I.M. (1977) A conspectus of the lichen genus *Stereocaulon* (Schreb.) Hoffm. *Journal of the Hattori Botanical Laboratory* **43**: 191-355.

- Landrón, C.I. (1972) *The lichen genus Ramalina Ach. in the West Indies with notes on its role in the vegetation of Porto Rico*. PhD Thesis, Michigan State University.
- Lawrey, J.D., Lücking, R., Sipman, H.J.M., Chaves, J.L., Redhead, S.A., Bungartz, F., Sikaroodi, M. & Gillevet, P.M. (2009) High concentration of basidiolichens in a single family of agaricoid mushrooms (Basidiomycota: Agaricales: Hygrophoraceae). *Mycological Research* **113**: 114-1171.
- LeDee, O.E. (2000) *Unpublished undergraduate student project*. Charles Darwin Foundation, Puerto Ayora.
- Lendemer, J.C. & Hodkinson, B.P. (2013) A radical shift in the taxonomy of *Lepraria* s.l.: Molecular and morphological studies shed new light on the evolution of asexuality and lichen growth form diversification. *Mycologia* **105**(4):994-1018 (<http://dx.doi.org/10.3852/12-338>).
- Linder, D.H. (1934) The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 18: Lichens. *Proceedings of the Californian Academy of Sciences*, 4th Series, **21**(18): 211-124.
- Lücking, R. (2008) Folicolous lichenized fungi. *Flora Neotropica* **103**: 1-866.
- Lücking, R., Lawrey, J.D., Sikaroodi, M., Gillevet, P.M., Chaves, J.L., Sipman, H.J.M. & Bungartz, F. (2009) Do lichens domesticate photobionts like farmers domesticate crops? Evidence from a previously unrecognized lineage of filamentous cyanobacteria. *American Journal of Botany* **96**(8): 1409-1418.
- Lücking, R., Tehler, A., Bungartz, F. & Lumbsch, H.T. (2013) Journey from the West: Did tropical Graphidaceae (lichenized Ascomycota: Ostropales) evolve from a saxicolous ancestor along the American Pacific coast? *American Journal of Botany* **100**: 2-13 (<http://dx.doi.org/10.3732/ajb.1200548>).
- Lumbsch, H.T. (1987) Eine neue Subspecies in der Flechtengattung *Diploschistes* aus der Südhemisphäre. *Herzogia* **7**: 601-608.
- Lumbsch, H.T., Ahti, T., Altermann, S., Amo de Paz, G., Aptroot, A., Arup, U., Bárcenas Peña, A., Bawingan, P.A., Benatti, M.N., Betancourt, L., Björk, C.R., Boonpragob, K., Brand, M., Bungartz, F., Cáceres, M.E.S., Candan, M., Chaves, J.L., Clerc, P., Common, R., Coppins, B.J., Crespo, A., Dal Forno, M., Divakar, P.K., Duya, M.V., Elix, J.A., Elvebak, A.V., Fankhauser, J., Farkas, E., Ferraro, I.L., Fischer, E., Galloway, D.J., Gaya, E., Giralt, M., Goward, T., Grube, M., Hafellner, J., Hernández M., J.E., De los Angeles Herrera Campos, M., Kalb, K., Kärnefelt, I., Kantvilas, G., Killmann, D., Kirika, P., Knudsen, K., Komposch, H., Kondratyuk, S., Lawrey, J.D., Mangold, A., Marcelli, M.P., McCune, B., Messuti, M.I., Michlig, A., Miranda González, R., Moncada, B., Naikatini, A., Nelsen, M.P., Øvstedral, D.O., Palice, Z., Papong, K., Parñmen, S., Pérez-Ortega, S., Printzen, C., Rico, V.J., Robayo, J., Rosabal, D., Ruprecht, U., Salazar Allen, N., Sancho, L., Santos de Jesus, L., Santos Vieira, T., Schultz, M., Seaward, M.D.R., Sérusiaux, E., Schmitt, I., Sipman, H.J.M., Sohrabi, M., Sochting, U., Sogaard, M.Z., Sparrius, L.B., Spielmann, A., Spribile, T., Sutjarittarakan, J., Thammathaworn, A., Thor, G., Thüs, H., Tiindal, E., Truong, C., Türk, R., Umaña Tenorio, L., Uperti, D.K., Van den Boom, P., Vivas Rebuelta, M., Wedin, M., Will-Wolf, S., Wirth, V., Wirtz, N., Yahr, R., Yeshitela, K., Ziemmek, F. & Lücking, R. (2010) One hundred new species of lichenized fungi: a signature of undiscovered global diversity. *Phytotaxa* **18**: 1-127.
- Martin, G.W. (1948) Additions to Galapagos Fungi. *Pacific Science* **11**(2):71-77.
- Martins, M.F.N. (2007) *O gênero Heterodermia (Physciaceae, Ascomycota liquenizados) no Estado de São Paulo, Brasil*. Master Thesis, Universidade Estadual Paulista, São Paulo, 218 pp.
- McDonald, T., Miadlikowska, J. & Lutzoni, F. (2003) The lichen genus *Sticta* in the Great Smoky Mountains: A phylogenetic study of morphological, chemical, and molecular data. *The Bryologist* **106**(1): 61-79.
- Miquel, S. & Bungartz, F. (2017) Ecological interactions of snails, lichens and bryophytes: Evidence of habitat use and herbivory, with the description of *Scolodonta rinae* (Gastropoda, Scolodontidae), a new species of carnivorous micro-mollusks. *Archiv für Molluskenkunde* **146**(1): 173-186.
- Moberg, R. (1990) The lichen genus *Physcia* in Central and South America. *Nordic Journal of Botany* **10**: 319-342.
- Motyka, J. (1936-38) *Lichenum Generis Usnea Studium Monographicum Pars Systematica*. Leopoldi (privately printed).
- Muggia, L., Gueidan, C., Perlmutter, G., Eriksson, O.E. & Grube, M. (2009) Molecular data confirm the position of *Flakea papillata* in the Verrucariaceae. *The Bryologist* **112**(3): 538-543.
- Nash III, T.H., Ryan, B.D., Gries, C. & Bungartz, F. (eds.) (2002) *Lichen Flora of the Greater Sonoran Desert Region*, Vol. I. Arizona State University, Tempe.
- Nylander, W. (1863) Lichenographiae Novo-Granatensis Prodromus (reprint titled: Prodromus Florae Novo-Granatensis auctoribus J. Triana et J.E. Planchon. Lichenes). *Acta Soc. Sci. Fennicae* **7**: 415-504.
- Ohmura, Y. (2001) Taxonomic study of the genus *Usnea* (lichenized Ascomycetes) in Japan and Taiwan. *Journal of the Hattori Botanical Laboratory* **90**: 1-96.
- Ohmura, Y. (2008) Molecular phylogeny of *Usnea rubicunda* and *U. rubrotincta* (Parmeliaceae, lichenized Ascomycotina) based on ITS rDNA sequences. *Journal of Japanese Botany* **83**: 347-355.
- Ohmura, Y., Lin, C.-K. & Wang, P.-H. (2010) Three sorediate species of the genus *Usnea* (Parmeliaceae, Ascomycota) new to Taiwan. *Memoirs of the National Museum of Natural Science (Tokyo)* **46**: 69-76.
- Roth, K., Mathey, A., & Leuckert, C. (1978) The xanthones of *Buellia galapagona* Weber (Lichenes, Physciaceae). *Wilidenowia* **8**(2): 363-368.
- Santesson, R. (1939) Amphibious pyrenolichens I. *Arkiv för Botanik* **29**A(10): 1-67.
- Schofield, E.K. (1984) *Plants of the Galapagos Islands – Field Guide and Travel Journal*. Universe Books, New York, 159 pp.
- Schultz, M. & Aptroot, A. (2008) Notes on poorly known, small cyanobacterial lichens from predominantly wet tropical to subtropical regions. In: Türk, R., John, V. & Hauck, M. (eds.): Facetten der Flechtenforschung – Festschrift zu Ehren von Volkmar Wirth. *Sauteria* **15**: 433-458.
- Sipman, H.J.M., Elix, J.A. & Nash III, T.H. (2009) *Hypotrachyna* (Parmeliaceae, lichenized fungi). *Flora Neotropica* **104**: 1-181

- Stewart, A. (1912) Expedition of the California Academy of Sciences to the Galapagos Islands 1905-1906. No. 7: Notes on the Lichens of the Galapagos Islands. *Proceedings of the Californian Academy of Sciences*, 4th Series, **1**(7): 431-446.
- Svenson, H.K. (1935) Plants of the Astor Expedition, 1930 (Galapagos and Cocos Islands). *American Journal of Botany* **22**: 208-277.
- Swinscow, T. & Krog, H. (1979) The fruticose species of *Usnea* subgenus *Usnea* in East Africa. *Lichenologist* **11**: 207-252.
- Tehler, A. (2002) *Roccella* In: T.H. Nash III, B.D. Ryan, C. Gries & F. Bungartz (eds.): *Lichen Flora of the Greater Sonoran Desert Region*, Vol. 1. Arizona State University, Tempe, 451-454 pp.
- Tehler, A. (2007) The *Roccella lirellina* and *R. galapagoensis* aggregates, taxonomy and nomenclature In: I. Kärnefelt & Thell, A. (eds.): *Lichenological Contributions in Honour of David Galloway*. *Bibliotheca Lichenologica* **95**: 517-530.
- Tehler, A., Baloch, E., Tibell, L. & Wedin, M. (2009) The systematic position of *Schistophoron*. *Bibliotheca Lichenologica* **99**: 383-329.
- Tehler, A., Ertz, D. & Irestedt, M. (2013) The genus *Dirina* (Roccellaceae, Arthoniales) revisited. *Lichenologist* **45**(4): 427-476.
- Tehler, A., Irestedt, M., Bungartz, F. & Wedin, M. (2009) Evolution and reproduction modes in the *Roccella galapagoensis* aggregate (Roccellaceae, Arthoniales) *Taxon* **58**(2): 438-456.
- Thomson, J.W. (1963) The Lichen Genus *Physcia* in North America. *Beihefte zur Nova Hedwigia* **7**:1-172
- Truong, C. & Clerc, P. (2016) New species and new records in the genus *Usnea* (Parmeliaceae, lichenized Ascomycota) from tropical South America. *Lichenologist* **48**(1): 71-93.
- Truong, C., Bungartz, F. & Clerc, P. (2011) The lichen genus *Usnea* (Parmeliaceae) in the tropical Andes and the Galapagos: species with a red-orange cortical or subcortical pigmentation. *The Bryologist* **114**(3): 477-503.
- Truong, C., Clerc, P. (2013) Eumitrioid *Usnea* species (Parmeliaceae, lichenized Ascomycota) in tropical South America and the Galapagos. *Lichenologist* **45**(3): 383-395.
- Truong, C., Rodriguez, J.M. & Clerc, P. (2013) Pendulous *Usnea* species (Parmeliaceae, lichenized Ascomycota) in tropical South America and the Galapagos. *Lichenologist* **45**(4): 505-543.
- Vareschi, V. (1973) Resultados liquenológicos de excusiones efectuadas en Venezuela. No. 3. Catalogo de los líquenes de Venezuela. *Acta Botanica Venezolana* **8**:177-245.
- Weber, W.A. (1966) Lichenology and bryology in the Galapagos Islands, with checklists of the lichens and bryophytes thus far reported. In: Bowman, R.I. (ed.): *The Galapagos. Proceedings of the Symposium of the Galápagos International Scientific Project*, University of California Press, Berkeley, p. 197-200.
- Weber, W.A. (1971) Four new species of *Buellia* from western North and South America. *The Bryologist* **74**: 185-191.
- Weber, W.A. (1981) *Lichenes Exsiccati*, distributed by the University of Colorado Museum, Boulder, Fasc. 1-15, nos. 1-600, 1961-1979. *Mycotaxon* **13**(1): 85-104.
- Weber, W.A. (1986) The Lichen Flora of the Galápagos Islands, Ecuador. *Mycotaxon* **27**: 451-497.
- Weber, W.A. (1993) Additions to the Galápagos and Cocos Islands Lichen and Bryophyte Floras. *The Bryologist* **96**(3): 431-434.
- Westberg, M., Arup, U. (2011) *Candelaria pacifica* sp. nova (Ascomycota, Candelariales) and the identity of *Candelaria vulgaris*. *Bibliotheca Lichenologica* **106**: 353-364
- Yáñez-Ayabaca, A., Ahti, T. & Bungartz, F. (2013) The Family Cladoniaceae (Lecanorales) in the Galapagos Islands. *Phytotaxa* **129**(1): 1-33
- Yáñez-Ayabaca, A., Dal-Forno, M., Bungartz, F. & Lücking, R. (2012) A first assessment of Galapagos basidiolichens. *Fungal Diversity* **52**:225-244